(19) World Intellectual Property Organization International Bureau



PCT

(43) International Publication Date 9 February 2006 (09.02.2006)

(10) International Publication Number WO 2006/015365 A1

- (51) International Patent Classification: C12N 15/693 (2006.01) C07K 14/00 (2006.01) G01N 33/53 (2006.01) C12N 5/10 (2006.01) C12N 15/11 (2006.01)
- (21) International Application Number:

PCT/US2005/027579

- (22) International Filing Date: 1 August 2005 (01.08.2005)
- (25) Filing Language:

(26) Publication Language:

English

(30) Priority Data: 60/592,592

30 July 2004 (30.07.2004) US

- (71) Applicant (for all designated States except US): MOUNT SINAI SCHOOL OF MEDICINE [US/US]; One Gustave L. Levy Place, New York, NY 10029 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): IOANNOU, Yiannis [US/US]; 306 E. 96th Street, Apt. #14E, New York, NY 10128 (US). DAVIES, Joanna, P. [US/US]; 2237 36th Street, Long Island City, NY 11105 (US).
- (74) Agents: LUDWIG, S., Peter et al.; Darby & Darby P.C., P.O. Box 5257, New York, NY 10150-5257 (US).

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NPC1L1 AND NPC1L1 INHIBITORS AND METHODS OF USE THEREOF

(57) Abstract: The present invention provides a novel gene, designated herein as "NPC1L1", that is associated with lipid or glucose metabolism. The invention further provides the use of the NPC1L1 gene and its corresponding protein to diagnose a lipid condition in a cell or tissue and to screen for novel therapeutic compounds useful for treating lipid disorders and other NPC1L1-associated or mediated diseases or disorders. The invention further provides specific inhibitors of NPC1L1.

5 NPC1L1 AND NPC1L1 INHIBITORS AND METHODS OF USE THEREOF

RELATED APPLICATIONS

The present application claims priority to provisional application Serial No. 60/592,592, filed on July 30, 2004, the contents of which are expressly incorporated by reference herein.

FIELD OF INVENTION

The present invention relates to the identification of a Niemann-Pick C1 Like 1 (NPC1L1) gene. The present invention further includes NPC1L1 nucleic acids and polypeptides, as well as transgenic animals with disrupted NPC1L1 function. In addition, the present invention relates to methods of use for NPC1L1 molecules, including drug screening, diagnostics, and treatment of disorders relating to aberrant lipid and glucose metabolism.

BACKGROUND OF THE INVENTION

Lipid Metabolism and Hyperlipidemia

25

30

Diets high in lipids, such as fat and cholesterol, are important factors in the development of many human diseases, including obesity, diabetes mellitus, atherosclerosis, and coronary artery disease. In addition, aberrant regulation of lipids can contribute to many other conditions, such as arthritis, cancer, hypertension, and vascular disorders. Modulating the biochemical and molecular mechanisms of lipid metabolism is therefore a crucial goal of contemporary research and medicine.

The control of lipid metabolism is highly complex, reflecting a delicate balance between the processes of ingestion, synthesis, and mobilization. The mechanisms underlying cholesterol control, for example, include absorption of dietary

cholesterol in the intestine; de novo production of cholesterol in the liver; secretion of cholesterol into the blood and lymph via lipoprotein carriers, and transport of cholesterol-lipoproteins from the serum to target tissues for use and elimination. Each of these steps represents a potential point for regulation as well as potential target for medical intervention.

In addition, chemical modifications of lipids play a key role in regulating metabolism. One key step is the addition of ester groups to cholesterol in the endoplasm reticulum, a modification that renders cholesterol more hydrophobic and competent for assembly into lipoprotein complexes. Lipoprotein complexes are essential for the transport of lipids to tissues; free lipids are virtually undetectable in the blood. There are least five distinct families of lipoproteins, each distinguished by their density as well as functional role in lipid metabolism.

Cholesterol esters are not just critical in intestinal absorption of cholesterol and its subsequent deposition into lipoprotein carriers. They are also the major component of atherosclerotic plaques, which underlie vascular disorders such as coronary artery disease—the leading cause of death in industrialized nations. Accordingly, the aberrant regulation of cholesterol metabolism can lead to elevated levels of serum cholesterol and promote cardiovascular disease.

While the pathways underlying de novo synthesis and breakdown of cholesterol are well understood, the specific mechanisms that mediate cholesterol transport across the intestinal epithelium remains unclear. Finding new ways to block the absorption of cholesterol may lower serum cholesterol and have significant clinical implications for conditions such as diet-induced obesity, diabetes, and cardiovascular disease. There is a need in the art for further investigations of lipid metabolism, especially with respect to cholesterol absorption.

Niemann Pick C1

5

10

15

20

25

30

The human Niemann-Pick C1 gene (NPC1) encodes a transmembrane transporter that is defective in the rare cholesterol storage disease, Niemann-Pick C1. NPC1 localizes to late endosomes and plays a pivotal role in intracellular transport of cholesterol and other lipids. Cells lacking NPC1 have a number of distinct trafficking

defects: (i) unesterified cholesterol derived from low-density lipoproteins (LDLs) accumulates in lysosomes; (ii) cholesterol accumulates in the trans-golgi network; and (iii) cholesterol transport to and from the plasma membrane is delayed.

The present invention provides a novel Niemann-Pick C1 Like 1 5 (NPC1L1) gene that is also involved in lipid metabolism.

SUMMARY OF THE INVENTION

The present invention provides an isolated nucleic acid that comprises a nucleotide sequence encoding a non-human NPC1L1 polypeptide, and fragments thereof. In one embodiment, the isolated genomic nucleic acid comprises a nucleotide sequence set forth SEQ ID NO:1.

10

15

20

25

In another embodiment, the nucleic acid comprises a nucleotide sequence set forth SEQ ID NO:2.

The present invention provides an isolated NPC1L1 nucleic acid which encodes a polypeptide having an amino acid sequence set forth in SEQ ID NO:3.

The present invention also provides NPC1L1 polypeptides encoded by the NPC1L1 nucleic acid sequences described above. In one embodiment, the NPC1L1 polypeptide is a non-human NPC1L1 polypeptide. In a specific embodiment, embodiment, the NPC1L1 polypeptide has the amino acid sequence set forth in SEQ ID NO: 3.

In addition, the present invention encompasses isolated nucleic acids with mutations in NPC1L1 coding sequences, and which encode NPC1L1 polypeptides having altered amino acid sequences.

The invention also provides recombinant vectors and host cells comprising the NPC1L1 nucleic acid molecules, as well as methods for producing an NPC1L1 polypeptide using such host cells. In one embodiment, the host cells are bacterial or eukaryotic cells engineered for studies of NPC1L1 function.

The invention further provides non-human transgenic animals comprising such a recombinant vector. In one embodiment, the animal is a mouse.

The invention also provides an oligonucleotide, such as a primer or probe, wherein the oligonucleotide has a sequence identical to a contiguous nucleotide sequence in the NPC1L1 nucleotide sequence, e.g., SEQ ID NO:2. The oligonucletide has a length at least 10 bases, preferably at least 20 bases, and more preferably at least 30 bases.

The invention further provides antibodies that bind specifically to an NPC1L1 protein having an amino acid sequence shown in SEQ ID NO:3, or fragments thereof.

5

10

15

20

25

30

The present invention includes methods of screening to identify an antagonist or agonist of a NPC1L1 nucleic acid or polypeptide. Such agonists/antagonists are thus designated candidate compounds for the treatment (e.g., therapeutic and prophylactic) of NPC1L1-mediated disorders, such as hyperlipidemia, and other diseases and disorders associated with or mediated by NPC1L1, including, but not limited to, body weight disorders such as obesity, diabetes, e.g., type II diabetes, cardiovascular disease, including, for example, ischemia, congestive heart failure, and atherosclerosis, and stroke. NPC1L1-mediated disorders include those disorders which are mediated by the expression or activity of NPC1L1, including plasma membrane uptake and transport of various lipids, including cholesterol and sphingolipids.

In one embodiment, the NPC1L1 antagonist is selected from the group consisting of a small molecule, an anti-NPC1L1 antibody, an NPC1L1 antisense nucleic acid, an NPC1L1 ribozyme, an NPC1L1 triple-helix, or an NPC1L1 inhibitory RNA. In another embodiment, the NPC1L1 antagonist inhibits transcription of NPC1L1 by targeting an NPC1L1 promoter transcription factor. In this embodiment the specific agonist or antagonist is identified by its ability to downregulate the expression of a reporter gene (such as luciferase or green fluorescence protein) driven by the promoter for NPC1L1. In another embodiment, the inhibitor is selected from the group consisting on: 4-phenyl-4-piperidinecarbonitrile hydrochloride, 1-butyl-N-(2,6-dimethylphenyl)-2 piperidinecarboxamide, 1-(1-naphthylmethyl)piperazine, 3{1-[(2-methylphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione, 3{1-[(2hydroxyphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione, 2-acetyl-3-[(2methylphenyl)amino]-2-cyclopenten-1-one, 3-[(4-methoxyphenyl)amino]-2-methyl-2-

cyclopenten-1-one, 3-[(2-methoxyphenyl)amino]-2-methyl-2-cyclopenten-1-one, and N-(4-acetylphenyl)-2-thiophenecarboxamide.

The invention further provides a mammal, preferably a mouse, comprising a homozygous or heterozygous disruption of endogenous NPC1L1, wherein the mouse produces less functional NPC1L1 polypeptide or does not produce any functional NPC1L1 polypeptide.

The invention further describes transgenic mammal, preferably a mouse, in which the mouse NPC1L1 genomic gene or cDNA is into the mouse genome in multiple copies, which is a model for hyperlipidemia. In one embodiment, the hyperlipidemia is hypercholesterolemia.

10

15

25

The present invention also provides a method of inhibiting the cellular uptake of a lipid by inhibiting the expression or activity of an NPC1L1 nucleic acid or polypeptide.

Further provided is a method of treating hyperlipidemia or other diseases and disorders associated with or mediated by NPC1L1, including, but not limited to, obesity, diabetes, e.g., type II diabetes, cardiovascular disease, or stroke in a subject in need thereof by administering to the subject a therapeutically effective amount of an agent which inhibits the expression or activity of an NPC1L1 nucleic acid or polypeptide.

In one embodiment, the NPC1L1 nucleic acid or polypeptide which is inhibited is that set forth in SEQ ID NOs: 2 and 3, respectively.

In another embodiment, the hyperlipidemia is hypercholesterolemia.

The present invention further provides a method of decreasing the plasma glucose by administering a therapeutically effective amount of an agent which inhibits the expression or activity of an NPC1L1 nucleic acid or polypeptide.

In one embodiment, the NPC1L1 nucleic acid or polypeptide which is inhibited is that set forth in SEQ ID NOs: 2 and 3, respectively.

In another embodiment, the hyperlipidemia is dietary hypercholesterolemia.

The present invention also provides a method for identifying a test compound that binds to and modulates the activity of an NPC1L1 polypeptide, which compound

PCT/US2005/027579 WO 2006/015365

is therefore a candidate compound for the treatment of hyperlipidemia, obesity, diabetes, e.g., type II diabetes, cardiovascular disease, or stroke.

BRIEF DESCRIPTION OF DRAWINGS

5 Figures 1A-1E. Figure 1 demonstrates the subcellular localization of murine NPC1L1 by immunofluorescence. Figure 1a shows localization in human NT2 cells. Figure 1b shows localization of tagged NPC1L1 in transfected COS-7 cells. Figure 1c shows localization in Caco-2 cells transiently transfected with an NPC1L1 fusion protein. Figure 1d depicts the lack of localization of NPC1L1 on the plasma membrane. Figure 1e demonstrates the effect of NPC1L1 on fatty acid transport in bacterial cells.

10

15

20

25

30

Figures 2A-2F. Figure 2 shows the tissue distribution of human and mouse NPC1L1 in various tissues in human (Fig. 2a and 2b) and mouse (Fig. 2c) tissues using quantitative real time PCR (Fig. 2d and 2e). Figure 2f demonstrates reduced activation of reporter genes in cells from NPC1L1-deficient mice (L1) compared with control mice (WT), under the expression of three response elements: ABCA1-RFP (Fig. 2f(1-4)); DR4-RFP (Fig. 2f(5-8)); and SRE-GFP (Fig. 2f(9-12)).

Figures 3A-3E. Figure 3 demonstrates impaired uptake of multiple lipids (i.e., oleic acid, cholesterol) in mouse cells from NPC1L1 deficient mice using radioactively labeled lipids (Fig. 3a-b), fluorescently-tagged lipids complexed with cyclodextrin (Fig. 3c) or BSA (Fig. 3d). Figure 3e demonstrates expression of a caveolin-mYFP fusion in mouse wild-type or NPC1L1 null cells.

- Figure 4. Figure 4 demonstrates resistance to hypercholesterolemia in NPC1L1 null mice subjected to a high cholesterol diet. Figure 4 shows plasma assays for glucose, triglycerides, total cholesterol and HDL-cholesterol after 14 weeks.
- Figure 5. Figure 5 demonstrates the AcrAB-TolC complex in E. coli and the homologous MexCD-OprJ complex from Pseudomonas aeruginosa.
- Figure 6. Immunofluorescence of lysosomal cholesterol of normal human fibroblasts treated (6B) or untreated (6A) with NPC1 inhibitor 4-butyryl-4phenylpiperidine.

Figure 7. Immunofluorescence of lysosomal cholesterol of normal human fibroblasts treated with weaker NPC1 inhibitor 4-cyano-4-phenylpiperidine (7A), or 4-methylpiperidine (7B).

- Figure 8 is a graph illustrating that inhibitors 4-Phenyl-45 piperidinecarbonitrile Hydrochloride (#1), (1-Butyl-N(2,6-diemethylphenyl)2
 piperidine carboxamide) #7, 2-acetyl-3-[(2-methylphenyl)amino]-2-cyclopenten-1one, 3{1-[(2-hydroxyphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione and
 gave a positive signal compared to control (none). Note that Ezetamibe did not
 inhibit NPC1L1 in this assay.
- Figures 9A-9B. Figure 9A is a graph depicting body weights of mice fed a high fat diet for 0-245 days (Mouse set 1). Figure 9B is a graph depicting body weights of mice fed a high fat diet for 0-95 days (mouse set 2).

Figure 10 is a graph depicting results of a glucose tolerance test on mice fed with regular chow (mouse set 1).

- 15 Figures 11A-11B. Figure 11A is a graph depicting results of a glucose tolerance test on mice fed a high fat diet for 102 days (mouse set 1). Figure 11B is a graph depicting results of a glucose tolerance test on mice fed a high fat diet for 262 days (mouse set 1).
 - Figures 12A-12B. Figure 12A is a graph depicting results of an insulin tolerance test in mice fed a high fat diet for 105 days (mouse set 2). Figure 12B is a graph depicting results of an insulin tolerance test in mice fed a high fat diet for 252 days (mouse set 1).

20

25

- Figures 13A-13B. Figure 13A is a graph depicting insulin measurements in mice fed a high fat diet for 72 days (mouse set 2). Figure 13B is a graph depicting insulin measurements in mice fed a high fat diet for 220 days (mouse set 1).
- Figures 14A-14B are graphs depicting plasma lipoprotein profiles in mice at 120 days (Figure 14A) and 268 days (Figure 14B) of high fat diet.
- Figure 15 is a graph depicting results of real-time PCR of NPC1L1 in mouse tissue and 3T3L1 cell line.

Figure 16 is a graph depicting results of real-time PCR of NPC1L1 in mouse white and brown adipose tissue.

Figure 17 is a graph depicting results of real-time PCR of NPC1L1 in human liver and adipose tissue.

Figure 18 is a table illustrating weight gain and food intake over 210 days for NPC1L1 knockout mice fed a high fat diet as compared to wild type mice fed a high fat diet.

DETAILED DESCRIPTION OF THE INVENTION

The Niemann Pick C1-like gene and gene product (NPC1L1; also known as NPC3; Genbank Accession No. AF192522; Davies et al., (2000) Genomics 65(2): 137-145 and Ioannou et al., (2000) Mol. Genet. Metab. 71(1-2): 175-181 was first isolated in humans, based on its 42% amino acid identity and 51% amino acid similarity to human NPC1 (Genbank Accession No. AF002020).

The present invention is based on methods of using NPC1L1 molecules including screening assays for identifying modulators of NPC1L1, inhibitors of NPC1L1 including small molecule compounds, antibodies, and siRNA molecules, NPC1L1 knock-out animals and transgenic animals, as well as therapeutic methods for the treatment of NPC1L1 mediated disease and disorders including, but not limited to, lipid disorders such as hyperlipidemia, and obesity, diabetes, and cardiovascular disease using modulators, e.g., inhibitors of NPC1L1. Methods for treating disorders associated with decreased NPC1L1, e.g., anorexia, cachexia, and wasting, using agonists of NPC1L1 are also included in the invention. The present invention also includes diagnostic methods using NPC1L1.

25 <u>Definitions</u>

15

20

The term "subject" as used herein refers to a mammal (e.g., a rodent such as a mouse or a rat, a pig, a primate, or companion animal (e.g., dog or cat, etc.). In particular, the term refers to humans.

The terms "array" and "microarray" are used interchangeably and refer generally to any ordered arrangement (e.g., on a surface or substrate) of different

molecules, referred to herein as "probes." Each different probe of an array is capable of specifically recognizing and/or binding to a particular molecule, which is referred to herein as its "target," in the context of arrays. Examples of typical target molecules that can be detected using microarrays include mRNA transcripts, cDNA molecules, cRNA molecules, and proteins. As disclosed in the Examples section below, at least one target detectable by the Affymetrix GeneChip® microarray used as described herein is a NPC1L1-encoding nucleic acid (such as an mRNA transcript, or a corresponding cDNA or cRNA molecule).

An "antisense" nucleic acid molecule or oligonucleotide is a single stranded nucleic acid molecule, which may be DNA, RNA, a DNA-RNA chimera, or a derivative thereof, which, upon hybridizing under physiological conditions with complementary bases in an RNA or DNA molecule of interest, inhibits the expression of the corresponding gene by inhibiting, e.g., mRNA transcription, mRNA splicing, mRNA transport, or mRNA translation or by decreasing mRNA stability. As presently used, "antisense" broadly includes RNA-RNA interactions, RNA-DNA interactions, and RNase-H mediated arrest. Antisense nucleic acid molecules can be encoded by a recombinant gene for expression in a cell (see, e.g., U.S. Patents No. 5,814,500 and 5,811,234), or alternatively they can be prepared synthetically (see, e.g., U.S. Patent No. 5,780,607). According to the present invention, the role of NPC1L1 in regulation of conditions associated with hyperlipidemia may be identified, modulated and studied using antisense nucleic acids derived on the basis of NPC1L1-encoding nucleic acid molecules of the invention.

10

15

20

25

30

The term "ribozyme" is used to refer to a catalytic RNA molecule capable of cleaving RNA substrates. Ribozyme specificity is dependent on complementary RNA-RNA interactions (for a review, see Cech and Bass, *Annu. Rev. Biochem.* 1986; 55: 599-629). Two types of ribozymes, hammerhead and hairpin, have been described. Each has a structurally distinct catalytic center. The present invention contemplates the use of ribozymes designed on the basis of the NPC1L1-encoding nucleic acid molecules of the invention to induce catalytic cleavage of the corresponding mRNA, thereby inhibiting expression of the NPC1L1 gene. Ribozyme

technology is described further in *Intracellular Ribozyme Applications: Principals and Protocols*, Rossi and Couture ed., Horizon Scientific Press, 1999.

The term "RNA interference" or "RNAi" refers to the ability of double stranded RNA (dsRNA) to suppress the expression of a specific gene of interest in a homology-dependent manner. It is currently believed that RNA interference acts post-transcriptionally by targeting mRNA molecules for degradation. RNA interference commonly involves the use of dsRNAs that are greater than 500 bp; however, it can also be mediated through small interfering RNAs (siRNAs) or small hairpin RNAs (shRNAs), which can be 10 or more nucleotides in length and are typically 18 or more nucleotides in length. For reviews, see Bosner and Labouesse, Nature Cell Biol. 2000; 2: E31-E36 and Sharp and Zamore, Science 2000; 287: 2431-2433.

10

15

20

25

30

The term "nucleic acid hybridization" refers to anti-parallel hydrogen bonding between two single-stranded nucleic acids, in which A pairs with T (or U if an RNA nucleic acid) and C pairs with G. Nucleic acid molecules are "hybridizable" to each other when at least one strand of one nucleic acid molecule can form hydrogen bonds with the complementary bases of another nucleic acid molecule under defined stringency conditions. Stringency of hybridization is determined, e.g., by (i) the temperature at which hybridization and/or washing is performed, and (ii) the ionic strength and (iii) concentration of denaturants such as formamide of the hybridization and washing solutions, as well as other parameters. Hybridization requires that the two strands contain substantially complementary sequences. Depending on the stringency of hybridization, however, some degree of mismatches may be tolerated. Under "low stringency" conditions, a greater percentage of mismatches are tolerable (i.e., will not prevent formation of an anti-parallel hybrid). See Molecular Biology of the Cell, Alberts et al., 3rd ed., New York and London: Garland Publ., 1994, Ch. 7.

Typically, hybridization of two strands at high stringency requires that the sequences exhibit a high degree of complementarity over an extended portion of their length. Examples of high stringency conditions include: hybridization to filter-bound DNA in 0.5 M NaHPO₄, 7% SDS, 1 mM EDTA at 65°C, followed by washing in 0.1x SSC/0.1% SDS (where 1x SSC is 0.15 M NaCl, 0.15 M Na citrate) at 68°C or for

oligonucleotide molecules washing in 6xSSC/0.5% sodium pyrophosphate at about 37°C (for 14 nucleotide-long oligos), at about 48°C (for about 17 nucleotide-long oligos), at about 55°C (for 20 nucleotide-long oligos), and at about 60°C (for 23 nucleotide-long oligos)).

5

10

15

20

25

Conditions of intermediate or moderate stringency (such as, for example, an aqueous solution of 2×SSC at 65°C; alternatively, for example, hybridization to filter-bound DNA in 0.5 M NaHPO₄, 7% SDS, 1 mM EDTA at 65°C, and washing in 0.2 x SSC/0.1% SDS at 42°C) and low stringency (such as, for example, an aqueous solution of 2×SSC at 55°C), require correspondingly less overall complementarity for hybridization to occur between two sequences. Specific temperature and salt conditions for any given stringency hybridization reaction depend on the concentration of the target DNA and length and base composition of the probe, and are normally determined empirically in preliminary experiments, which are routine (see Southern, *J. Mol. Biol.* 1975; 98: 503; Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, 2nd ed., vol. 2, ch. 9.50, CSH Laboratory Press, 1989; Ausubel *et al.* (eds.), 1989, *Current Protocols in Molecular Biology*, Vol. I, Green Publishing Associates, Inc., and John Wiley & Sons, Inc., New York, at p. 2.10.3).

As used herein, the term "standard hybridization conditions" refers to hybridization conditions that allow hybridization of two nucleotide molecules having at least 75% sequence identity. According to a specific embodiment, hybridization conditions of higher stringency may be used to allow hybridization of only sequences having at least 80% sequence identity, at least 90% sequence identity, at least 95% sequence identity, or at least 99% sequence identity.

Nucleic acid molecules that "hybridize" to any of the NPC1L1-encoding nucleic acids of the present invention may be of any length. In one embodiment, such nucleic acid molecules are at least 10, at least 15, at least 20, at least 30, at least 40, at least 50, and at least 70 nucleotides in length. In another embodiment, nucleic acid molecules that hybridize are of about the same length as the particular NPC1L1-encoding nucleic acid.

The term "homologous" as used in the art commonly refers to the relationship between nucleic acid molecules or proteins that possess a "common evolutionary origin," including nucleic acid molecules or proteins within superfamilies (e.g., the immunoglobulin superfamily) and nucleic acid molecules or proteins from different species (Reeck et al., Cell 1987; 50: 667). Such nucleic acid molecules or proteins have sequence homology, as reflected by their sequence similarity, whether in terms of substantial percent similarity or the presence of specific residues or motifs at conserved positions.

5

10

15

20

25

The terms "percent (%) sequence similarity", "percent (%) sequence identity", and the like, generally refer to the degree of identity or correspondence between different nucleotide sequences of nucleic acid molecules or amino acid sequences of proteins that may or may not share a common evolutionary origin (see Reeck et al., supra). Sequence identity can be determined using any of a number of publicly available sequence comparison algorithms, such as BLAST, FASTA, DNA Strider, GCG (Genetics Computer Group, Program Manual for the GCG Package, Version 7, Madison, Wisconsin), etc.

In addition to the NPC1L1 nucleic acid sequences and NPC1L1 polyleptides (as shown in, e.g., SEQ ID NOS: 2 and 3, respectively), the present invention further provides polynucleotide molecules comprising nucleotide sequences having certain percentage sequence identities to any of the aforementioned sequences. Such sequences preferably hybridize under conditions of moderate or high stringency as described above, and may include species orthologs.

As used herein, the term "orthologs" refers to genes in different species that apparently evolved from a common ancestral gene by speciation. Normally, orthologs retain the same function through the course of evolution. Identification of orthologs can provide reliable prediction of gene function in newly sequenced genomes. Sequence comparison algorithms that can be used to identify orthologs include without limitation BLAST, FASTA, DNA Strider, and the GCG pileup program. Orthologs often have high sequence similarity.

The present invention encompasses all non-human orthologs of NPC1L1. In addition to the mouse ortholog, particularly useful NPC1L1 orthologs of the present invention are rat, monkey, porcine, canine (dog), and guinea pig orthologs.

5

10

15

20

As used herein, the term "isolated" means that the material being referred to has been removed from the environment in which it is naturally found, and is characterized to a sufficient degree to establish that it is present in a particular sample. Such characterization can be achieved by any standard technique, such as, e.g., sequencing, hybridization, immunoassay, functional assay, expression, size determination, or the like. Thus, a biological material can be "isolated" if it is free of cellular components, i.e., components of the cells in which the material is found or produced in nature. For nucleic acid molecules, an isolated nucleic acid molecule or isolated polynucleotide molecule, or an isolated oligonucleotide, can be a PCR product, an mRNA transcript, a cDNA molecule, or a restriction fragment. A nucleic acid molecule excised from the chromosome that it is naturally a part of is considered to be isolated. Such a nucleic acid molecule may or may not remain joined to regulatory, or non-regulatory, or non-coding regions, or to other regions located upstream or downstream of the gene when found in the chromosome. Nucleic acid molecules that have been spliced into vectors such as plasmids, cosmids, artificial chromosomes, phages and the like are considered isolated. In a particular embodiment, a NPC1L1-encoding nucleic acid spliced into a recombinant vector, and/or transformed into a host cell, is considered to be "isolated".

Isolated nucleic acid molecules and isolated polynucleotide molecules of the present invention do not encompass uncharacterized clones in man-made genomic or cDNA libraries.

A protein that is associated with other proteins and/or nucleic acids with which it is associated in an intact cell, or with cellular membranes if it is a membrane-associated protein, is considered isolated if it has otherwise been removed from the environment in which it is naturally found and is characterized to a sufficient degree to establish that it is present in a particular sample. A protein expressed from a recombinant vector in a host cell, particularly in a cell in which the protein is not naturally expressed, is also regarded as isolated.

An isolated organelle, cell, or tissue is one that has been removed from the anatomical site (cell, tissue or organism) in which it is found in the source organism.

An isolated material may or may not be "purified". The term "purified" as used herein refers to a material (e.g., a nucleic acid molecule or a protein) that has been isolated under conditions that detectably reduce or eliminate the presence of other contaminating materials. Contaminants may or may not include native materials from which the purified material has been obtained. A purified material preferably contains less than about 90%, less than about 75%, less than about 50%, less than about 25%, less than about 2% by weight of other components with which it was originally associated.

5

10

15

20

25

30

Methods for purification are well-known in the art. For example, nucleic acids or polynucleotide molecules can be purified by precipitation, chromatography (including preparative solid phase chromatography, oligonucleotide hybridization, and triple helix chromatography), ultracentrifugation, and other means. Polypeptides can be purified by various methods including, without limitation, preparative disc-gel electrophoresis, isoelectric focusing, HPLC, reverse-phase HPLC, gel filtration, affinity chromatography, ion exchange and partition chromatography, precipitation and salting-out chromatography, extraction, and counter-current distribution. Cells can be purified by various techniques, including centrifugation, matrix separation (e.g., nylon wool separation), panning and other immunoselection techniques, depletion (e.g., complement depletion of contaminating cells), and cell sorting (e.g., fluorescence activated cell sorting (FACS)). Other purification methods are possible. The term "substantially pure" indicates the highest degree of purity that can be achieved using conventional purification techniques currently known in the art. In the context of analytical testing of the material, "substantially free" means that contaminants, if present, are below the limits of detection using current techniques, or are detected at levels that are low enough to be acceptable for use in the relevant art, for example, no more than about 2-5% (w/w). Accordingly, with respect to the purified material, the term "substantially pure" or "substantially free" means that the purified material being referred to is present in a composition where it represents 95% (w/w) or more of the weight of that composition. Purity can be evaluated by

chromatography, gel electrophoresis, immunoassay, composition analysis, biological assay, or any other appropriate method known in the art.

The term "about" means within an acceptable error range for the particular value as determined by one of ordinary skill in the art, which will depend in part on how the value is measured or determined, *i.e.*, the limitations of the measurement system. For example, "about" can mean within an acceptable standard deviation, per the practice in the art. Alternatively, "about" can mean a range of up to $\pm 20\%$, preferably up to $\pm 10\%$, more preferably up to $\pm 5\%$, and more preferably still up to $\pm 1\%$ of a given value. Alternatively, particularly with respect to biological systems or processes, the term can mean within an order of magnitude, preferably within 2-fold, of a value. Where particular values are described in the application and claims, unless otherwise stated, the term "about" is implicit and in this context means within an acceptable error range for the particular value.

10

15

20

25

30

The term "degenerate variants" of a polynucleotide sequence are those in which a change of one or more nucleotides in a given codon position results in no alteration in the amino acid encoded at that position.

The term "modulator" refers to a compound that differentially affects the expression or activity of a gene or gene product (e.g., nucleic acid molecule or protein), for example, in response to a stimulus that normally activates or represses the expression or activity of that gene or gene product when compared to the expression or activity of the gene or gene product not contacted with the stimulus. In one embodiment, the gene or gene product the expression or activity of which is being modulated includes a gene, cDNA molecule or mRNA transcript that encodes a mammalian NPC1L1 protein such as, e.g., a rat, mouse, companion animal, or human NPC1L1 protein.

An "antagonist" is one type of modulator, and includes an agent that reduces expression or activity, or inhibits expression or activity, of an NPC1L1 nucleic acid or polypeptide. Examples of antagonists of the NPC1L1-encoding nucleic acids of the present invention include without limitation small molecules, anti-NPC1L1 antibodies, antisense nucleic acids, ribozymes, and RNAi oligonucleotides, and

molecule that target NPC1L1 promoter transcription factors. Specific NPC1L1 antagonists are set forth herein.

An "agonist" is another modulator that is defined as an agent that interacts with (e.g., binds to) a nucleic acid molecule or protein, and promotes, enhances, stimulates or potentiates the biological expression or activity of the nucleic acid molecule or protein. The term "partial agonist" is used to refer to an agonist which interacts with a nucleic acid molecule or protein, but promotes only partial function of the nucleic acid molecule or protein. A partial agonist may also inhibit certain functions of the nucleic acid molecule or protein with which it interacts. An "antagonist" interacts with (e.g., binds to) and inhibits or reduces the biological expression or function of the nucleic acid molecule or protein.

5

10

15

20

25

30

A "test compound" is a molecule that can be tested for its ability to act as a modulator of a gene or gene product. Test compounds can be selected, without limitation, from small inorganic and organic molecules (i.e., those molecules of less than about 2 kD, and more preferably less than about 1 kD in molecular weight), polypeptides (including native ligands, antibodies, antibody fragments, and other immunospecific molecules), oligonucleotides, polynucleotide molecules, and derivatives thereof. In various embodiments of the present invention, a test compound is tested for its ability to modulate the expression of a mammalian NPC1L1-encoding nucleic acid or NPC1L1 protein or to bind to a mammalian NPC1L1 protein. A compound that modulates a nucleic acid or protein of interest is designated herein as a "candidate compound" or "lead compound" suitable for further testing and development. Candidate compounds include, but are not necessarily limited to, the functional categories of agonist and antagonist.

The term "detectable change" as used herein in relation to an expression level of a gene or gene product (e.g., NPC1L1) means any statistically significant change and preferably at least a 1.5-fold change as measured by any available technique such as hybridization or quantitative PCR.

As used herein, the term "specific binding" refers to the ability of one molecule, typically an antibody, polynucleotide, polypeptide, or a small molecule

ligand to contact and associate with another specific molecule, e.g., an NPC1L1 molecule, even in the presence of many other diverse molecules. "Immunospecific binding" refers to the ability of an antibody to specifically bind to (or to be "specifically immunoreactive with") its corresponding antigen.

5

10

15

20

25

30

The term "obesity" or "overweight" is defined as a body mass index (BMI) of 30 kg/ m² or more (National Institute of Health, Clinical Guidelines on the Identification, Evaluation, and Treatment of Overweight and Obesity in Adults (1998)). However, the present invention is also intended to include a disease, disorder, or condition that is characterized by a body mass index (BMI) of 25 kg/ m² or more, 26 kg/m² or more, 27 kg/ m² or more, 28 kg/ m² or more, 29 kg/ m² or more, 29.5 kg/ m² or more, or 29.9 kg/ m² or more, all of which are typically referred to as overweight (National Institute of Health, Clinical Guidelines on the Identification, Evaluation, and Treatment of Overweight and Obesity in Adults (1998)). Body weight disorders also include conditions or disorders which are secondary to disorders such as obesity or overweight, *i.e.*, are influenced or caused by a disorder such as obesity or overweight. For example, insulin resistance, diabetes, hypertension, and atherosclerosis can all be influenced or caused by obesity or overweight. Accordingly, such secondary conditions or disorders are additional examples of body weight disorders.

The term "cardiovascular disease" (CVD) is any disease or disorder that affects the cardiovascular system. A cardiovascular disease or disorder includes, but is not limited to atherosclerosis, coronary heart disease or coronary artery disease (CAD), myocardial infarction (MI), ischemia, and peripheral vascular diseases.

"Amplification" of DNA as used herein denotes the use of exponential amplification techniques known in the art such as the polymerase chain reaction (PCR), and non-exponential amplification techniques such as linked linear amplification, that can be used to increase the concentration of a particular DNA sequence present in a mixture of DNA sequences. For a description of PCR, see Saiki et al., Science 1988, 239:487 and U.S. Patent No. 4,683,202. For a description of linked linear amplification, see U.S. Patent Nos. 6,335,184 and 6,027,923; Reyes et al., Clinical Chemistry 2001; 47: 131-40; and Wu et al., Genomics 1989; 4: 560-569.

As used herein, the phrase "sequence-specific oligonucleotides" refers to oligonucleotides that can be used to detect the presence of a specific nucleic acid molecule, or that can be used to amplify a particular segment of a specific nucleic acid molecule for which a template is present. Such oligonucleotides are also referred to as "primers" or "probes." In a specific embodiment, "probe" is also used to refer to an oligonucleotide, for example about 25 nucleotides in length, attached to a solid support for use on "arrays" and "microarrays" described below.

5

10

15

20

25

30

The term "host cell" refers to any cell of any organism that is selected, modified, transformed, grown, used or manipulated in any way so as, e.g., to clone a recombinant vector that has been transformed into that cell, or to express a recombinant protein such as, e.g., a NPC1L1 protein of the present invention. Host cells are useful in screening and other assays, as described below.

As used herein, the terms "transfected cell" and "transformed cell" both refer to a host cell that has been genetically modified to express or over-express a nucleic acid encoding a specific gene product of interest such as, e.g., a NPC1L1 protein or a fragment thereof. Any eukaryotic or prokaryotic cell can be used, although eukaryotic cells are preferred, vertebrate cells are more preferred, and mammalian cells are the most preferred. Transfected or transformed cells are suitable to conduct an assay to screen for compounds that modulate the function of the gene product. A typical "assay method" of the present invention makes use of one or more such cells, e.g., in a microwell plate or some other culture system, to screen for such compounds. The effects of a test compound can be determined on a single cell, or on a membrane fraction prepared from one or more cells, or on a collection of intact cells sufficient to allow measurement of activity.

The term "recombinantly engineered cell" refers to any prokaryotic or eukaryotic cell that has been genetically manipulated to express or over-express a nucleic acid of interest, e.g., a NPC1L1-encoding nucleic acid of the present invention, by any appropriate method, including transfection, transformation or transduction. The term "recombinantly engineered cell" also refers to a cell that has been engineered to activate an endogenous nucleic acid, e.g., the endogenous NPC1L1-encoding gene in a rat, mouse or human cell, which cell would not normally

express that gene product or would express the gene product at only a sub-optimal level.

The terms "vector", "cloning vector" and "expression vector" refer to recombinant constructs including, e.g., plasmids, cosmids, phages, viruses, and the like, with which a nucleic acid molecule (e.g., a NPC1L1-encoding nucleic acid or NPC1L1 siRNA-expressing nucleic acid) can be introduced into a host cell so as to, e.g., clone the vector or express the introduced nucleic acid molecule. Vectors may further comprise selectable markers.

5.

10

15

20

25

30

The terms "mutant", "mutated", "mutation", and the like, refer to any detectable change in genetic material, (e.g., NPC1L1 DNA), or any process, mechanism, or result of such a change. Mutations include gene mutations in which the structure (e.g., DNA sequence) of the gene is altered; any DNA or other nucleic acid molecule derived from such a mutation process; and any expression product (e.g., the encoded protein) exhibiting a non-silent modification as a result of the mutation.

As used herein, the term "genetically modified animal" encompasses all animals into which an exogenous genetic material has been introduced and/or whose endogenous genetic material has been manipulated. Examples of genetically modified animals include without limitation transgenic animals, e.g., "knock-in" animals with the endogenous gene substituted with a heterologous gene or an ortholog from another species or a mutated gene, "knockout" animals with the endogenous gene partially or completely inactivated, or transgenic animals expressing a mutated gene or overexpressing a wild-type or mutated gene (e.g., upon targeted or random integration into the genome) and animals containing cells harboring a non-integrated nucleic acid construct (e.g., viral-based vector, antisense oligonucleotide, shRNA, siRNA, ribozyme, etc.), including animals wherein the expression of an endogenous gene has been modulated (e.g., increased or decreased) due to the presence of such construct.

As used herein, a "transgenic animal" is a nonhuman animal, preferably a mammal, more preferably a rodent such as a rat or mouse, in which one or more of

the cells of the animal include a transgene. Other examples of transgenic animals include nonhuman primates, sheep, dogs, pigs, cows, goats, chickens, amphibians, etc. A transgene is exogenous DNA that is integrated into the genome of a cell from which a transgenic animal develops and which remains in the genome of the mature animal, thereby directing the expression of an encoded gene product in one or more cell types or tissues of the transgenic animal.

A "knock-in animal" is an animal (e.g., a mammal such as a mouse or a rat) in which an endogenous gene has been substituted in part or in total with a heterologous gene (i.e., a gene that is not endogenous to the locus in question; see Roamer et al., New Biol. 1991, 3:331). This can be achieved by homologous recombination (see "knockout animal" below), transposition (Westphal and Leder, Curr. Biol. 1997; 7: 530), use of mutated recombination sites (Araki et al., Nucleic Acids Res. 1997; 25: 868), PCR (Zhang and Henderson, Biotechniques 1998; 25: 784), or any other technique known in the art. The heterologous gene may be, e.g., a reporter gene linked to the appropriate (e.g., endogenous) promoter, which may be used to evaluate the expression or function of the endogenous gene (see, e.g., Elegant et al., Proc. Natl. Acad. Sci. USA 1998; 95: 11897).

10

15

20

25

30

A "knockout animal" is an animal (e.g., a mammal such as a mouse or a rat) that has had a specific gene in its genome partially or completely inactivated by gene targeting (see, e.g., U.S. Patents Nos. 5,777,195 and 5,616,491). A knockout animal can be a heterozygous knockout (i.e., with one defective allele and one wild type allele) or a homozygous knockout (i.e., with both alleles rendered defective). Preparation of a knockout animal typically requires first introducing a nucleic acid construct (a "knockout construct"), that will be used to decrease or eliminate expression of a particular gene, into an undifferentiated cell type termed an embryonic stem (ES) cell. The knockout construct is typically comprised of: (i) DNA from a portion (e.g., an exon sequence, intron sequence, promoter sequence, or some combination thereof) of a gene to be knocked out; and (ii) a selectable marker sequence used to identify the presence of the knockout construct in the ES cell. The knockout construct is typically introduced (e.g., electroporated) into ES cells so that it can homologously recombine with the genomic DNA of the cell in a double crossover

event. This recombined ES cell can be identified (e.g., by Southern hybridization or PCR reactions that show the genomic alteration) and is then injected into a mammalian embryo at the blastocyst stage. In a preferred embodiment where the knockout animal is a mammal, a mammalian embryo with integrated ES cells is then implanted into a foster mother for the duration of gestation (see, e.g., Zhou et al., Genes and Dev. 1995; 9: 2623-34).

The phrases "disruption of the gene", "gene disruption", and the like, refer to:

(i) insertion of a different or defective nucleic acid sequence into an endogenous (naturally occurring) DNA sequence, e.g., into an exon or promoter region of a gene; or (ii) deletion of a portion of an endogenous DNA sequence of a gene; or (iii) a combination of insertion and deletion, so as to decrease or prevent the expression of that gene or its gene product in the cell as compared to the expression of the endogenous gene sequence.

In accordance with the present invention, there may be employed conventional molecular biology, microbiology, and recombinant DNA techniques within the skill of the art. See, e.g., Sambrook, Fritsch and Maniatis, Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989 (herein "Sambrook et al., 1989"); DNA Cloning: A Practical Approach, Volumes I and II (Glover ed. 1985); Oligonucleotide Synthesis (Gait ed. 1984); Nucleic Acid Hybridization (Hames and Higgins eds. 1985); Transcription And Translation (Hames and Higgins eds. 1984); Animal Cell Culture (Freshney ed. 1986); Immobilized Cells And Enzymes (IRL Press, 1986); B. Perbal, A Practical Guide To Molecular Cloning (1984); Ausubel et al. eds., Current Protocols in Molecular Biology, John Wiley and Sons, Inc. 1994; among others.

25

30

5

10

15

20

NPC1L1 Polynucleotides

The present invention provides an isolated nucleic acid molecule comprising a nucleotide sequence encoding NPC1L1. More particularly, the present invention provides an isolated NPC1L1 nucleic acid sequence having a nucleotide sequence encoding mouse NPC1L1.

In one embodiment, the NPC1L1 nucleic acid has nucleotide sequence of SEQ ID NO:1, or a degenerate variant thereof. In another embodiment, NPC1L1 nucleic acid has nucleotide sequence of SEQ ID NO:2, or a degenerate variant thereof.

The present invention also provides an isolated single-stranded polynucleotide molecule comprising a nucleotide sequence that is the complement of a nucleotide sequence of one strand of any of the aforementioned nucleotide sequences (e.g., SEQ ID NO: 2).

5

10

15

20

25

30

The present invention further provides an isolated polynucleotide molecule comprising a nucleotide sequence that hybridizes to the complement of a polynucleotide that encodes the amino acid sequence of the mouse NPC1L1 protein of the present invention, under moderately stringent conditions, such as, for example, an aqueous solution of 2×SSC at 65°C; alternatively, for example, hybridization to filter-bound DNA in 0.5 M NaHPO₄, 7% SDS, 1 mM EDTA at 65°C, and washing in 0.2 x SSC/0.1% SDS at 42°C (see the Definitions section above).

In a preferred embodiment, the homologous polynucleotide molecule hybridizes to the complement of a polynucleotide molecule comprising a nucleotide sequence that encodes the amino acid sequence of the mouse NPC1L1 protein of the present invention under highly stringent conditions, such as, for example, in an aqueous solution of 0.5×SSC at 65°C; alternatively, for example, hybridization to filter-bound DNA in 0.5 M NaHPO₄, 7% SDS 1 mM EDTA at 65°C, and washing in 0.1.x SSC/0.1% SDS at 68°C (see the Definitions Section 5.1., above).

In a more preferred embodiment, the homologous polynucleotide molecule hybridizes under highly stringent conditions to the complement of a polynucleotide molecule consisting of a nucleotide sequence selected from the group consisting of SEQ ID NO:1 and SEQ ID NO:2.

The present invention further provides an isolated polynucleotide molecule comprising a nucleotide sequence that is homologous to the nucleotide sequence of a NPC1L1-encoding polynucleotide molecule of the present invention. In a preferred embodiment, such a polynucleotide molecule hybridizes under standard conditions to the complement of a polynucleotide molecule comprising a nucleotide sequence that

encodes the amino acid sequence of the mouse NPC1L1 protein of the present invention and has at least 75% sequence identity, preferably at least 80% sequence identity, more preferably at least 95% sequence identity, more preferably at least 95% sequence identity, and most preferably at least 99% sequence identity to the nucleotide sequence of such NPC1L1-encoding polynucleotide molecule (e.g., as determined by a sequence comparison algorithm selected from BLAST, FASTA, DNA Strider, and GCG, and preferably as determined by the BLAST program from the National Center for Biotechnology Information (NCBI-Version 2.2), available on the WorldWideWeb at <www.ncbi.nlm.nih.gov/BLAST/htm>). In one embodiment, the homologous polynucleotide is homologous to a polynucleotide encoding mouse NPC1L1 protein of the present invention, e.g, SEQ ID NO: 2.

5

10

15

20

25

The present invention further provides an oligonucleotide molecule that hybridizes to a polynucleotide molecule of the present invention, or that hybridizes to a polynucleotide molecule having a nucleotide sequence that is the complement of a nucleotide sequence of a polynucleotide molecule of the present invention. Such an oligonucleotide molecule: (i) is about 10 nucleotides to about 200 nucleotides in length, preferably from about 15 to about 100 nucleotides in length, and more preferably about 20 to about 50 nucleotides in length, and (ii) hybridizes to one or more of the polynucleotide molecules of the present invention under highly stringent conditions (e.g., washing in 6x SSC/0.5% sodium pyrophosphate at about 37°C for about 14-base oligos, at about 48°C for about 17-base oligos, at about 55°C for about 20-base oligos, and at about 60°C for about 23-base oligos). In one embodiment, an oligonucleotide molecule of the present invention is 100% complementary over its entire length to a portion of at least one of the aforementioned polynucleotide molecules of the present invention, and particularly any of SEQ ID NOs: 1 or 2. In another embodiment, an oligonucleotide molecule of the present invention is greater than 90% complementary over its entire length to a portion of at least one of the aforementioned polynucleotide molecules of the present invention, and particularly any of SEQ ID NOs: 1 or 2.

Specific non-limiting examples of oligonucleotide molecules according to the present invention include oligonucleotide molecules selected from the group consisting of SEQ ID NOs: 4 and 5.

5

10

15

20

25

30

Oligonucleotide molecules can be labeled, e.g., with radioactive labels (e.g., γ^{32} P), biotin, fluorescent labels, etc. In one embodiment, a labeled oligonucleotide molecule can be used as a probe to detect the presence of a nucleic acid. In another embodiment, two oligonucleotide molecules (one or both of which may be labeled) can be used as PCR primers, either for cloning a full-length nucleic acid or a fragment of a nucleic acid encoding a gene product of interest, or to detect the presence of nucleic acids encoding a gene product. Methods for conducting amplifications, such as the polymerase chain reaction (PCR), are described, among other places, in Saiki et al., Science 1988, 239:487 and U.S. Patent No. 4,683,202. Other amplification techniques known in the art, e.g., the ligase chain reaction, can alternatively be used (see, e.g., U.S. Patent Nos. 6,335,184 and 6,027,923; Reyes et al., Clinical Chemistry 2001; 47: 131-40; and Wu et al., Genomics 1989; 4: 560-569).

The present invention further provides a polynucleotide molecule consisting of a nucleotide sequence that is a substantial portion of the nucleotide sequence of any of the aforementioned NPC1L1-related polynucleotide molecules of the present invention, or the complement of such nucleotide sequence. As used herein, a "substantial portion" of a NPC1L1-encoding nucleotide sequence means a nucleotide sequence that is less than the nucleotide sequence required to encode a complete NPC1L1 protein of the present invention, but comprising at least about 5%, at least about 10%, at least about 20%, at least about 30%, at least about 40%, at least about 50%, at least about 60%, at least about 70%, at least about 80%, at least about 90%, at least about 95%, or at least about 99% of the contiguous nucleotide sequence of a NPC1L1-encoding polynucleotide molecule of the present invention. polynucleotide molecules can be used for a variety of purposes including, e.g., to express a portion of a NPC1L1 protein of the present invention in an appropriate expression system, or for use in conducting an assay to determine the expression level of a NPC1L1 gene in a biological sample, or to amplify a NPC1L1-encoding polynucleotide molecule.

In addition to the nucleotide sequences of any of the aforementioned NPC1L1-related polynucleotide molecules, polynucleotide molecules of the present invention can further comprise, or alternatively may consist of, nucleotide sequences selected from the sequence depicted in SEQ ID NO:1 (genomic) that naturally flank a NPC1L1-encoding nucleotide sequence in the chromosome, including regulatory sequences.

NPC1L1 Polypeptides

The present invention also provides an NPC1L1 polypeptide encoded by an NPC1L1 polynucleotide. In one embodiment, the NPC1L1 polypeptide is encoded by an NPC1L1 polynucleotide comprising the sequence as set forth in SEQ ID NO: 2.

10

20

25

30

The present invention also provides an NPC1L1 polypeptide encoded by an NPC1L1 polynucleotide that hybridizes to the complement of the polynucleotide sequence set forth in SEQ ID NOS. 1 or 2.

In one embodiment, NPC1L1 polypeptide comprises the amino acid sequence set forth SEQ ID NO:3.

The present invention further provides a non-human polypeptide that is homologous to the NPC1L1 protein of the present invention, as the term "homologous" is defined above for polypeptides. In one embodiment, the homologous NPC1L1 polypeptides of the present invention have the amino acid sequence identical to the amino acid sequence of SEQ ID NO:3, but have one or more amino acid residues conservatively substituted with a different amino acid residue. Conservative amino acid substitutions are well-known in the art. Rules for making such substitutions include those described by Dayhof, 1978, Nat. Biomed. Res. Found., Washington, D.C., Vol. 5, Sup. 3, among others. More specifically, conservative amino acid substitutions are those that take place within a family of amino acids that are related in acidity, polarity, or bulkiness of their side chains. Genetically encoded amino acids are generally divided into four groups: (1) acidic=aspartate, glutamate; (2) basic=lysine, arginine, histidine; (3) nonpolar-alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan; and (4) uncharged polar=glycine, asparagine, glutamine, cysteine, serine,

threonine, tyrosine. Phenylalanine, tryptophan and tyrosine are also jointly classified as aromatic amino acids. One or more replacements within any particular group, e.g., of a leucine with an isoleucine or valine, or of an aspartate with a glutamate, or of a threonine with a serine, or of any other amino acid residue with a structurally related amino acid residue, e.g., an amino acid residue with similar acidity, polarity, bulkiness of side chain, or with similarity in some combination thereof, will generally have an insignificant effect on the function or immunogenicity of the polypeptide.

The NPC1L1 polypeptides of the present invention (including those encoded by the homologous polynucleotide molecules above, i.e., homologous NPC1L1 polypeptides) have the following functions including, but not limited to: (i) endocytosis and intracellular trafficking of multiple classes of lipids, including fatty acids such as oleic acid, sterols such as cholesterol, and, sphingolipids such as lactosylceramide; (ii) regulation of caveolae formation and/or internalization; (iii) the sensing of sterols through a sterol sensing domain; (iv) conferring localization to the ER and Golgi; and (v) regulating serum levels of total cholesterol, LDL-cholesterol, HDL-cholesterol, triglycerides, insulin, and glucose. (see also Davies et al., 2005, J. Biological Chemistry, Vol. 280, No. 13, pp. 12710-12720, the contents of which are expressly incorporated herein by reference).

10

15

20

25

Also encompassed by the present invention are orthologs of the specifically disclosed NPC1L1 polypeptides, and NPC1L1-encoding nucleic acids. Additional NPC1L1 orthologs can be identified based on the sequences of mouse and human orthologs disclosed herein, using standard sequence comparison algorithms such as BLAST, FASTA, DNA Strider, GCG, etc. In addition to mouse and human orthologs, particularly useful NPC1L1 orthologs of the present invention are monkey, dog, guinea pig, and porcine orthologs. As with the homologs discussed above, these orthologs can have the same functions as the NPC1L1 protein.

The present invention further provides a polypeptide consisting of a substantial portion of a mouse NPC1L1 protein of the present invention. "Substantial portion" has the same meaning as defined above under NPC1L1 polynucleotides.

The present invention further provides fusion proteins comprising any of the aforementioned polypeptides (proteins or peptide fragments) fused to a carrier or

fusion partner, as known in the art. For example, NPC1L1 can be fused with green fluorescent protein (GFP), V5, and Ig.

Recombinant Expression Systems Cloning and Expression Vectors

5

10

15

20

25

30

The present invention further provides compositions and constructs for cloning and expressing any of the NPC1L1 polynucleotide molecules of the present invention, including cloning vectors, expression vectors, transformed host cells comprising any of said vectors, and novel strains or cell lines derived therefrom. In one embodiment, the present invention provides a recombinant vector comprising a polynucleotide molecule having a nucleotide sequence encoding a non-human NPC1L1 polypeptide. In a specific embodiment, the mouse NPC1L1 polypeptide comprises the amino acid sequence of SEQ ID NO: 3.

Recombinant vectors of the present invention, particularly expression vectors, are preferably constructed so that the coding sequence for the NPC1L1 polynucleotide molecule of the present invention is in operative association with one or more regulatory elements necessary for transcription and translation of the coding sequence to produce a polypeptide. As used herein, the term "regulatory element" includes, but is not limited to, nucleotide sequences that encode inducible and non-inducible promoters, enhancers, operators and other elements known in the art that serve to drive and/or regulate expression of polynucleotide coding sequences. Also, as used herein, the coding sequence is in operative association with one or more regulatory elements where the regulatory elements effectively regulate and allow for the transcription of the coding sequence or the translation of its mRNA, or both.

Methods are known in the art for constructing recombinant vectors containing particular coding sequences in operative association with appropriate regulatory elements, and these can be used to practice the present invention. These methods include *in vitro* recombinant techniques, synthetic techniques, and *in vivo* genetic recombination. See, *e.g.*, the techniques described in Ausubel *et al.*, 1989, above; Sambrook *et al.*, 1989, above; Saiki *et al.*, 1988, above; Reyes *et al.*, 2001, above; Wu *et al.*, 1989, above; U.S. Patent Nos. 4,683,202; 6,335,184 and 6,027,923.

A variety of expression vectors are known in the art that can be utilized to express a polynucleotide molecule of the present invention, including recombinant bacteriophage DNA, plasmid DNA, and cosmid DNA expression vectors containing the particular coding sequences. Typical prokaryotic expression vector plasmids that can be engineered to contain a polynucleotide molecule of the present invention include pUC8, pUC9, pBR322 and pBR329 (Biorad Laboratories, Richmond, CA), pPL and pKK223 (Pharmacia, Piscataway, NJ), pQE50 (Qiagen, Chatsworth, CA), and pGEM-T EASY (Promega, Madison, WI), pcDNA6.2/V5-DEST and pcDNA3.2/V5DEST (Invitrogen, Carlsbad, CA) among many others. Typical eukaryotic expression vectors that can be engineered to contain a polynucleotide molecule of the present invention include an ecdysone-inducible mammalian expression system (Invitrogen, Carlsbad, CA), cytomegalovirus promoter-enhancer-based systems (Promega, Madison, WI; Stratagene, La Jolla, CA; Invitrogen), and baculovirus-based expression systems (Promega), among many others.

10

15

20

25

30

The regulatory elements of these and other vectors can vary in their strength and specificities. Depending on the host/vector system utilized, any of a number of suitable transcription and translation elements can be used. For instance, when cloning in mammalian cell systems, promoters isolated from the genome of mammalian cells, e.g., mouse metallothionein promoter, or from viruses that grow in these cells, e.g., vaccinia virus 7.5 K promoter or Maloney murine sarcoma virus long terminal repeat, can be used. Promoters obtained by recombinant DNA or synthetic techniques can also be used to provide for transcription of the inserted sequence. In addition, expression from certain promoters can be elevated in the presence of particular inducers, e.g., zinc and cadmium ions for metallothionein promoters. Nonlimiting examples of transcriptional regulatory regions or promoters include for bacteria, the β -gal promoter, the T7 promoter, the TAC promoter, λ left and right promoters, trp and lac promoters, trp-lac fusion promoters, etc.; for yeast, glycolytic enzyme promoters, such as ADH-I and -II promoters, GPK promoter, PGI promoter, TRP promoter, etc.; and for mammalian cells, SV40 early and late promoters, and adenovirus major late promoters, among others.

Specific initiation signals are also required for sufficient translation of inserted coding sequences. These signals typically include an ATG initiation codon and adjacent sequences. In cases where the polynucleotide molecule of the present invention, including its own initiation codon and adjacent sequences, is inserted into the appropriate expression vector, no additional translation control signals may be needed. However, in cases where only a portion of a coding sequence is inserted, exogenous translational control signals, including the ATG initiation codon, may be required. These exogenous translational control signals and initiation codons can be obtained from a variety of sources, both natural and synthetic. Furthermore, the initiation codon must be in-phase with the reading frame of the coding regions to ensure in-frame translation of the entire insert.

10

15

20

25

30

Expression vectors can also be constructed that will express a fusion protein comprising an NPC1L1 polypeptide of the present invention. Such fusion proteins can be used, e.g., to raise anti-sera against a NPC1L1 polypeptide, to study the biochemical properties of the NPC1L1 polypeptide, to engineer a variant of a NPC1L1 polypeptide exhibiting different immunological or functional properties, or to aid in the identification or purification, or to improve the stability, of a recombinant NPC1L1 polypeptide. Possible fusion protein expression vectors include but are not limited to vectors incorporating sequences that encode β-galactosidase and trpE fusions, maltose-binding protein fusions, glutathione-S-transferase fusions, polyhistidine fusions (carrier regions), V5, HA, myc, and HIS. Methods known in the art can be used to construct expression vectors encoding these and other fusion proteins.

The fusion protein can be useful to aid in purification of the expressed protein. In non-limiting embodiments, e.g., a NPC1L1-polyhistidine fusion protein can be purified using divalent nickel resin; a NPC1L1-maltose-binding fusion protein can be purified using amylose resin; and a NPC1L1-glutathione-S-transferase fusion protein can be purified using glutathione-agarose beads. Alternatively, antibodies against a carrier protein or peptide can be used for affinity chromatography purification of the fusion protein. For example, a nucleotide sequence coding for the target epitope of a monoclonal antibody can be engineered into the expression vector in operative

association with the regulatory elements and situated so that the expressed epitope is fused to a NPC1L1 protein of the present invention. In a non-limiting embodiment, a nucleotide sequence coding for the FLAGTM epitope tag (International Biotechnologies Inc.), which is a hydrophilic marker peptide, can be inserted by standard techniques into the expression vector at a point corresponding, e.g., to the amino or carboxyl terminus of the NPC1L1 protein. The expressed NPC1L1 protein-FLAGTM epitope fusion product can then be detected and affinity-purified using commercially available anti-FLAGTM antibodies. The expression vector can also be engineered to contain polylinker sequences that encode specific protease cleavage sites so that the expressed NPC1L1 protein can be released from a carrier region or fusion partner by treatment with a specific protease. For example, the fusion protein vector can include a nucleotide sequence encoding a thrombin or factor Xa cleavage site, among others.

10

15

20

25

30

A signal sequence upstream from, and in reading frame with, the NPC1L1 coding sequence can be engineered into the expression vector by known methods to direct the trafficking and secretion of the expressed protein. Non-limiting examples of signal sequences include those from α -factor, immunoglobulins, outer membrane proteins, penicillinase, and T-cell receptors, among others.

To aid in the selection of host cells transformed or transfected with a recombinant vector of the present invention, the vector can be engineered to further comprise a coding sequence for a reporter gene product or other selectable marker. Such a coding sequence is preferably in operative association with the regulatory elements, as described above. Reporter genes that are useful in practicing the invention are known in the art, and include those encoding chloramphenicol acetyltransferase (CAT), green fluorescent protein and derivatives thereof, firefly luciferase, and human growth hormone, among others. Nucleotide sequences encoding selectable markers are known in the art, and include those that encode gene products conferring resistance to antibiotics or anti-metabolites, or that supply an auxotrophic requirement. Examples of such sequences include those that encode thymidine kinase activity, or resistance to methotrexate, ampicillin, kanamycin,

chloramphenicol, zeocin, pyrimethamine, aminoglycosides, hygromycin, blasticidine, or neomycin, among others.

Transformation of Host Cells

The present invention further provides a transformed host cell comprising a polynucleotide molecule or recombinant vector of the present invention, and a cell line derived therefrom. Such host cells are useful for cloning and/or expressing a polynucleotide molecule of the present invention. Such transformed host cells include but are not limited to microorganisms, such as bacteria transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA vectors, or yeast transformed with a recombinant vector, or animal cells, such as insect cells infected with a recombinant virus vector, e.g., baculovirus, or mammalian cells infected with a recombinant virus vector, e.g., adenovirus, vaccinia virus, lentivirus, adeno-associated virus (AAV), or herpesvirus, among others. For example, a strain of E. coli can be used such as, e.g., the DH5a strain available from the ATCC, Manassas, VA, USA (Accession No. 31343), or from Stratagene (La Jolla, CA). Eukaryotic host cells include yeast cells, although mammalian cells, e.g., from a mouse, rat, hamster, cow, monkey, or human cell line, among others, can also be utilized effectively. Examples of eukaryotic host cells that may be suitable for expressing a recombinant protein of the invention include Chinese hamster ovary (CHO) cells (e.g., ATCC Accession No. CCL-61), NIH Swiss mouse embryo cells NIH/3T3 (e.g., ATCC Accession No. CRL-1658), human epithelial kidney cells HEK 293 (e.g., ATCC Accession No. CRL-1573), African green monkey COS-7 cells (ATCC Accession No. CRL-1651), human embryonal carcinoma NT2 cells (ATCC Accession No. CRL-1973), and human colon carcinoma Caco-2 cells ATCC Accession No. HTB-37.

10

15

20

25

30

The present invention provides for mammalian cells infected with a virus containing a recombinant viral vector of the present invention. For example, an overview and instructions concerning the infection of mammalian cells with adenovirus using the AdEasyTM Adenoviral Vector System is given in the Instructions Manual for this system from Stratagene (La Jolla, CA). As another example, an overview and instructions concerning the infection of mammalian cells with AAV

using the AAV Helper-Free System is given in the Instructions Manual for this system from Strategene (La Jolla, CA).

The recombinant vector of the invention is preferably transformed or transfected into one or more host cells of a substantially homogeneous culture of cells. The vector is generally introduced into host cells in accordance with known techniques, such as, e.g., by protoplast transformation, calcium phosphate precipitation, calcium chloride treatment, microinjection, electroporation, transfection by contact with a recombined virus, liposome-mediated transfection, DEAE-dextran transfection, transduction, conjugation, or microprojectile bombardment, among others. Selection of transformants can be conducted by standard procedures, such as by selecting for cells expressing a selectable marker, e.g., antibiotic resistance, associated with the recombinant expression vector.

Once an expression vector is introduced into the host cell, the presence of the polynucleotide molecule of the present invention, either integrated into the host cell genome or maintained episomally, can be confirmed by standard techniques, e.g., by DNA-DNA, DNA-RNA, or RNA-antisense RNA hybridization analysis, restriction enzyme analysis, PCR analysis including reverse transcriptase PCR (RT-PCR), detecting the presence of a "marker" gene function, or by immunological or functional assay to detect the expected protein product.

20

25

30

15

10

Expression and Purification of Recombinant NPC1L1 Polypeptides

Once an NPC1L1 polynucleotide molecule of the present invention has been stably introduced into an appropriate host cell, the transformed host cell is clonally propagated, and the resulting cells can be grown under conditions conducive to the efficient production (i.e., expression or overexpression) of the NPC1L1 polypeptide.

The polypeptide can be substantially purified or isolated from cell lysates, membrane fractions, or culture medium, as necessary, using standard methods, including but not limited to one or more of the following methods: ammonium sulfate precipitation, size fractionation, ion exchange chromatography, HPLC, density centrifugation, affinity chromatography, ethanol precipitation, and chromatofocusing.

During purification, the polypeptide can be detected based, e.g., on size, or reactivity with a polypeptide-specific antibody, or by detecting the presence of a fusion tag.

For use in practicing the present invention, the polypeptide can be in an unpurified state as secreted into the culture fluid or as present in a cell lysate or membrane fraction. Alternatively, the polypeptide may be purified therefrom. Once a polypeptide of the present invention of sufficient purity has been obtained, it can be characterized by standard methods, including by SDS-PAGE, size exclusion chromatography, amino acid sequence analysis, immunological activity, biological activity, etc. The polypeptide can be further characterized using hydrophilicity analysis (see, e.g., Hopp and Woods, Proc. Natl. Acad. Sci. USA 1981; 78: 3824), or analogous software algorithms, to identify hydrophobic and hydrophilic regions. Structural analysis can be carried out to identify regions of the polypeptide that assume specific secondary structures. Biophysical methods such as X-ray crystallography (Engstrom, Biochem. Exp. Biol. 1974; 11: 7-13), computer modeling (Fletterick and Zoller eds., In: Current Communications in Molecular Biology, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, 1986), and nuclear magnetic resonance (NMR) can be used to map and study potential sites of interaction between the polypeptide and other putative interacting proteins/receptors/molecules. Information obtained from these studies can be used to design deletion mutants, and to design or select therapeutic compounds that can specifically modulate the biological function of the NPC1L1 protein in vivo.

10

15

20

25

30

NPC1L1 Antibodies

The present invention also provides antibodies, including fragments thereof, which specifically bind to an NPC1L1 polypeptide, or fragment thereof. Antibodies to NPC1L1 have a number of applications, such as detecting the presence of NPC1L1 in a biological sample, determining the intracellular localization of NPC1L1, and modulating the activity of NPC1L1, e.g., in a subject, for treatment (e.g., therapeutic and prophylactic) of diseases and disorders associated with or mediated by NPC1L1, such as hyperlipidemia, obesity, type II diabetes, cardiovascular disease, and stroke. The present invention contemplates a number of sources for immunogenic NPC1L1 polypeptides for use in producing anti-NPC1L1 antibodies. These sources include

NPC1L1 polypeptides produced by recombinant technology and chemical synthesis; and products derived from their fragmentation or derivation.

Various antibodies against NPC1L1 are described in published U.S. patent application 2004/0161838, to Altmann et al., hereby incorporated by reference in its entirety. Such antibodies are designated A0715, A0716, A0717, A0718, A0867, A0868, A1801 or A1802. Additional commercially available antibodies include NPC1L1 rabbit polyclonal antibodies (Novus Biologicals, Littleton, CO, Cat # BC-400 NPC3).

As used herein, the term "antibody molecule" includes, but is not limited to, antibodies and binding fragments thereof, that specifically binds to an antigen, e.g., an NPC1L1 protein. Suitable antibodies may be polyclonal (e.g., sera or affinity purified preparations), monoclonal, or recombinant. Examples of useful fragments include separate heavy chains, light chains, Fab, F(ab')₂, Fabc, and Fv fragments. Fragments can be produced by enzymatic or chemical separation of intact immunoglobulins or by recombinant DNA techniques. Fragments may be expressed in the form of phage-coat fusion proteins (see, e.g., International PCT Publication Nos. WO 91/17271, WO 92/01047, and WO 92/06204). Typically, the antibodies, fragments, or similar binding agents bind a specific antigen with an affinity of at least 10⁷, 10⁸, 10⁹, or 10¹⁰ M⁻¹.

10

15

20

25

30

The present invention provides an isolated antibody directed against a polypeptide of the present invention. In a specific embodiment, antibodies can be raised against a NPC1L1 protein of the invention using known methods in view of this disclosure. Various host animals selected, e.g., from pigs, cows, horses, rabbits, goats, sheep, rats, or mice, can be immunized with a partially or substantially purified NPC1L1 protein, or with a peptide homolog, fusion protein, peptide fragment, analog or derivative thereof, as described above. An adjuvant can be used to enhance antibody production.

Polyclonal antibodies can be obtained and isolated from the serum of an immunized animal and tested for specificity against the antigen using standard techniques. Alternatively, monoclonal antibodies can be prepared and isolated using

any technique that provides for the production of antibody molecules by continuous cell lines in culture. These include but are not limited to; (i) the hybridoma technique originally described by Kohler and Milstein, Nature 1975; 256: 495-497; (ii) the trioma technique (Herring et al. (1988) Biomed. Biochim. Acta. 46:211-216 and Hagiwara et al. (1993) Hum. Antibod. Hybridomas 4:15); (iii) the human B-cell hybridoma technique (Kosbor et al., Immunology Today 1983; 4: 72; Cote et al., Proc. Natl. Acad. Sci. USA 1983; 80: 2026-2030); and the EBV-hybridoma technique (Cole et al., Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, Inc., 1985, pp. 77-96). Alternatively, techniques described for the production of single chain antibodies (see, e.g., U.S. Patent No. 4,946,778) can be adapted to produce NPC1L1-specific single chain antibodies.

10

15

20

25

30

Antibody fragments that contain specific binding sites for the NPC1L1 polypeptide of the present invention are also encompassed within the present invention, and can be generated by known techniques. Such fragments include but are not limited to F(ab')₂ fragments, which can be generated by pepsin digestion of an intact antibody molecule, and Fab fragments, which can be generated by reducing the disulfide bridges of the F(ab')₂ fragments. Alternatively, Fab expression libraries can be constructed (Huse et al., Science 1989; 246: 1275-1281) to allow rapid identification of Fab fragments having the desired specificity to the particular NPC1L1 protein.

Techniques for the production and isolation of monoclonal antibodies and antibody fragments are known in the art, and are generally described, among other places, in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988, and in Goding, *Monoclonal Antibodies: Principles and Practice*, Academic Press, London, 1986. The art also provides recombinant expression systems in bacteria and yeast, enabling the production of functional antibodies that are analogous to those normally found in vertebrate systems. (Skerra et al. (1988) Science 240:1038-1041, Better et al. (1988) Science 240:1041-1043, and Bird et al. (1988) Science 242:423-426, Horwitz et al. (1989) Proc. Natl. Acad. Sci. USA. 85:8678-82.)

Antibodies or antibody fragments can be used in methods known in the art relating to the localization and activity of NPC1L1, e.g., in Western blotting, in situ

imaging, measuring levels thereof in appropriate physiological samples, etc. Immunoassay techniques using antibodies include radioimmunoassay, ELISA (enzyme-linked immunosorbant assay), "sandwich" immunoassays, immunoradiometric assays, gel diffusion precipitation reactions, immunodiffusion assays, in situ immunoassays (using, e.g., colloidal gold, enzyme or radioisotope labels), precipitation reactions, agglutination assays (e.g., gel agglutination assays, hemagglutination assays), complement fixation assays, immunofluorescence assays, protein A assays, and immunoelectrophoresis assays, etc. Antibodies can also be used in microarrays (see, e.g., International PCT Publication No. WO 00/04389). Furthermore, antibodies can be used as therapeutics to inhibit the activity of a NPC1L1 protein.

Recent advances in antibody engineering have allowed the genes encoding antibodies to be manipulated, so that antigen-binding molecules can be expressed within mammalian cells. Application of gene technologies to antibody engineering has enabled the synthesis of single-chain fragment variable (scFv) antibodies that combine within a single polypeptide chain the light and heavy chain variable domains of an antibody molecule covalently joined by a pre-designed peptide linker. Intracellular antibody (or "intrabody") strategy serves to target molecules involved in essential cellular pathways for modification or ablation of protein function. Antibody genes for intracellular expression can be derived, e.g., either from murine or human monoclonal antibodies or from phage display libraries. For intracellular expression, small recombinant antibody fragments containing the antigen recognizing and binding regions can be used. Intrabodies can be directed to different intracellular compartments by targeting sequences attached to the antibody fragments.

15

20

25

30

Various methods have been developed to produce intrabodies. Techniques described for the production of single chain antibodies (see, e.g., U.S. Patents No. 5,476,786; 5,132,405; and 4,946,778) can be adapted to produce polypeptide-specific single chain antibodies. Another method called intracellular antibody capture (IAC), is based on a genetic screening approach (Tanaka et al., Nucleic Acids Res. 2003; 31: e23). Using this technique, consensus immunoglobulin variable frameworks are identified that can form the basis of intrabody libraries for direct screening. The

procedure comprises in vitro production of a single antibody gene fragment from oligonucleotides and diversification of CDRs of the immunoglobulin variable domain by mutagenic PCR to generate intrabody libraries. This method obviates the need for in vitro production of antigen for pre-selection of antibody fragments, and also yields intrabodies with enhanced intracellular stability.

5

10

15

20

25

30

Intrabodies can be used to modulate cellular physiology and metabolism through a variety of mechanisms, including blocking, stabilizing, or mimicking protein-protein interactions, by altering enzyme function, or by diverting proteins from their usual intracellular compartments. Intrabodies can be directed to the relevant cellular compartments by modifying the genes that encode them to specify N-or C-terminal polypeptide extensions for providing intracellular-trafficking signals.

NPC1L1 Applications

NPC1L1 polynucleotides and polypeptides of the present invention are useful for a variety of purposes, including for use in cell-based or non-cell-based assays to identify molecules that interact with NPC1L1 relevant to its in vivo function, to screen for compounds that bind to NPC1L1 and modulate its expression and/or activity and are therefore useful as therapeutic compounds to treat or prevent NPC1L1-mediated diseases or disorders as described herein, or as antigens to raise polyclonal or monoclonal antibodies, as described below. Such antibodies can be used as therapeutic agents to modulate the activity of NPC1L1 activity, or as diagnostic reagents, e.g., using standard techniques such as Western blot assays or immunostaining, to screen for NPC1L1 protein expression levels in cell, tissue or fluid samples collected from a subject.

A polypeptide of the present invention can be modified at the protein level to improve or otherwise alter its biological or immunological characteristics. One or more chemical modifications of the polypeptide can be carried out using known techniques to prepare analogs therefrom, including but not limited to any of the following: substitution of one or more L-amino acids of the polypeptide with corresponding D-amino acids, amino acid analogs, or amino acid mimics, so as to

produce, e.g., carbazates or tertiary centers; or specific chemical modification, such as, e.g., proteolytic cleavage with trypsin, chymotrypsin, papain or V8 protease, or treatment with NaBH₄ or cyanogen bromide, or acetylation, formylation, oxidation or reduction, etc. Alternatively or additionally, a polypeptide of the present invention can be modified by genetic recombination techniques.

5

10

15

20

25

30

A polypeptide of the present invention can be derivatized, by conjugation thereto of one or more chemical groups, including but not limited to acetyl groups, sulfur bridging groups, glycosyl groups, lipids, and phosphates, and/or by conjugation to a second polypeptide of the present invention, or to another protein, such as, e.g., serum albumin, keyhole limpet hemocyanin, or commercially activated BSA, or to a polyamino acid (e.g., polylysine), or to a polysaccharide, (e.g., sepharose, agarose, or modified or unmodified celluloses), among others. Such conjugation is preferably by covalent linkage at amino acid side chains and/or at the N-terminus or C-terminus of the polypeptide. Methods for carrying out such conjugation reactions are known in the field of protein chemistry.

Derivatives useful in practicing the claimed invention also include those in which a water-soluble polymer such as, e.g., polyethylene glycol, is conjugated to a polypeptide of the present invention, or to an analog or derivative thereof, thereby providing additional desirable properties while retaining, at least in part, the immunogenicity of the polypeptide. These additional desirable properties include, e.g., increased solubility in aqueous solutions, increased stability in storage, increased resistance to proteolytic degradation, and increased in vivo half-life. Water-soluble polymers suitable for conjugation to a polypeptide of the present invention include but are not limited to polyethylene glycol homopolymers, polypropylene glycol homopolymers, copolymers of ethylene glycol with propylene glycol, wherein said homopolymers and copolymers are unsubstituted or substituted at one end with an alkyl group, polyoxyethylated polyols, polyvinyl alcohol, polysaccharides, polyvinyl ethyl ethers, and α,β -poly[2-hydroxyethyl]-DL-aspartamide. Polyethylene glycol is particularly preferred. Methods for making water-soluble polymer conjugates of polypeptides are known in the art and are described, among other places, in U.S. Patent Nos. 3,788,948; 3,960,830; 4,002,531; 4,055,635; 4,179,337; 4,261,973;

4,412,989; 4,414,147; 4,415,665; 4,609,546; 4,732,863; and 4,745,180; European Patent (EP) 152,847; EP 98,110; and Japanese Patent 5,792,435; which patents are incorporated herein by reference.

Targeted Mutation of the NPC1L1 Gene

5

10

15

20

25

30

Based on the present disclosure of polynucleotide molecules, genetic constructs can be prepared for use in disabling or otherwise mutating a mammalian NPC1L1 gene. For example, the mouse NPC1L1 gene can be mutated using an appropriately designed genetic construct in combination with genetic techniques currently known or to be developed in the future. In another instance, the mouse NPC1L1 gene can be mutated using a genetic construct that functions to: (i) delete all or a portion of the coding sequence or regulatory sequence of the NPC1L1 gene; (ii) replace all or a portion of the coding sequence or regulatory sequence of the NPC1L1 gene with a different nucleotide sequence; (iii) insert into the coding sequence or regulatory sequence of the NPC1L1 gene one or more nucleotides, or an oligonucleotide molecule, or polynucleotide molecule, which can comprise a nucleotide sequence from the same species or from a heterologous source; or (iv) carry out some combination of (i), (ii) and (iii).

Cells, tissues and animals that are mutated for the NPC1L1 gene are useful for a number of purposes, such as further studying the biological function of NPC1L1, and conducting screens to identify therapeutic compounds that selectively modulate NPC1L1 expression and/or activity. In a preferred embodiment, the mutation serves to partially or completely disable the NPC1L1 gene, or partially or completely disable the protein encoded by the NPC1L1 gene. In this context, a NPC1L1 gene or protein is considered to be partially or completely disabled if either no protein product is made (for example, where the gene is deleted), or a protein product is made that can no longer carry out its normal biological function or can no longer be transported to its normal cellular location, or a protein product is made that carries out its normal biological function but at a significantly reduced level.

In a non-limiting embodiment, a genetic construct of the present invention is used to mutate a wild-type NPC1L1 gene by replacement of at least a portion of the

coding or regulatory sequence of the wild-type gene with a different nucleotide sequence such as, e.g., a mutated coding sequence or mutated regulatory region, or portion thereof. A mutated NPC1L1 gene sequence for use in such a genetic construct can be produced by any of a variety of known methods, including by use of error-prone PCR, or by cassette mutagenesis. For example, oligonucleotide-directed mutagenesis can be employed to alter the coding or regulatory sequence of a wildtype NPC1L1 gene in a defined way, e.g., to introduce a frame-shift or a termination codon at a specific point within the sequence. A mutated nucleotide sequence for use in the genetic construct of the present invention can be prepared by insertion into the coding or regulatory (e.g., promoter) sequence of one or more nucleotides, oligonucleotide molecules or polynucleotide molecules, or by replacement of a portion of the coding sequence or regulatory sequence with one or more different nucleotides, oligonucleotide molecules or polynucleotide molecules. oligonucleotide molecules or polynucleotide molecules can be obtained from any naturally occurring source or can be synthetic. The inserted sequence can serve simply to disrupt the reading frame of the NPC1L1 gene, or can further encode a heterologous gene product such as a selectable marker.

5

10

15

20

25

In one embodiment, NPC1LI can be mutated in the transmembrane-spanning region, putative sterol sensing domain, amino-terminal 'NPC1 domain' domain, and/or ER/Goli targeting signal.

Mutations to produce modified cells, tissues and animals that are useful in practicing the present invention can occur anywhere in the NPC1L1 gene, including the open reading frame, the promoter or other regulatory region, or any other portion of the sequence that naturally comprises the gene or ORF. Such cells include mutants in which a modified form of the NPC1L1 protein normally encoded by the NPC1L1 gene is produced, or in which no protein normally encoded by the NPC1L1 gene is produced. Such cells can be null, conditional or leaky mutants.

Alternatively, a genetic construct can comprise nucleotide sequences that naturally flank the NPC1L1 gene or ORF in situ, with only a portion or no nucleotide

sequences from the actual coding region of the gene itself. Such a genetic construct can be useful to delete the entire NPC1L1 gene or ORF.

Methods for carrying out homologous gene replacement are known in the art. For targeted gene mutation through homologous recombination, the genetic construct is preferably a plasmid, either circular or linearized, comprising a mutated nucleotide sequence as described above. In a non-limiting embodiment, at least about 200 nucleotides of the mutated sequence are used to specifically direct the genetic construct of the present invention to the particular targeted NPC1L1 gene for homologous recombination, although shorter lengths of nucleotides may also be effective. In addition, the plasmid preferably comprises an additional nucleotide sequence encoding a reporter gene product or other selectable marker constructed so that it will insert into the genome in operative association with the regulatory element sequences of the native NPC1L1 gene to be disrupted. Reporter genes that can be used in practicing the invention are known in the art, and include those encoding CAT, green fluorescent protein, and β-galactosidase, among others. Nucleotide sequences encoding selectable markers are also known in the art, and include those that encode gene products conferring resistance to antibiotics or anti-metabolites, or that supply an auxotrophic requirement.

10

15

20

25

30

In view of the present disclosure, methods that can be used for creating the genetic constructs of the present invention will be apparent, and can include *in vitro* recombinant techniques, synthetic techniques, and *in vivo* genetic recombination, as described, among other places, in Ausubel *et al.*, 1989, above; Sambrook *et al.*, 1989, above; Innis *et al.*, 1995, above; and Erlich, 1992, above.

Mammalian cells can be transformed with a genetic construct of the present invention in accordance with known techniques, such as, e.g., by electroporation. Selection of transformants can be carried out using standard techniques, such as by selecting for cells expressing a selectable marker associated with the construct. Identification of transformants in which a successful recombination event has occurred and the particular target gene has been disabled can be carried out by genetic analysis, such as by Southern blot analysis, or by Northern analysis to detect a lack of mRNA transcripts encoding the particular protein, or by the appearance of cells

lacking the particular protein, as determined, e.g., by immunological analysis, or some combination thereof.

The present invention thus provides modified mammalian cells in which the native NPC1L1 gene has been mutated. The present invention further provides modified animals in which the NPC1L1 gene has been mutated.

5

20

25

Genetically Modified Animals

function of the NPC1L1 of the present invention in vivo and for screening and/or
testing candidate compounds, e.g., inhibitors, such as antisense nucleic acids,
shRNAs, siRNAs, or ribozymes, small molecules, or antibodies, for their ability to
affect, e.g., inhibit, the expression and/or activity of NPC1L1 as potential therapeutics
for treating disorders of lipid metabolism, such as hyperlipidemia, e.g.,
hypercholesterolemia, obesity, type II diabetes, cardiovascular disease, and stroke.

Other candidate compounds, e.g., NPC1L1 agonists, may be identified and/or tested
for their ability to enhance or increase the expression and/or activity of NPC1L1 as
potential therapeutics for treating disorders such as anorexia, cachexia, and wasting,
using the genetically modified animals described herein.

To investigate the function of NPC1L1 in vivo in animals, NPC1L1-encoding polynucleotides or NPC1L1-inhibiting antisense nucleic acids, shRNAs, siRNAs, or ribozymes can be introduced into test animals, such as mice or rats, using, e.g., viral vectors or naked nucleic acids. Alternatively, transgenic animals can be produced. Specifically, "knock-in" animals with the endogenous NPC1L1 gene substituted with a heterologous gene or an ortholog from another species or a mutated NPC1L1 gene, or "knockout" animals with NPC1L1 gene partially or completely inactivated, or transgenic animals expressing or overexpressing a wild-type or mutated NPC1L1 gene (e.g., upon targeted or random integration into the genome) can be generated.

NPC1L1-encoding nucleic acids can be introduced into animals using viral delivery systems. Exemplary viruses for production of delivery vectors include

without limitation adenovirus, herpesvirus, retroviruses, vaccinia virus, and adeno-associated virus (AAV). See, e.g., Becker et al., Meth. Cell Biol. 1994; 43: 161-89; Douglas and Curiel, Science & Medicine 1997; 4: 44-53; Yeh and Perricaudet, FASEB J. 1997; 11: 615-623; Kuo et al., Blood 1993; 82: 845; Markowitz et al., J. Virol. 1988; 62: 1120; Mann et al., Cell 1983; 33: 153; U.S. Patents No. 5,399,346; 4,650,764; 4,980,289; 5,124,263; and International Publication No. WO 95/07358.

In an alternative method, a NPC1L1-encoding nucleic acid can be introduced by liposome-mediated transfection, a technique that provides certain practical advantages, including the molecular targeting of liposomes to specific cells. Directing transfection to particular cell types (also possible with viral vectors) is particularly advantageous in a tissue with cellular heterogeneity, such as the brain, pancreas, liver, and kidney. Lipids may be chemically coupled to other molecules for the purpose of targeting. Targeted peptides (e.g., hormones or neurotransmitters), proteins such as antibodies, or non-peptide molecules can be coupled to liposomes chemically.

10

15

20

25

In another embodiment, target cells can be removed from an animal, and a nucleic acid can be introduced as a naked construct. The transformed cells can be then re-implanted into the body of the animal. Naked nucleic acid constructs can be introduced into the desired host cells by methods known in the art, e.g., transfection, electroporation, microinjection, transduction, cell fusion, DEAE dextran, calcium phosphate precipitation, use of a gene gun or use of a DNA vector transporter. See, e.g., Wu et al., J. Biol. Chem. 1992; 267: 963-7; Wu et al., J. Biol. Chem. 1988; 263: 14621-4.

In yet another embodiment, NPC1L1-encoding nucleic acids can be introduced into animals by injecting naked plasmid DNA containing a NPC1L1-encoding nucleic acid sequence into the tail vein of animals, in particular mammals (Zhang et al., Hum. Gen. Ther. 1999, 10:1735-7). This injection technique can also be used to introduce siRNA targeted to NPC1L1 into animals, in particular mammals (Lewis et al., Nature Genetics 2002, 32: 105-106).

As specified above, transgenic animals can also be generated. Methods of making transgenic animals are well-known in the art (for transgenic mice see Gene Targeting: A Practical Approach, 2nd Ed., Joyner ed., IRL Press at Oxford University Press, New York, 2000; Manipulating the Mouse Embryo: A Laboratory Manual, Nagy et al. eds., Cold Spring Harbor Press, New York, 2003; Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, Robertson ed., IRL Press at Oxford University Press, 1987; Transgenic Animal Technology: A Laboratory Handbook, Pinkert ed., Academic Press, New York, 1994; Hogan, Manipulating the Mouse Embryo, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1986; Brinster et al., Proc. Nat. Acad. Sci. USA 1985; 82: 4438- 4442; Capecchi, Science 1989; 244: 1288-1292; Joyner et al., Nature 1989; 338: 153-156; U.S. Patents No. 4,736,866; 4,870,009; 4,873,191; for particle bombardment see U.S. Patent No. 4, 945,050; for transgenic rats see, e.g., Hammer et al., Cell 1990; 63: 1099-1112; for non-rodent transgenic mammals and other animals see, e.g., Pursel et al., Science 1989; 244: 1281-1288 and Simms et al., Bio/Technology 1988; 6: 179- 183; and for culturing of embryonic stem (ES) cells and the subsequent production of transgenic animals by the introduction of DNA into ES cells using methods such as electroporation, calcium phosphate/DNA precipitation and direct injection see, e.g., Teratocarcinomas and Embryonic Stem Cells, A Practical Approach, Robertson ed., IRL Press, 1987). Clones of the nonhuman transgenic animals can be produced according to available methods (see e.g., Wilmut et al., Nature 1997; 385: 810-813 and International Publications No. WO 97/07668 and WO 97/07669).

10

15

20

25

30

In one embodiment, the transgenic animal is a "knockout" animal having a heterozygous or homozygous alteration in the sequence of an endogenous NPC1L1 gene that results in a decrease of NPC1L1 function, preferably such that NPC1L1 expression is undetectable or insignificant. Knockout animals are typically generated by homologous recombination with a vector comprising a transgene having at least a portion of the gene to be knocked out. Typically a deletion, addition or substitution has been introduced into the transgene to functionally disrupt it.

Knockout animals can be prepared by any method known in the art (see, e.g., Snouwaert et al., Science 1992; 257: 1083; Lowell et al., Nature 1993; 366: 740-42;

Capecchi, Science 1989; 244: 1288-1292; Palmiter et al., Ann. Rev. Genet. 1986; 20: 465-499; Bradley, Current Opinion in Bio/Technology 1991; 2: 823-829; and International Publications No. WO 90/11354, WO 91/01140, WO 92/0968, and WO 93/04169). Preparation of a knockout animal typically requires first introducing a nucleic acid construct (a "knockout construct"), that will be used to decrease or eliminate expression of a particular gene, into an undifferentiated cell type termed an embryonic stem (ES) cell. The knockout construct is typically comprised of: (i) DNA from a portion (e.g., an exon sequence, intron sequence, promoter sequence, or some combination thereof) of a gene to be knocked out; and (ii) a selectable marker sequence used to identify the presence of the knockout construct in the ES'cell. The knockout construct is typically introduced (e.g., electroporated or microinjected) into ES cells so that it can homologously recombine with the genomic DNA of the cell in a double crossover event. This recombined ES cell can be identified (e.g., by Southern hybridization or PCR reactions that show the genomic alteration) and is then injected into a mammalian embryo at the blastocyst stage. In a preferred embodiment where the knockout animal is a mammal, a mammalian embryo with integrated ES cells is then implanted into a foster mother for the duration of gestation (see, e.g., Zhou et al., Genes and Dev. 1995; 9: 2623-34).

5

10

15

20

25

30

In a specific embodiment, the knockout vector is designed such that, upon homologous recombination, the endogenous NPC1L1-related gene is functionally disrupted (i.e., no longer encodes a functional protein). Alternatively, the vector can be designed such that, upon homologous recombination, the endogenous NPC1L1-related gene is mutated or otherwise altered but still encodes functional protein (e.g., the upstream regulatory region can be altered to thereby alter the expression of the NPC1L1-related polypeptide). In the homologous recombination vector, the altered portion of NPC1L1-related gene is preferably flanked at its 5' and 3' ends by additional nucleic acid of the NPC1L1-related gene to allow for homologous recombination to occur between the exogenous NPC1L1-related gene carried by the vector and an endogenous NPC1L1-related gene in an embryonic stem cell. The additional flanking NPC1L1-related nucleic acid is of sufficient length for successful homologous recombination with the endogenous gene. Typically, several kilobases of flanking DNA (at both the 5' and 3' ends) are included in the vector (see, e.g., Thomas

and Capecchi, Cell 1987; 51: 503). The vector is introduced into an ES cell line (e.g., by electroporation), and cells in which the introduced NPC1L1-related gene has homologously recombined with the endogenous NPC1L1-related gene are selected (see, e.g., Li et al., Cell 1992; 69: 915). The selected cells are then injected into a blastocyst of an animal (e.g., a mouse) to form aggregation chimeras (see, e.g., Bradley, in Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, Robertson ed., IRL, Oxford, 1987, pp. 113-152). A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term. Progeny harboring the homologously recombined DNA in their germ cells can be used to breed animals in which all cells of the animal contain the homologously recombined DNA by germline transmission of the transgene.

10

15

20

25

30

The phenotype of knockout animals can be predictive of the *in vivo* function of the gene and of the effects or lack of effect of its antagonists or agonists. Knockout animals can also be used to study the effects of the NPC1L1 protein in models of disease, including, hyperlipidemia and other lipid-mediated disorders. In a specific embodiment, knockout animals, such as mice harboring the NPC1L1 gene knockout, may be used to produce antibodies against the heterologous NPC1L1 protein (e.g., human NPC1L1) (Claesson et al., Scan. J. Immunol. 1994; 0: 257-264; Declerck et al., J. Biol. Chem. 1995; 270: 8397-400).

Genetically modified animals expressing or harboring NPC1L1-specific antisense polynucleotides, shRNA, siRNA, or ribozymes can be used analogously to knockout animals described above.

In another embodiment of the invention, the transgenic animal is an animal having an alteration in its genome that results in altered expression (e.g., increased or decreased expression) of the NPC1L1 gene, e.g., by introduction of additional copies of NPC1L1 gene in various parts of the genome, or by operatively inserting a regulatory sequence that provides for altered expression of an endogenous copy of the NPC1L1 gene. Such regulatory sequences include inducible, tissue-specific, and constitutive promoters and enhancer elements. Suitable promoters include metallothionein, albumin (Pinkert et al., Genes Dev. 1987; 1: 268-76), and K-14 keratinocyte (Vassar et al., Proc. Natl. Acad. Sci. USA 1989; 86: 1563-1567) gene

promoters. Overexpression or underexpression of the wild-type NPC1L1 polypeptide, polypeptide fragment or a mutated version thereof may alter normal cellular processes, resulting in a phenotype that identifies a tissue in which NPC1L1 expression is functionally relevant and may indicate a therapeutic target for the NPC1L1, its agonists or antagonists. For example, a transgenic test animal can be engineered to overexpress or underexpress a full-length NPC1L1 sequence, which may result in a phenotype that shows similarity with human diseases.

5

15

20

25

30

Transgenic animals can also be produced that allow for regulated (e.g., tissuespecific) expression of the transgene. One example of such a system that may be produced is the Cre-Lox recombinase system of bacteriophage P1 (Lakso et al., Proc. Natl. Acad. Sci. USA 1992; 89: 6232-6236; U.S. Patents No. 4,959,317 and 5,801,030). If the Cre-Lox recombinase system is used to regulate expression of a transgene, animals containing transgenes encoding both the Cre recombinase and a selected protein are required. Such animals can be provided through the construction of "double" transgenic animals, e.g., by mating two transgenic or gene-targeted animals, one containing a transgene encoding a selected protein or containing a targeted allele (e.g., a loxP flanked exon), and the other containing a transgene encoding a recombinase (e.g., a tissue-specific expression of Cre recombinase). Another example of a recombinase system is the FLP recombinase system of Saccharomyces cerevisiae (O'Gorman et al., Science 1991; 251: 1351-1355; U.S. Patent No. 5,654,182). In another embodiment, both Cre-Lox and Flp-Frt are used in the same system to regulate expression of the transgene, and for sequential deletion of vector sequences in the same cell (Sun et al., Nat. Genet. 2000; 25: 83-6). Regulated transgenic animals can be also prepared using the tet-repressor system (see, e.g., U.S. Patent No. 5,654,168).

The *in vivo* function of NPC1L1 can be also investigated through making "knock-in" animals. In such animals the endogenous NPC1L1 gene can be replaced, e.g., by a heterologous gene, by a NPC1L1 ortholog or by a mutated NPC1L1 gene. See, for example, Wang et al., Development 1997; 124: 2507-2513; Zhuang et al., Mol. Cell Biol. 1998; 18: 3340-3349; Geng et al., Cell 1999; 97: 767-777; Baudoin et al., Genes Dev. 1998; 12: 1202-1216. Thus, a non-human transgenic animal can be

created in which: (i) a human ortholog of the non-human animal NPC1L1 gene has been stably inserted into the genome of the animal; and/or (ii) the endogenous non-human animal NPC1L1 gene has been replaced with its human counterpart (see, e.g., Coffman, Semin. Nephrol. 1997; 17: 404; Esther et al., Lab. Invest. 1996; 74: 953; Murakami et al., Blood Press. Suppl. 1996; 2: 36). In one aspect of this embodiment, a human NPC1L1 gene inserted into the transgenic animal is the wild-type human NPC1L1 gene. In another aspect, the NPC1L1 gene inserted into the transgenic animal is a mutated form or a variant of the human NPC1L1 gene.

Included within the scope of the present invention are transgenic animals, preferably mammals (e.g., mice) in which, in addition to the NPC1L1 gene, one or more additional genes (preferably, associated with hyperlipidemia or related disorders) have been knocked out, or knocked in, or overexpressed. Such animals can be generated by repeating the procedures set forth herein for generating each construct, or by breeding two animals of the same species (each with a different single gene manipulated) to each other, and screening for those progeny animals having the desired genotype.

10

15

20

25

30

Inhibition of NPC1L1

As specified above, the NPC1L1-encoding nucleic acid molecules of the can be used to inhibit the expression of NPC1L1 genes (e.g., by inhibiting transcription, splicing, transport, or translation or by promoting degradation of corresponding mRNAs). Specifically, the nucleic acid molecules of the invention can be used to "knock down" or "knock out" the expression of the NPC1L1 genes in a cell or tissue (e.g., in an animal model or in cultured cells) by using their sequences to design antisense oligonucleotides, RNA interference (RNAi) molecules, ribozymes, nucleic acid molecules to be used in triplex helix formation, etc. Preferred methods to inhibit gene expression are described below.

In one embodiment the transcription of NPC1L1 mRNA is inhibited by targeting NPC1L1 promoter transcription factors using an agonist or antagonist to these factors. In this embodiment the specific agonist or antagonist is identified by its ability to downregulate the expression of a reporter gene (such as luciferase or green

fluorescence protein) driven by the promoter for NPC1L1, e.g., the mouse, rat or human promoter.

RNA Interference (RNAi). RNA interference (RNAi) is a process of sequence-specific post-transcriptional gene silencing by which double stranded RNA (dsRNA) homologous to a target locus can specifically inactivate gene function in plants, fungi, invertebrates, and vertebrates, including mammals (Hammond et al., Nature Genet. 2001; 2: 110-119; Sharp, Genes Dev. 1999;13: 139-141). This dsRNA-induced gene silencing is mediated by short double-stranded small interfering RNAs (siRNAs) generated from longer dsRNAs by ribonuclease III cleavage (Bernstein et al., Nature 2001; 409: 363-366 and Elbashir et al., Genes Dev. 2001; 15: 188-200). RNAi-mediated gene silencing is thought to occur via sequence-specific mRNA degradation, where sequence specificity is determined by the interaction of an siRNA with its complementary sequence within a target mRNA (see, e.g., Tuschl, Chem. Biochem. 2001; 2: 239-245).

15 15

20

25

30

10

For mammalian systems, RNAi commonly involves the use of dsRNAs that are greater than 500 bp; however, it can also be activated by introduction of either siRNAs (Elbashir, et al., Nature 2001; 411: 494-498) or short hairpin RNAs (shRNAs) bearing a fold back stem-loop structure (Paddison et al., Genes Dev. 2002; 16: 948-958; Sui et al., Proc. Natl. Acad. Sci. USA 2002; 99: 5515-5520; Brummelkamp et al., Science 2002; 296: 550-553; Paul et al., Nature Biotechnol. 2002; 20: 505-508).

The siRNAs to be used in the methods of the present invention are preferably short double stranded nucleic acid duplexes comprising annealed complementary single stranded nucleic acid molecules. In preferred embodiments, the siRNAs are short dsRNAs comprising annealed complementary single strand RNAs. However, the invention also encompasses embodiments in which the siRNAs comprise an annealed RNA:DNA duplex, wherein the sense strand of the duplex is a DNA molecule and the antisense strand of the duplex is a RNA molecule. In one embodiment, an siRNA of the invention is set forth as SEQ ID NO: 23 or SEQ ID NO: 24.

Preferably, each single stranded nucleic acid molecule of the siRNA duplex is of from about 19 nucleotides to about 27 nucleotides in length. In preferred embodiments, duplexed siRNAs have a 2 or 3 nucleotide 3' overhang on each strand of the duplex. In preferred embodiments, siRNAs have 5'-phosphate and 3'-hydroxyl groups.

5

10

15

20

25

The RNAi molecules to be used in the methods of the present invention comprise nucleic acid sequences that are complementary to the nucleic acid sequence of a portion of the target locus. In certain embodiments, the portion of the target locus to which the RNAi probe is complementary is at least about 15 nucleotides in length. In preferred embodiments, the portion of the target locus to which the RNAi probe is complementary is at least about 19 nucleotides in length. The target locus to which an RNAi probe is complementary may represent a transcribed portion of the NPC1L1 gene or an untranscribed portion of the NPC1L1 gene (e.g., intergenic regions, repeat elements, etc.).

The RNAi molecules may include one or more modifications, either to the phosphate-sugar backbone or to the nucleoside. For example, the phosphodiester linkages of natural RNA may be modified to include at least one heteroatom other than oxygen, such as nitrogen or sulfur. In this case, for example, the phosphodiester linkage may be replaced by a phosphothioester linkage. Similarly, bases may be modified to block the activity of adenosine deaminase. Where the RNAi molecule is produced synthetically, or by *in vitro* transcription, a modified ribonucleoside may be introduced during synthesis or transcription.

According to the present invention, siRNAs may be introduced to a target cell as an annealed duplex siRNA, or as single stranded sense and anti-sense nucleic acid sequences that, once within the target cell, anneal to form the siRNA duplex. Alternatively, the sense and anti-sense strands of the siRNA may be encoded on an expression construct that is introduced to the target cell. Upon expression within the target cell, the transcribed sense and antisense strands may anneal to reconstitute the siRNA.

The shRNAs to be used in the methods of the present invention comprise a single stranded "loop" region connecting complementary inverted repeat sequences that anneal to form a double stranded "stem" region. Structural considerations for shRNA design are discussed, for example, in McManus et al., RNA 2002; 8: 842-850. In certain embodiments the shRNA may be a portion of a larger RNA molecule, e.g., as part of a larger RNA that also contains U6 RNA sequences (Paul et al., supra).

5

10

15

20

25

30

In preferred embodiments, the loop of the shRNA is from about 1 to about 9 nucleotides in length. In preferred embodiments the double stranded stem of the shRNA is from about 19 to about 33 base pairs in length. In preferred embodiments, the 3' end of the shRNA stem has a 3' overhang. In particularly preferred embodiments, the 3' overhang of the shRNA stem is from 1 to about 4 nucleotides in length. In preferred embodiments, shRNAs have 5'-phosphate and 3'-hydroxyl groups.

Although the RNAi molecules useful according to the invention preferably contain nucleotide sequences that are fully complementary to a portion of the target locus, 100% sequence complementarity between the RNAi probe and the target locus is not required to practice the invention.

RNA molecules useful for RNAi may be chemically synthesized, for example using appropriately protected ribonucleoside phosphoramidites and a conventional DNA/RNA synthesizer. RNAs produced by such methodologies tend to be highly pure and to anneal efficiently to form siRNA duplexes or shRNA hairpin stem-loop structures. Following chemical synthesis, single stranded RNA molecules are deprotected, annealed to form siRNAs or shRNAs, and purified (e.g., by gel electrophoresis or HPLC).

Alternatively, standard procedures may used for *in vitro* transcription of RNA from DNA templates carrying RNA polymerase promoter sequences (e.g., T7 or SP6 RNA polymerase promoter sequences). Efficient *in vitro* protocols for preparation of siRNAs using T7 RNA polymerase have been described (Donzé and Picard, Nucleic Acids Res. 2002; 30: e46; and Yu et al., Proc. Natl. Acad. Sci. USA 2002; 99: 6047-6052). Similarly, an efficient *in vitro* protocol for preparation of shRNAs using T7

RNA polymerase has been described (Yu et al., supra). The sense and antisense transcripts may be synthesized in two independent reactions and annealed later, or may be synthesized simultaneously in a single reaction.

RNAi molecules may be formed within a cell by transcription of RNA from an expression construct introduced into the cell. For example, both a protocol and an expression construct for *in vivo* expression of siRNAs are described in Yu et al., supra. Similarly, protocols and expression constructs for *in vivo* expression of shRNAs have been described (Brummelkamp et al., supra; Sui et al., supra; Yu et al., supra; McManus et al., supra; Paul et al., supra).

5

10

15

The expression constructs for *in vivo* production of RNAi molecules comprise RNAi encoding sequences operably linked to elements necessary for the proper transcription of the RNAi encoding sequence(s), including promoter elements and transcription termination signals. Preferred promoters for use in such expression constructs include the polymerase-III HI-RNA promoter (see, e.g., Brummelkamp et al., supra) and the U6 polymerase-III promoter (see, e.g., Sui et al., supra; Paul, et al. supra; and Yu et al., supra). The RNAi expression constructs can further comprise vector sequences that facilitate the cloning of the expression constructs. Standard vectors that maybe used in practicing the current invention are known in the art (e.g., pSilencer 2.0-U6 vector, Ambion Inc., Austin, TX).

Antisense Nucleic Acids. In a specific embodiment, to achieve inhibition of expression of a NPC1L1 gene, the nucleic acid molecules of the invention can be used to design antisense oligonucleotides. An antisense oligonucleotide is typically 18 to 25 bases in length (but can be as short as 13 bases in length) and is designed to bind to a selected NPC1L1 mRNA. This binding prevents expression of that specific NPC1L1 protein. The antisense oligonucleotides of the invention comprise at least 6 nucleotides and preferably comprise from 6 to about 50 nucleotides. In specific aspects, the antisense oligonucleotides comprise at least 10 nucleotides, at least 15 nucleotides, at least 25, at least 30, at least 100 nucleotides, or at least 200 nucleotides.

The antisense nucleic acid oligonucleotides of the invention comprise sequences complementary to at least a portion of the corresponding NPC1L1 mRNA. However, 100% sequence complementarity is not required so long as formation of a stable duplex (for single stranded antisense oligonucleotides) or triplex (for double stranded antisense oligonucleotides) can be achieved. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense oligonucleotides. Generally, the longer the antisense oligonucleotide, the more base mismatches with the corresponding mRNA can be tolerated. One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

10

15

20

25

30

The antisense oligonucleotides can be DNA or RNA or chimeric mixtures, or derivatives or modified versions thereof, and can be single-stranded or doublestranded. The antisense oligonucleotides can be modified at the base moiety, sugar moiety, or phosphate backbone, or a combination thereof. For example, a NPC1L1specific antisense oligonucleotide can comprise at least one modified base moiety selected from a group including but not limited to 5-fluorouracil, 5-bromouracil, 5hypoxanthine, xantine, 4-acetylcytosine, chlorouracil. 5-iodouracil, (carboxyhydroxylmethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7methylguanine, 5-methylarninomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5-methoxycarboxymethyluracil, 5-methoxyuracil, 2methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6diaminopurine.

In another embodiment, the NPC1L1-specific antisense oligonucleotide comprises at least one modified sugar moiety, e.g., a sugar moiety selected from arabinose, 2-fluoroarabinose, xylulose, and hexose.

In yet another embodiment, the NPC1L1-specific antisense oligonucleotide comprises at least one modified phosphate backbone selected from a phosphorothioate, a phosphorodithioate, a phosphoramidate, a phosphoramidate, a phosphordiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

5

10

15

20

25

30

The antisense oligonucleotide can include other appending groups such as peptides, or agents facilitating transport across the cell membrane (see, e.g., Letsinger et al., Proc. Natl. Acad. Sci. USA 1989; 86: 6553-6556; Lemaitre et al., Proc. Natl. Acad. Sci. USA 1987; 84: 648-652; PCT Publication No. WO 88/09810) or blood-brain barrier (see, e.g., PCT Publication No. WO 89/10134), hybridization-triggered cleavage agents (see, e.g., Krol et al., BioTechniques 1988; 6: 958-976), intercalating agents (see, e.g., Zon, Pharm. Res. 1988; 5: 539-549), etc.

In another embodiment, the antisense oligonucleotide can include α -anomeric oligonucleotides. An α -anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β -units, the strands run parallel to each other (Gautier *et al.*, *Nucl. Acids Res.* 1987; 15: 6625-6641).

In yet another embodiment, the antisense oligonucleotide can be a morpholino antisense oligonucleotide (i.e., an oligonucleotide in which the bases are linked to 6-membered morpholine rings, which are connected to other morpholine-linked bases via non-ionic phosphorodiamidate intersubunit linkages). Morpholino oligonucleotides are resistant to nucleases and act by sterically blocking transcription of the target mRNA.

Similar above-described to the RNAi molecules, the antisense oligonucleotides of the invention can be synthesized by standard methods known in the art, e.g., by use of an automated synthesizer. Antisense nucleic acid oligonucleotides of the invention can also be produced intracellularly by transcription from an exogenous sequence. For example, a vector can be introduced in vivo such that it is taken up by a cell within which the vector or a portion thereof is transcribed to produce an antisense RNA. Such a vector can remain episomal or become chromosomally integrated, so long as it can be transcribed to produce the desired

antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art. Vectors can be plasmid, viral, or others known in the art, used for replication and expression in mammalian cells. In another embodiment, "naked" antisense nucleic acids can be delivered to adherent cells via "scrape delivery", whereby the antisense oligonucleotide is added to a culture of adherent cells in a culture vessel, the cells are scraped from the walls of the culture vessel, and the scraped cells are transferred to another plate where they are allowed to re-adhere. Scraping the cells from the culture vessel walls serves to pull adhesion plaques from the cell membrane, generating small holes that allow the antisense oligonucleotides to enter the cytosol.

The present invention thus provides a method for inhibiting the expression of a NPC1L1 gene in a eukaryotic, preferably mammalian, and more preferably rat, mouse or human cell, comprising providing the cell with an effective amount of a NPC1L1-inhibiting antisenseoligonucleotide.

10

15

20

25

30

Ribozyme Inhibition. In another embodiment, the expression of NPC1L1 genes of the present invention can be inhibited by ribozymes designed based on the nucleotide sequence thereof. Ribozyme molecules catalytically cleave mRNA transcripts and can be used to prevent expression of the gene product. Ribozymes are enzymatic RNA molecules capable of catalyzing the sequence-specific cleavage of RNA (for a review, see Rossi, Current Biology 1994; 4: 469-471). The mechanism of ribozyme action involves sequence-specific hybridization of the ribozyme molecule to complementary target RNA, followed by an endonucleolytic cleavage event. The composition of ribozyme molecules must include: (i) one or more sequences complementary to the target gene mRNA; and (ii) a catalytic sequence responsible for mRNA cleavage (see, e.g., U.S. Patent No. 5,093,246).

According to the present invention, the use of hammerhead ribozymes is preferred. Hammerhead ribozymes cleave mRNAs at locations dictated by flanking regions that form complementary base pairs with the target mRNA. The sole requirement is that the target mRNA has the following sequence of two bases: 5'-UG-3'. The construction of hammerhead ribozymes is known in the art, and described more fully in Myers, *Molecular Biology and Biotechnology: A Comprehensive Desk*

Reference, VCH Publishers, New York, 1995 (see especially Figure 4, page 833) and in Haseloff and Gerlach, Nature 1988; 334: 585-591.

Preferably, the ribozymes of the present invention are engineered so that the cleavage recognition site is located near the 5' end of the corresponding mRNA, *i.e.*, to increase efficiency and minimize the intracellular accumulation of non-functional mRNA transcripts.

5

10

15

20

25

30

As in the case of RNAi and antisense oligonucleotides, ribozymes of the invention can be composed of modified oligonucleotides (e.g., for improved stability, targeting, etc.). These can be delivered to mammalian cells, and preferably mouse, rat, or human cells, which express the target NPC1L1 protein in vivo. A preferred method of delivery involves using a DNA construct "encoding" the ribozyme under the control of a strong constitutive pol III or pol II promoter, so that transfected cells will produce sufficient quantities of the ribozyme to destroy endogenous mRNA encoding the protein and inhibit translation. Because ribozymes, unlike antisense molecules, are catalytic, a lower intracellular concentration may be required to achieve an adequate level of efficacy.

Ribozymes can be prepared by any method known in the art for the synthesis of DNA and RNA molecules, as discussed above. Ribozyme technology is described further in *Intracellular Ribozyme Applications: Principals and Protocols*, Rossi and Couture eds., Horizon Scientific Press, 1999.

Triple Helix Formation. Nucleic acid molecules useful to inhibit NPC1L1 gene expression via triple helix formation are preferably composed of deoxynucleotides. The base composition of these oligonucleotides is typically designed to promote triple helix formation via Hoogsteen base pairing rules, which generally require sizeable stretches of either purines or pyrimidines to be present on one strand of a duplex. Nucleotide sequences may be pyrimidine-based, resulting in TAT and CGC triplets across the three associated strands of the resulting triple helix. The pyrimidine-rich molecules provide base complementarity to a purine-rich region of a single strand of the duplex in a parallel orientation to that strand. In addition, nucleic acid molecules may be chosen that are purine-rich, e.g., those containing a stretch of G

residues. These molecules will form a triple helix with a DNA duplex that is rich in GC pairs, in which the majority of the purine residues are located on a single strand of the targeted duplex, resulting in GGC triplets across the three strands in the triplex.

Alternatively, sequences can be targeted for triple helix formation by creating a so-called "switchback" nucleic acid molecule. Switchback molecules are synthesized in an alternating 5'-3', 3'-5' manner, such that they base pair with first one strand of a duplex and then the other, eliminating the necessity for a sizeable stretch of either purines or pyrimidines to be present on one strand of a duplex.

Similarly to NPC1L1-specific RNAi, antisense oligonucleotides, and ribozymes, triple helix molecules of the invention can be prepared by any method known in the art. These include techniques for chemically synthesizing oligodeoxyribonucleotides and oligoribonucleotides such as, e.g., solid phase phosphoramidite chemical synthesis. Alternatively, RNA molecules can be generated by in vitro or in vivo transcription of DNA sequences "encoding" the particular RNA molecule. Such DNA sequences can be incorporated into a wide variety of vectors that incorporate suitable RNA polymerase promoters such as the T7 or SP6 polymerase promoters.

Other NPC1L1 Antagonists

5

10

15

NPC1L1 inhibitors also include small molecules inhibitors. For example, several NPC1L1 inhibitors have been identified and are set forth in Example 10. These inhibitors include, for example, 4-phenyl-4-piperidinecarbonitrile hydrochloride, 1-butyl-N-(2,6-dimethylphenyl)-2 piperidinecarboxamide, 1-(1-naphthylmethyl)piperazine, 3 {1-[(2-methylphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione, 3 {1-[(2-hydroxyphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione, 2-acetyl-3-[(2-methylphenyl)amino]-2-cyclopenten-1-one, 3-[(4-methoxyphenyl)amino]-2-methyl-2-cyclopenten-1-one, 3-[(2-methoxyphenyl)amino]-2-methyl-2-cyclopenten-1-one, and N-(4-acetylphenyl)-2-thiophenecarboxamide, or derivatives thereof. Additional NPC1L1 antagonists, e.g., small molecule antagonists, may be identified using, for example, the assays described herein.

Diagnostic Methods

A variety of methods can be employed for the diagnostic evaluation of lipid disorders, such as hyperlipidemia and other diseases and disorders associated with or mediated by NPC1L1, such as obesity, type II diabetes, cardiovascular disease, and stroke, and for the identification and evaluation of subjects experiencing or at risk for developing hyperlipidemia, e.g., cholesterolemia and NPC1L1-associated conditions such as obesity, type II diabetes, cardiovascular disease, and stroke. These methods may also be employed for the diagnostic evaluation of diseases and disorders associated with decreased NPC1L1 such as anorexia, cachexia, and wasting.

These methods may utilize reagents such as the polynucleotide molecules and oligonucleotides of the present invention. The methods may alternatively utilize a NPC1L1 protein or a fragment thereof, or an antibody or antibody fragment that binds specifically to a NPC1L1 protein. Such reagents can be used for: (i) the detection of either an over- or an under-expression of the NPC1L1 gene relative to its expression in an unaffected state (e.g., in a subject or individual not having a disease or disorder associated with or mediated by NPC1L1); or (ii) the detection of either an increase or a decrease in the level of the NPC1L1 protein relative to its level in an unaffected state; or (iii) the detection of an aberrant NPC1L1 gene product activity relative to the unaffected state; or (iv) the mislocalization of vesicular proteins such as caveolin or annexin.

10

15

20

25

In a preferred embodiment, a diagnostic method of the present invention utilizes quantitative hybridization (e.g., quantitative in situ hybridization, Northern blot analysis or microarray hybridization) or quantitative PCR (e.g., TaqMan®) using a NPC1L1-specific nucleic acid of the invention as a hybridization probe and PCR primers, respectively.

The present invention also provides a method for detecting cells which may have altered lipid or glucose metabolism in a test cell subjected to a treatment or stimulus or suspected of having been subjected to a treatment or stimulus, said method comprising:

(a) determining the expression level in the test cell of a nucleic acid molecule encoding a NPC1L1 protein; and

- (b) comparing the expression level of the NPC1L1-encoding nucleic acid molecule in the test cell to the expression level of the same nucleic acid molecule in a control cell not subjected to a treatment or stimulus;
 - wherein a detectable change in the expression level of the NPC1L1-encoding nucleic acid molecule in the test cell compared to the expression level of the NPC1L1-encoding nucleic acid molecule in the control cell indicates that the test cell may have altered lipid or glucose metabolism.

According to the present invention, the detectable change in the expression level is any statistically significant change and preferably at least a 1.5-fold change as measured by any available technique such as hybridization or quantitative PCR (see the Definitions Section, above).

10

15

20

25

30

The test and control cells are preferably the same type of cells from the same species and tissue, and can be any cells useful for conducting this type of assay where a meaningful result can be obtained. Any cell type in which a NPC1L1-encoding nucleic acid molecule is ordinarily expressed, or in which a NPC1L1-encoding nucleic acid is expressed in connection with a treatment or stimulus affecting lipid or glucose metabolism may be used. For example, the test cell can be any cell derived from a tissue of an organism experiencing hyperlipidemia or another disease or disorder associated with or mediated by NPC1L1. Alternatively, the test cell can be any cell grown *in vitro* under specific conditions. When the test cell is derived from a tissue of an organism experiencing hyperlipidemia or another disease or disorder associated with or mediated by NPC1L1, it may or may not be known to be located in the region associated with disorder.

In one embodiment, the test and control cells are cells from the gastrontestinal system. Preferably, the test and control cells are enterocyte cells from the epithelium of the small intestine. The test and control cells can be derived from any appropriate organism, but are preferably human or mouse cells. In a specific embodiment, the test and control cells are from an animal model of lipid pathogenesis (e.g., a mouse model

of hyperlipidemia) or any related disorder (e.g., obesity, cardiovascular disease, or diabetes) and may or may not be isolated from that animal model. In another embodiment, the first cell is from a subject, such as a human or companion animal, for which the test is being conducted to determine the state of lipid or glucose metabolism that subject, and the second cell is an appropriate control cell. The first cell may or may not be isolated from the subject being tested. Both the test cell and the control cell must have the ability to express NPC1L1.

The control cell can be any cell which is known to have not been subjected to any treatment or stimulus associated with lipid or glucose metabolism. Preferably, the control cell is otherwise similar and treated identically to the test cell. For example, when the test cell is derived from a tissue of an animal experiencing hyperlipidemia or another disease or disorder associated with or mediated by NPC1L1, the control cell can be derived from an identical tissue or body part of a different animal from, preferably, the same species (or, alternatively, a closely related species) which animal is not experiencing hyperlipidemia or another disease or disorder associated with or mediated by NPC1L1. Alternatively, the control cell can be derived from an identical tissue or body part of the same animal from which the test cells are derived. However if this is the case, it should be established that the identical tissue or body part has not been subjected to any treatment or stimulus associated with lipid or glucose metabolism within the timeframe of the experiment. When the test cell is a cell grown in vitro under specific conditions, the control cell can be a similar cell grown in vitro in identical conditions but in the absence of the treatment or stimulus.

In one embodiment, the test cell has been exposed to a treatment or stimulus that simulates or mimics a lipid-related condition prior to determining the expression level of the nucleic acid molecule encoding the NPC1L1 protein, and the control cell is useful as an appropriate comparator cell to allow a determination of whether or not the test cell is exhibiting a lipid response. For example, where the test cell has been exposed to a treatment or stimulus that is, or that simulates or mimics, hyperlipidemia or another disease or disorder associated with or mediated by NPC1L1, the control cell has not been exposed to such a treatment or stimulus. In another embodiment, the test cell has been exposed to a compound that is being tested to determine whether it

PCT/US2005/027579 WO 2006/015365

simulates or mimics hyperlipidemia or another disease or disorder associated with or mediated by NPC1L1.

In one embodiment, the nucleic acid molecule the expression of which is being determined according to this method encodes a mammalian NPC1L1 polypeptide. In a specific embodiment, the nucleic acid molecule encodes a mouse NPC1L1 polypeptide comprising the amino acid sequence of SEQ ID NO: 3.

5

10

20

25

In one embodiment, the expression level of the nucleic acid molecule in each of the test and control cells is determined by quantifying the amount of NPC1L1-encoding mRNA present in the two cells. In another embodiment, the expression level of the nucleic acid molecule in each of the test and control cells is determined by quantifying the amount of NPC1L1 protein present in each of the two cells. Where the test cell has a detectable change in the expression level of the NPC1L1-encoding nucleic acid molecule compared to the expression level of the NPC1L1-encoding nucleic acid molecule in the control cell, a lipid response in the test cell has been detected.

To assay levels of a NPC1L1-encoding nucleic acid in a sample, a variety of 15 standard nucleic acid isolation and quantification methods can be employed. As specified above, in a preferred embodiment, a diagnostic method of the present invention utilizes quantitative hybridization (e.g., quantitative in situ hybridization, Northern blot analysis or microarray hybridization) or quantitative PCR (e.g., TaqMan®) using NPC1L1-specific nucleic acids of the invention as hybridization probes and PCR primers, respectively.

In PCR-based assays, gene expression can be measured after extraction of cellular mRNA and preparation of cDNA by reverse transcription (RT). A sequence within the cDNA can then be used as a template for a nucleic acid amplification reaction. Nucleic acid molecules of the present invention can be used to design NPC1L1-specific RT and PCR oligonucleotide primers (such as, e.g., SEQ ID NOS: 4-7). Preferably, the oligonucleotide primers are at least about 9 to about 30 nucleotides in length. The amplification can be performed using, e.g., radioactively labeled or fluorescently-labeled nucleotides, for detection. Alternatively, enough amplified

product may be made such that the product can be visualized simply by standard ethidium bromide or other staining methods.

A preferred PCR-based detection method of the present invention is quantitative real time PCR (e.g., TaqMan® technology, Applied Biosystems, Foster City, CA). This method is based on the observation that there is a quantitative relationship between the amount of the starting target molecule and the amount of PCR product produced at any given cycle number. Real time PCR detects the accumulation of amplified product during the reaction by detecting a fluorescent signal produced proportionally during the amplification of a PCR product.

5

20

25

10 For more details on quantitative real time PCR, see Gibson et al., Genome Res. 1996; 6: 995-1001; Heid et al., Genome Res. 1996; 6: 986-994; Livak et al., PCR Methods Appl. 1995; 4: 357-362; Holland et al., Proc. Natl. Acad. Sci. USA 1991; 88: 7276-7280.

SYBR Green Dye PCR (Molecular Probes, Inc., Eugene, OR), competitive
PCR as well as other quantitative PCR techniques can also be used to quantify
NPC1L1 gene expression according to the present invention.

NPC1L1 gene expression detection assays of the invention can also be performed in situ (e.g., directly upon sections of fixed or frozen tissue collected from a subject, thereby eliminating the need for nucleic acid purification). Nucleic acid molecules of the invention or portions thereof can be used as labeled probes or primers for such in situ procedures (see, e.g., Nuovo, PCR in situ Hybridization: Protocols And Application, Raven Press, New York, 1992). Alternatively, if a sufficient quantity of the appropriate cells can be obtained, standard quantitative Northern analysis can be performed to determine the level of gene expression using the nucleic acid molecules of the invention or portions thereof as labeled probes.

For in vitro cell cultures or in vivo animal models, the diagnostic reagents of the invention can be used in screening assays as surrogates lipid condition to identify compounds that affect expression of the NPC1L1 gene. For example, probes for the mouse NPC1L1 gene can be used for diagnosing individuals suspected of having a

condition associated with abnormal lipid or glucose metabolism, and also for monitoring the effectiveness therapy used to treat such condition.

Various techniques can be used to measure the levels of NPC1L1 protein in a sample, including the use of anti-NPC1L1 antibodies or antibody fragments described above. For example, anti-NPC1L1 antibodies or antibody fragments can be used to screen test compounds to identify those compounds that can modulate NPC1L1 protein production. For example, anti-NPC1L1 antibodies or antibody fragments can be used to detect the presence of the NPC1L1 protein by, e.g., immunofluorescence techniques employing a fluorescently labeled antibody coupled with light microscopic, flow cytometric or fluorimetric detection methods. Such techniques are particularly preferred for detecting the presence of the NPC1L1 protein on the surface of cells. In addition, protein isolation methods such as those described by Harlow and Lane (Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1988) can also be employed to measure the levels of NPC1L1 protein in a sample.

Antibodies or antigen-binding fragments thereof may also be employed histologically, e.g., in immunofluorescence or immunoelectron microscopy techniques, for in situ detection of the NPC1L1 protein. In situ detection may be accomplished by, e.g., removing a tissue sample from a patient and applying to the tissue sample a labeled antibody or antibody fragment of the present invention. This procedure can be used to detect both the presence of the NPC1L1 protein and its distribution in the tissue. Additionally, antibodies or antigen-binding fragments may be used to detect NPC1L1 protein in the serum of cells, tissues, or animals that produce NPC1L1 protein.

25

5

10

15

20

Screening Methods

The present invention further provides a method for identifying a lead compound useful for modulating the expression of a NPC1L1-encoding nucleic acid, said method comprising:

(a) contacting a first cell with a test compound for a time period sufficient to allow the cell to respond to said contact with the test compound;

(b) determining the expression level of a NPC1L1-encoding nucleic acid molecule in the cell prepared in step (a); and

(c) comparing the expression level of the NPC1L1-encoding nucleic acid molecule determined in step (b) to the expression level of the NPC1L1-encoding nucleic acid molecule in a second (control) cell that has not been contacted with the test compound:

wherein a detectable change in the expression level of the NPC1L1-encoding nucleic acid molecule in the first cell in response to contact with the test compound compared to the expression level of the NPC1L1-encoding nucleic acid molecule in the second (control) cell that has not been contacted with the test compound, indicates that the test compound modulates the expression of the NPC1L1-encoding nucleic acid and is a candidate compound for the treatment of a disorder associated with abnormal lipid or glucose metabolism.

10

15

20

25

In one embodiment, the candidate compound decreases the expression of the NPC1L1-encoding nucleic acid molecule. In another embodiment, the candidate compound increases the expression of the NPC1L1-encoding nucleic acid molecule. In another embodiment, the first and second cells are incubated under conditions that induce the expression of a NPC1L1-encoding nucleic acid molecule, but the test compound is tested for its ability to inhibit or reduce the induction of such expression in the first cell. In another embodiment, the first and second cells are incubated under conditions that induce the expression of a NPC1L1-encoding nucleic acid molecule, but the test compound is tested for its ability to potentiate the induction of such expression in the first cell.

The test compound can be, without limitation, a small organic or inorganic molecule, a polypeptide (including an antibody, antibody fragment, or other immunospecific molecule), an oligonucleotide molecule, a polynucleotide molecule, or a chimera or derivative thereof. Test compounds that specifically bind to a NPC1L1-encoding nucleic acid molecule or to a NPC1L1 protein of the present invention can be identified, for example, by high-throughput screening (HTS) assays, including cell-based and cell-free assays, directed against individual protein targets. Several methods

of automated assays that have been developed in recent years enable the screening of tens of thousands of compounds in a short period of time (see, e.g., U.S. Patent Nos. 5,585,277, 5,679,582, and 6,020,141). Such HTS methods are particularly preferred.

5

10

15

20

25

The first and second cells are preferably the same types of cells, and can be any cells useful for conducting this type of assay where a meaningful result can be obtained. Such cells can be prokaryotic, but are preferably eukaryotic. Such eukaryotic cells are preferably mammalian cells, and more preferably mouse or human cells. Both the first and second cell must have the ability to express NPC1L1. In one non-limiting embodiment, the first and second cells are cells that have been genetically modified to express or over-express a NPC1L1 nucleic acid molecule. In another non-limiting embodiment, the first and second cells are cells that express a NPC1L1 nucleic acid molecule, either naturally (e.g., cells lining the small intestine) or in response to an appropriate stimulus. In one embodiment, the first and second cells have been exposed to a condition or stimulus that is, or that simulates or mimics, a lipid condition prior to, or at the same time as, exposing the cells to the test compound to determine the effect of the test compound on the expression level of the nucleic acid molecule encoding the NPC1L1 polypeptide.

In one embodiment, the first and second cells are from an animal model of a disease or disorder associated with or mediated by NPC1L1 (e.g., mouse model of hypercholestolemia, obesity, diabetes, stroke or cardiovascular disease), and may or may not be isolated from that animal model. In another embodiment, the first cell is from a subject, such as a human or companion animal, and the second cell is an appropriate control cell. The first cell may or may not be isolated from the subject being tested.

In one embodiment, the nucleic acid molecule the expression of which is being determined according to this method encodes a mammalian NPC1L1 polypeptide. In a specific embodiment, the nucleic acid molecule encodes a mouse NPC1L1 polypeptide. In another embodiment, the mouse NPC1L1 polypeptide comprises the amino acid sequence of SEQ ID NO:3.

The expression level of the nucleic acid molecule in each of the first and second cells can be determined by quantifying and comparing the amount of NPC1L1-encoding mRNA present in each of the first and second cells. Alternatively, the expression level of the nucleic acid molecule in each of the first and second cells can be determined by quantifying and comparing the amount of NPC1L1 protein present in the first and second cells. Where the first cell has a detectable change in the expression level of the nucleic acid encoding a NPC1L1 protein compared to the expression level of the nucleic acid encoding the NPC1L1 protein in the second cell, the test compound is identified as a candidate compound useful for modulating the expression of a NPC1L1-encoding nucleic acid.

The present invention also provides a method for identifying a candidate compound that modulates an NPC1L1 polypeptide. In one embodiment, the present invention provides a method for identifying a ligand or other binding partner to the NPC1L1 protein of the present invention, which comprises bringing a labeled test compound in contact with the NPC1L1 protein or a fragment thereof and measuring the amount of the labeled test compound bound to the NPC1L1 protein or to the fragment thereof.

10

15

20

25

30

In another embodiment, the present invention provides a method for identifying a ligand or other binding partner to the NPC1L1 protein of the present invention, which comprises bringing a labeled test compound in contact with cells or cell membrane fraction containing the NPC1L1 protein, and measuring the amount of the labeled test compound bound to the cells or the membrane fraction.

In yet a third embodiment, the present invention provides a method for identifying a ligand or other binding partner to the NPC1L1 polypeptide of the present invention, which comprises culturing a transfected cell containing the DNA encoding the NPC1L1 protein under conditions that permit or induce expression of the NPC1L1 protein, bringing a labeled test compound in contact with the NPC1L1 protein expressed on a membrane of said cell, and measuring the amount of the labeled test compound bound to the NPC1L1 protein.

For example, the ligand or binding partner of the NPC1L1 protein of the present invention can be determined by the following procedures. First, a standard NPC1L1 preparation can be prepared by suspending cells or membranes containing the NPC1L1 protein in a buffer appropriate for use in the determination method. Any buffer can be used so long as it does not inhibit the ligand-NPC1L1 binding. Such buffers include, e.g., a phosphate buffer or a Tris-HCl buffer having pH of 4 to 10 (preferably pH of 6 to 8). For the purpose of minimizing non-specific binding, a surfactant such as CHAPS, Tween-80TM (manufactured by Kao-Atlas Inc.), digitonin or deoxycholate, and various proteins such as bovine serum albumin or gelatin, may optionally be added to the buffer. For the purpose of suppressing degradation of the NPC1L1 or ligand by proteases, a protease inhibitor such as PMSF, leupeptin, E-64 (manufactured by Peptide Institute, Inc.) and pepstatin can be added. A given amount (e.g., 5,000 to 500,000 cpm) of the test compound labeled with [3H], [125I], [14C], [35S] or the like can be added to about 0.01 ml to 10 ml of the solution containing NPC1L1. To determine the amount of non-specific binding (NSB), a reaction tube containing an unlabeled test compound in a large excess is also prepared. The reaction is carried out at about 0 to 50°C, preferably about 4 to 37oC for about 20 minutes to about 24 hours, preferably about 30 minutes to about 3 hours. After completion of the reaction, the cells or membranes containing any bound ligand are separated, e.g., the reaction mixture is filtered through glass fiber filter paper and washed with an appropriate volume of the same buffer. The residual radioactivity on the glass fiber filter paper can be measured by means of a liquid scintillation counter or λ -counter. A test compound exceeding 0 cpm obtained by subtracting NSB from the total binding (B) (B minus NSB) may be selected as a ligand or binding partner of the NPC1L1 protein of the present invention.

10

15

20

25

30

Additionally, any of a variety of known methods for detecting protein-protein interactions may also be used to detect and/or identify proteins that bind to a NPC1L1 gene product. For example, co-immunoprecipitation, chemical cross-linking and yeast two-hybrid systems as well as other techniques known in the art may be employed. As an example in a yeast two-hybrid assay, a host cell harbors a construct that expresses a NPC1L1 protein or fragment thereof fused to a DNA binding domain and another construct that expresses a potential binding-partner fused to an activation domain. The host cell also includes a reporter gene that is expressed in response to binding of the

NPC1L1 protein-partner complex (formed as a result of binding of binding-partner to the NPC1L1 protein) to an expression control sequence operatively associated with the reporter gene. Reporter genes for use in the yeast two-hybrid assay of the invention encode detectable proteins, including, but by no means limited to, chloramphenicol transferase (CAT), β galactosidase (β gal), luciferase, green fluorescent protein (GFP), alkaline phosphatase, and other genes that can be detected, e.g., immunologically (by antibody assay). See the Mammalian MATCHMAKER Two-Hybrid Assay Kit User Manual from Clontech (Palo Alto, CA) for further details on mammalian two-hybrid methods.

All of the screening methods described herein can be modified for use in high-throughput screening, e.g., using microarrays.

10

15

20

25

30

Microarrays

Protein arrays. Protein arrays are solid-phase, ligand binding assay systems using immobilized proteins on surfaces that are selected from glass, membranes, microtiter wells, mass spectrometer plates, and beads or other particles. The ligand binding assays using these arrays are highly parallel and often miniaturized. Their advantages are that they are rapid, can be automated, are capable of high sensitivity, are economical in their use of reagents, and provide an abundance of data from a single experiment.

Automated multi-well formats are the best-developed HTS systems. Automated 96-well plate-based screening systems are the most widely used. The current trend in plate based screening systems is to reduce the volume of the reaction wells further, thereby increasing the density of the wells per plate (96 wells to 384 wells, and 1,536 wells per plate). The reduction in reaction volumes results in increased throughput, dramatically decreased bioreagent costs, and a decrease in the number of plates that need to be managed by automation. For a description of protein arrays that can be used for HTS, see, e.g., U.S. Patents No. 6,475,809; 6,406,921; and 6,197,599; and International Publications No. WO 00/04389 and WO 00/07024.

For construction of arrays, sources of proteins include cell-based expression systems for recombinant proteins, purification from natural sources, production in vitro by cell-free translation systems, and synthetic methods for peptides. For capture arrays

and protein function analysis, it is important that proteins are correctly folded and functional. This is not always the case, e.g., where recombinant proteins are extracted from bacteria under denaturing conditions, whereas other methods (isolation of natural proteins, cell free synthesis) generally retain functionality. However, arrays of denatured proteins can still be useful in screening antibodies for cross-reactivity, identifying auto-antibodies, and selecting ligand binding proteins.

5

10

15

20

25

30

The immobilization method used should be reproducible, applicable to proteins of different properties (size, hydrophilic, hydrophobic), amenable to high throughput and automation, and compatible with retention of fully functional protein activity. Both covalent and non-covalent methods of protein immobilization can be used. Substrates for covalent attachment include, e.g., glass slides coated with amino- or aldehyde-containing silane reagents (Telechem). In the VersalinxTM system (Prolinx), reversible covalent coupling is achieved by interaction between the protein derivatized with phenyldiboronic acid, and salicylhydroxamic acid immobilized on the support surface. Covalent coupling methods providing a stable linkage can be applied to a range of proteins. Non-covalent binding of unmodified protein occurs within porous structures such as HydroGelTM (PerkinElmer), based on a 3-dimensional polyacrylamide gel.

Cell-Based Arrays. Cell-based arrays combine the technique of cell culture in conjunction with the use of fluidic devices for measurement of cell response to test compounds in a sample of interest, screening of samples for identifying molecules that induce a desired effect in cultured cells, and selection and identification of cell populations with novel and desired characteristics. High-throughput screens (HTS) can be performed on fixed cells using fluorescent-labeled antibodies, biological ligands and/or nucleic acid hybridization probes, or on live cells using multicolor fluorescent indicators and biosensors. The choice of fixed or live cell screens depends on the specific cell-based assay required.

There are numerous single- and multi-cell-based array techniques known in the art. Recently developed techniques such as micro-patterned arrays (described, e.g., in International PCT Publications WO 97/45730 and WO 98/38490) and microfluidic arrays provide valuable tools for comparative cell-based analysis. Transfected cell microarrays are a complementary technique in which array features comprise clusters of cells overexpressing defined cDNAs. Complementary DNAs cloned in expression

vectors are printed on microscope slides, which become living arrays after the addition of a lipid transfection reagent and adherent mammalian cells (Bailey et al., Drug Discov. Today 2002; 7(18 Suppl): S113-8). Cell-based arrays are described in detail in, e.g., Beske, Drug Discov. Today 2002; 7(18 Suppl): S131-5; Sundberg et al., Curr. Opin. Biotechnol. 2000; 11: 47-53; Johnston et al., Drug Discov. Today 2002; 7: 353-63; U.S. Patents No. 6,406,840 and 6,103,479, and U.S. published patent application No. 2002/0197656. For cell-based assays specifically used to screen for modulators of ligand-gated ion channels, see Mattheakis et al., Curr. Opin. Drug Discov. Devel. 2001; 1: 124-34; and Baxter et al., J. Biomol. Screen. 2002; 7: 79-85.

10

15

20

25

30

For detection of molecules using screening assays, a molecule (e.g., an antibody or polynucleotide probe) can be detectably labeled with an atom (e.g., radionuclide), detectable molecule (e.g., fluorescein), or complex that, due to its physical or chemical property, serves to indicate the presence of the molecule. A molecule can also be detectably labeled when it is covalently bound to a "reporter" molecule (e.g., a biomolecule such as an enzyme) that acts on a substrate to produce a detectable product. Detectable labels suitable for use in the present invention include any composition detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical or chemical means. Labels useful in the present invention include, but are not limited to, biotin for staining with labeled avidin or streptavidin conjugate, magnetic beads (e.g., DynabeadsTM), fluorescent dyes (e.g., fluorescein, fluorescein-isothiocyanate (FITC), Texas red, rhodamine, green fluorescent protein, enhanced green fluorescent protein, lissamine, phycoerythrin, Cy2, Cy3, Cy3.5, Cy5, Cy5.5, Cy7, FluorX [Amersham], SyBR Green I & II [Molecular Probes], and the like), radiolabels (e.g., 3H, 125I, 35S, 14C, or 32P), enzymes (e.g., hydrolases, particularly phosphatases such as alkaline phosphatase, esterases and glycosidases, or oxidoreductases, particularly peroxidases such as horse radish peroxidase, and the like), substrates, cofactors, inhibitors, chemiluminescent groups, chromogenic agents, and colorimetric labels such as colloidal gold or colored glass or plastic (e.g., polystyrene, polypropylene, latex, etc.) beads. Examples of patents describing the use of such labels include U.S. Patents No. 3,817,837; 3,850,752; 3,939,350; 3,996,345; 4,277,437; 4,275,149; and 4,366,241.

Means of detecting such labels are known to those of skill in the art. For example, radiolabels and chemiluminescent labels can be detected using photographic

film or scintillation counters; fluorescent markers can be detected using a photodetector to detect emitted light (e.g., as in fluorescence-activated cell sorting); and enzymatic labels can be detected by providing the enzyme with a substrate and detecting, e.g., a colored reaction product produced by the action of the enzyme on the substrate.

Activity Assays

The present invention further provides a method for studying additional biological activities of the NPC1L1 protein. The biological activity of the NPC1L1 protein can be studied using intact cells that express the NPC1L1 protein (either naturally, e.g., as a result of a stimulus or treatment, or heterologously), membrane fractions comprising the NPC1L1 protein, the isolated NPC1L1 protein, soluble NPC1L1 fragments, or NPC1L1 fusion proteins. For example, a biological activity of the NPC1L1 protein can be studied by measuring in a cell that heterologously expresses the NPC1L1 protein the activities that promote or suppress the production of an "index substance", change in cell membrane potential, phosphorylation of intracellular proteins, activation of c-fos, pH reduction, etc.

NPC1L1-mediated activities can be determined by any known method. For example, cells containing the NPC1L1 protein can first be cultured on a multi-well plate, etc. Prior to the activity determination, the medium can be replaced with fresh medium or with an appropriate non-cytotoxic buffer, followed by incubation for a given period of time in the presence of a test compound, etc. Subsequently, the cells can be extracted or the supernatant can be recovered and the resulting product can be quantified by appropriate procedures. Where it is difficult to detect the production of the "index substance" for the cell-stimulating activity due to a degrading enzyme contained in the cells, an inhibitor against such a degrading enzyme may be added prior to the assay. For detecting activities such as the cAMP production suppression activity, the baseline production in the cells is increased by forskolin or the like and the suppressing effect on the increased baseline.

5

10

15

20

25

Methods of Treatment

The present invention provides methods for treating, e.g., ameliorating, preventing, inhibiting, reducing the symptoms of, or delaying a condition that can be treated by modulating expression of a NPC1L1-encoding nucleic acid molecule or a NPC1L1 protein, comprising administering to a subject in need of such treatment a therapeutically effective amount of a compound that modulates expression of a NPC1L1-encoding nucleic acid molecule or a NPC1L1 protein.

5

10

15

20

25

Conditions that can be treated or prevented using the methods disclosed herein include those in which there are abnormalities in regulating lipid metabolism or responses, including cellular influx or efflux, endocytosis, or intracellular trafficking, transport, or localization of lipids, e.g., cholesterol, fatty acids, triglycerides, and sphingolipids. Such conditions include those that are associated with hyperlipidemia, including diet-induced hypercholesterolemia, obesity, cardiovascular disease, and stroke. In addition, conditions associated with aberrant glucose metabolism and transport, e.g., diabetes (e.g., type II diabetes) can also be treated using the methods disclosed herein. Furthermore, conditions associated with decreased NPC1L1 expression or activity, such as anorexia, cachexia, and wasting, may also be treated or prevented using the methods disclosed herein.

The term "therapeutically effective amount" is used here to refer to: (i) an amount or dose of a compound sufficient to detectably change the level of expression of a NPC1L1-encoding nucleic acid in a subject; or (ii) an amount or dose of a compound sufficient to detectably change the level of activity of a NPC1L1 protein in a subject; or (iii) an amount or dose of a compound sufficient to cause a detectable improvement in a clinically significant symptom or condition (e.g., amelioration of hypercholesterolemia) in a subject.

In a preferred embodiment, the therapeutically effective amount of a compound reduces or inhibits the expression or activity of an NPC1L1 nucleic acid or polypeptide.

Formulations and Administration

A candidate compound useful in conducting a therapeutic method of the present invention is advantageously formulated in a pharmaceutical composition with a pharmaceutically acceptable carrier. The candidate compound may be designated as an active ingredient or therapeutic agent for the treatment of dietary hypercholesterolemia or other disorder involving lipid or glucose metabolism or transport.

5

10

15

20

25

The concentration of the active ingredient depends on the desired dosage and administration regimen, as discussed below. Suitable dose ranges of the active ingredient are from about 0.01 mg/kg to about 1500 mg/kg of body weight per day.

Therapeutically effective compounds can be provided to the patient in standard formulations, and may include any pharmaceutically acceptable additives, such as excipients, lubricants, diluents, flavorants, colorants, buffers, and disintegrants. The formulation may be produced in useful dosage units for administration by oral, parenteral, transmucosal, intranasal, rectal, vaginal, or transdermal routes. Parental routes include intravenous, intra-arteriole, intramuscular, intradermal, subcutaneous, intraperitoneal, intraventricular, intrathecal, and intracranial administration.

The pharmaceutical composition may also include other biologically active substances in combination with the candidate compound. Such substances include but are not limited to lovastin and ezetimibe.

The pharmaceutical composition can be added to a retained physiological fluid such as blood or synovial fluid. For CNS administration, a variety of techniques are available for promoting transfer of the therapeutic agent across the blood brain barrier, including disruption by surgery or injection, co-administration of a drug that transiently opens adhesion contacts between CNS vasculature endothelial cells, and co-administration of a substance that facilitates translocation through such cells.

In another embodiment, the active ingredient can be delivered in a vesicle, particularly a liposome.

In another embodiment, the therapeutic agent can be delivered in a controlled release manner. For example, a therapeutic agent can be administered using

intravenous infusion with a continuous pump, in a polymer matrix such as polylactic/glutamic acid (PLGA), in a pellet containing a mixture of cholesterol and the active ingredient (SilasticRTM; Dow Corning, Midland, MI; see U.S. Patent No. 5,554,601), by subcutaneous implantation, or by transdermal patch

5

10

15

20

25

30

EXAMPLES

The present invention is further described by way of the following particular examples. However, the use of such examples is illustrative only and is not intended to limit the scope or meaning of this invention or of any exemplified term. Nor is the invention limited to any particular preferred embodiment(s) described herein. Indeed, many modifications and variations of the invention will be apparent to those skilled in the art upon reading this specification, and such "equivalents" can be made without departing from the invention in spirit or scope. The invention is therefore limited only by the terms of the appended claims, along with the full scope of equivalents to which the claims are entitled.

EXAMPLE 1: Intracellular Localization of the NPC1L1 Protein

Previous studies have revealed localization of NPC1 to the late endosome compartment of cells. The presence of NPC1 in this critical sorting region is consistent with the molecular etiology of Niemann-Pick C1 disease, which includes disruptions of cholesterol trafficking, storage, and secretion. Whether the NPC1L1 of the present invention localizes to the same region, however, is unclear. Although NPC1 and NPC1L1 have a number of common structural and functional domains, they also have different targeting sequences, suggesting distinct patterns of localization in the cell. In addition, another group has suggested that NPC1L1 molecule is present on the plasma membrane of enterocytes lining the small-intestine, a location consistent with their proposal that NPC1L1 is a transporter of dietary cholesterol and target of the anti-cholesterol drug ezitimibe. However, a recent study by Smart et al. (PNAS (2004) 101:345-3455, which presents evidence in both zebrafish and mouse systems that the target of ezitimibe is an annexin--caveolin heterocomplex, which is implicated as key

mediator in the intestinal transport and trafficking of cholesterol. The present invention addresses this issue with a set of reagents and approaches to determine NPC1L1 localization.

5 Methods

10

15

20

25

Production and purification of NPC1L1 antigen. A specific fragment of human NPC1L1 was amplified by PCR using the primers:

5'-GCGGGATCCGAACCGGTCCAGCTACAGGTA-3' (SEQ ID NO: 4) and

5'-GCGGAATTCCTCGAGGATGGCCAGGTCTTCAG-3' (SEQ ID NO: 5) spanning nucleotides 1302-1961 of SEQ ID NO: 2 and amino acids 416-635 of SEQ ID NO: 3. The amplified fragment was inserted into the pET-TRX expression vector, and the resulting recombinant plasmid was introduced into the host cell line, *E. coli* Bl21 (DE3) plysS. Purified NPC1L1 polypeptide was obtained by induced expression of the transformed cells followed by nickel affinity chromatography on a BioCAD system (Perseptive Biosystems, Framingham, MA).

Production and purification of anti-NPC1L1 antibodies. The NPC1L1 polypeptide was injected into two rabbits and polyclonal antisera was subsequently collected. Antiserum was sequentially purified in two affinity chromatography steps: (i) removal of Trx antibodies on a Trx-Affigel 10 column (BioRad, Hercules, CA); and (ii) purification of IgG antibodies on a Protein A-Sepharose column (Amersham Biosciences, Piscataway, NJ).

Construction of NPC1L1 fusion vectors and RFP-reporter constructs. Monomeric (m) YFP and CFP were generated using eYFP and eCFP plasmids (Clontech) as templates. The L221K and Q69M mutations for mYFP and the L221K mutation in mCFP were created using the megaprimer PCR mutagenesis method and verified by sequencing. To generate mYFP and mCFP fusions with NPC1L1, the stop codon of the human NPC1L1 sequence (GenBank accession number AY515256 was removed by PCR amplification and the resulting cDNA was verified by sequencing and fused to the mYFP and mCFP cDNAs. To introduce a Flag tag into NPC1L1, an

adapter encoding the Flag tag amino acid sequence DYKDDDDK (SEQ ID NO: 29) was ligated in frame into the NPC1L1 at the unique *Bsml* restriction site. To generate a construct of RFP driven by the human ABCA1 promoter the genomic sequence of the promoter was amplified (nucleotides -189 to +32) and inserted into the pDsRed-Express vector (Clontech).

Tissue culture, transfection, and immunofluorescence studies. All cells, including COS7, NT2 and Caco-2 cells, obtained from ATCC (Manassas, VA), were grown in DMEM supplemented with 2mM glutamine, 10% FCS and Gentamicin at 37°C and 5% CO₂ in a humidified incubator. Cells were transfected using 4ul Lipofectamine and 6 μl Plus reagent (Invitrogen, Carlsbad. CA), according to the manufacturer's recommendations. At 24 hr post-transfection the cells were either viewed live or they were fixed with ice-cold methanol at 4°C for 6 min. Cells were processed for immunofluorescence using standard procedures and 1 μg/ml of rabbit polyclonal antibody or 2 ug/ml of M2 anti-Flag antibody (Sigma, St. Louis, MO), followed by a 1:1000 dilution of the appropriate secondary antibody, either goat antirabbit IgG-Alexa 488 (Molecular Probes, Eugene, OR) or sheep anti-mouse IgG-FITC (Jackson Immunoresearch Laboratories, West Grove, PA). Cells were mounted in Fluoromount-G (Southern Biotechnology Associates, Birmingham, AL) and photographed using a Nikon Eclipse microscope equipped with a CCD camera.

Plasma membrane labeling assay. COS7 cells transfected with either Flagtagged NPC1L1 or CD32 were labeled for 1 hr at 37°C with 100 μCi S35-Met/S35-Cys in cell medium deficient in these amino acids. Following a 2hr chase period in DMEM complete medium, cells were removed from dishes using PBS containing 1 mM EDTA, washed in PBS and split equally into two eppendorfs. 2 μg of anti-Flag or anti-CD32 antibodies were added to half the samples and incubated on a rotating mixer at 4°C for 30 min. Cells were washed twice with cold PBS and all samples were lysed in 500 μl lysis buffer (NPC1L1: 100mM sodium phosphate pH 7.5, 150 mM NaCl, 2 mM EDTA, 1% igepal, 0.01% SDS; CD32: 50mM Tris pH 7.4, 120 mM NaCl, 25 mM KCl, 0.2% Triton X100) containing proteinase inhibitor cocktail for 1hr 30 min at 4°C. Lysates were cleared by centrifugation at 20,000 g for 10 min at 4°C. Samples previously incubated with antibody were transferred to tubes containing 20 μl protein

G-agarose beads (Roche Applied Science, Indianapolis, IN) and incubated overnight at 4°C. Remaining samples were incubated at 4°C for 1hr with 3 μg anti-Flag/anti-CD32 antibodies, after which they were transferred to tubes containing protein G-agarose and incubated overnight at 4°C. Samples were washed four times in CD32 lysis buffer and once in NET1 buffer (50mM Tris pH 7.4, 0.5M NaCl, 1mM EDTA, 0.1% igepal, 0.25% gelatin, 0.02% sodium azide) and electrophoresed on a 4-20% bis-tris NUPAGE gel (Invitrogen, Carlsbad, CA) using the MOPS buffer system, until adequate separation was achieved. Gels were fixed in a solution of 10% acetic acid, 20% methanol for 10 min and soaked in Amplify solution for 15 min, before drying and exposing to film.

5

10

15

20

Results

In one set of experiments, the purified anti-NPC1L1 polyclonal antibodies were used to determine the in situ localization of endogenous NPC1L1 in the human NT2 cell line. As visualized by indirect immunofluorescence, endogenous NPC1L1 showed a perinuclear, ER to Golgi distribution (Figure 1a). Colocalization studies with various subcellular organelle markers (data not shown) confirmed the presence of NPC1L1 in the ER and Golgi. Notably, endogenous NPC1L1 was not present in the late endosomal/lysosomal compartment — in sharp contrast to the previously established residence of NPC1 in late endosomes (Higgins et al., (1999) Mol. Genet. Metab. 68: 1-13).

In another experiment, COS7 cells were visualized by fluorescent microscopy, following transient transfection of the expression vector comprising NPC1L1 fused to the Flag epitope. Consistent with the NT2 studies, the NPC1L1-flag fusion protein also localized predominantly to the ER and Golgi (Figure 1b).

In addition, live Caco-2 cells were visualized by fluorescent microscopy, following transient transfection of the expression vector comprising NPC1L1 fused to mYFP. Again, the results reveal predominant localization of the NPC1L1 fusion to the ER and Golgi (Figure 1c).

In addition, colocalization experiments (shown in Davies et al., *J Biol Chem*. 2005) revealed that NPC1L1 localizes in an intracellular vesicular compartment with the marker protein Rab5.

In a final experiment, the membrane labeling assay was used as a sensitive detection method to confirm the intracellular localization of NPC1L1. In accord with the other findings, very little NPC1L1 can be labeled on the plasma membrane.

5

10

15

20

25

30

EXAMPLE 2: NPC1L1 mRNA Expression in Human and Mouse Tissues Methods

Real time PCR quantitation. Human and mouse multiple tissue cDNA panels that had been normalized to four different control genes by the manufacturer (BD Biosciences Clontech, Palo Alto, CA) were amplified to detect only the full-length form of NPC1L1. Real-time PCR amplification was achieved using the Lightcycler 2 (Roche Applied Sciences). Data analysis was carried out using the accompanying software (v. 4.0). The primers used for amplifying mouse NPC1L1 were: 5'-GCTTCTTCCGCAAGATATACACTCCC-3' (SEQ NO: ID 6) GAGGATGCAGCAATAGC CACATAAGAC-3' (SEQ ID NO: 7). The primers used for human NPC1L1 were 5'-TATCTTCCCTGGTTCCTGAACGAC-3' (SEQ ID NO: 8) and 5'-CCGCAGAGCTTCTGTGTAATCC-3' (SEQ ID NO: 9). For both the amplification cycles used were 95°C for 10 sec, 58°C for 20 sec and 72°C for 20 sec. Relative quantitation was carried out using external standards and a linear fit method and each sample was amplified in three separate experiments. All statistical calculations were obtained using Microsoft Excel.

Results

To further the functional studies of NPC1L1 the distribution of NPC1L1 mRNA expression was examined in both human and mouse tissues. In human tissues NPC1L1 is predominantly expressed in liver with detectable levels in lung, heart, brain, pancreas and kidney, ranging in expression from about 0.5 to 3% of liver expression (Figure 2). Since it has been reported that mouse NPC1L1 is predominantly expressed in the small intestine (Higgins et al., 2001), analyses using a human panel of

digestive tract tissues were also carried out. Human NPCIL1 is expressed in the small intestine at 1-4% of the levels expressed in liver (Figure 2a-c) suggesting that there are significant differences between the expression of human and mouse NPC1L1. Interestingly, analyses of mouse tissues suggests a predominant role for NPC1L1 in embryogenesis since its highest expression is found in 17-day embryos; low but detectable expression was found in lung, heart, spleen and kidney and elevated expression in brain, muscle and testis (Figure 2a-c).

EXAMPLE 3: Lipid Uptake Function of NPC1L1 Function

10 <u>Introduction</u>

5

15

20

25

NPC1L1 and NPC1 share a number of key structural features, including thirteen membrane spanning regions and a putative sterol sensitive motif. Accordingly, an important question is whether NPC1L1 shares some of the same functional properties as NPC1L1, specifically in the transport and movement of lipids. The present invention addresses the issue with respect to assays in bacterial cells.

Methods

E. coli fatty acid transport assays. The predicted signal peptide of human NPC1L1, amino acids 1-33, was removed and the remaining full-length sequence, encoding amino-acids 33-1359, was cloned in-frame with the amino-terminal E. coli Omp A signal peptide sequence in the vector pIN III OmpA, as previously described for NPC1 (Davies et al., 2000). NPC1L1 was then expressed in the 2.1.1 strain of E.coli, as previously described (Davies et al., 2000) Briefly, E.coli cultures grown to log phase were induced to express NPC1L1 using 1mM IPTG and grown for 1-2 hours. They were then diluted to an OD600 of 0.1 and incubated at 37°C for 5-15 min in saline containing 0.1M TRIS, Ph7.5, 1nM ³H sodium oleate and 105 nM cold sodium oleate. Cell pellets were resuspended in water and ³H sodium oleate was quantitated by scintillation counting.

Results

NPC1L1 was expressed in an engineered *E. coli* strain, designed for lipid transport studies (Davies et al., 2000). *E. coli* cells exhibited an increase in fatty acid accumulation compared to cells harboring a vector control (Figure 3), albeit at a lower level than cells expressing NPC1 "indicating that NPC1L1 might have a function similar to that of NPC1 in a different intracellular location. These and other data (Davies et al., J Biol Chem 2005) indicate that NPC1L1 is a Rab5 colocalized intracellular protein that appears to share lipid permease activity with NPC1.".

10 EXAMPLE 4:

5

15

20

25

Generation of NPC1L1 Knockout Mice

Introduction

Unlike NPC1, no human disease arising from mutations in NPC1L1 is currently known. To address this issue, the present invention discloses the isolation of the mouse NPC1L1 gene and its targeted disruption in the appropriate mouse strain. In this regard, the C57BL6 strain was chosen, given its established utility in the study of cholesterol-related diseases, including atherosclerosis.

Methods

Isolation of mouse NPC1L1 gene. The genomic databases for BACs containing the mouse genomic sequence were searched and one clone that contained the mouse NPC1L1 promoter and entire coding region was identified. This clone, BAC RP23 64P22, accession number AC079435, from a C57BL6/J female mouse library, was obtained from BacPac Resources, Children's Hospital Oakland Research Institute (Oakland, CA). DNA was isolated using a BAC DNA isolation kit, as recommended (InCyte Genomics, St Louis, MO).

The mouse genomic nucleic acid sequence is provided in SEQ ID NO: 1. (The human genomic sequence is also provided in SEQ ID NO: 20. The NPC1L1 human cDNA is also presented in SEQ ID NO: 21 (GenBank Accession No. NM_013389), and corresponding amino acid in SEQ ID NO: 22 (GenBank Accession No.: NP 037521).

Targeted disruption of the endogenous NPC1L1 locus. A pGem7zf+ (Promega)-based construct was engineered to contain nucleotides 84689 to 96003 of the mouse NPC1L1 gene (accession number AC079435), spanning the promoter region to intron 6. The gene was disrupted at the unique Afe I restriction enzyme site in exon 2 of the mouse NPC1L1 sequence (at 91263) by insertion of phosphoglycerate kinase neomycin phosphotransferase hybrid gene (PGK-neo), in an antisense direction. This disrupts the coding sequence after cDNA nucleotide 601 so that no more than 200 amino acids of NPC1L1 can be expressed. Thus the expression of all alternatively spliced forms of the gene is abrogated. Homologous recombination and selection for neomycin resistant knockout clones using C57BL6 ES cells (Taconic, Germantown, NY) was carried out by Cell and Molecular Technologies (Phillipsburg, NJ).

10

15

20

25

30

About 150 neo-resistant ES clones were obtained, 4 of which were correctly targeted by homologous recombination of the neomycin cassette into the NPC1L1 gene, clones 13, 19, 44 and 144. These were identified by PCR screening using two sets of primers, each containing one primer outside the NPC1L1 targeting cassette and one within the neomycin gene hybrid. At the 5' end, these were 5'-CCTCCCTATTCCCCAAGATGTATGC -3' (SEQ ID NO: 10) in the NPC1L1 gene at 83538 and 5'-GGAGAGGCTATTCGGCTATGAC-3' (SEQ ID NO: 11) in the neomycin cassette. At the 3' end these were: 5'-CTGGGCTCCCTCTTAGAATAACCTA-3' SEQ ID NO: 12) at 96815 and 5'-GGAGAGGCTATTCGGCTATGAC-5' (SEQ ID NO: 13) in the neomycin cassette. Long-range amplifications were achieved using the Failsafe PCR system (Epicentre, Madison, WI) with buffer F and 30 cycles of: 94°C for 30 sec; annealing at 54°C or 58°C for the 5' or 3' end regions respectively; and 30 sec and 72°C for 8 min. Correct products yield a 9 kb or a 5.5 kb product for the 5' and 3' regions respectively.

Chimeric mice were created by injecting knockout clone 13 C57BL6 ES cells into blastocysts that were then implanted into pseudopregnant BALB/c mice. Chimeric males were identified by coat color and one male that gave almost 100% germ-line transmission of ES cell-derived material was crossed with wild-type C57BL6 females. Mice that were heterozygous for the knockout allele were identified by long-range PCR.

Multiplex genotype analysis. For routine genotype analysis DNA was extracted from the mouse tail tissue using standard purification procedures and this was screened by multiplex PCR using the following primers: one primer in the neomycin sequence, 5'-CTCTGAGCCCAGAAAGCGAAG-3' (SEQ ID NO: 14); and two primers within the NPC1L1 exon 2 sequence, NPC1L1a, 5'-GACCAGAGCCTCTTCATCAATGT-3' (SEQ ID NO: 15) and NPC1L1b, 5'-GAGAATCTGCGCTTACGAGGGA-3' (SEQ ID NO: 16) that flanked the neomycin insertion. The neomycin and NPC1L1b primer pair amplifies the knockout allele to produce a PCR product of 815 bp while the NPC1L1a and NPC1L1b primers amplify the 601 bp wildtype allele. PCR amplification used 30 cycles of denaturation at 94°C for 40 sec, annealing at 58°C for 30 sec and extension at 72°C for 1 min.

5

10

15

20

Results

Chimeric C57BL6 ES cell/BALBc mice were successfully generated and crossed with C57BL6 females. Homozygous *NPC1L1-/-* mice were identified by long-range PCR-amplification to verify that the neomycin/*NPC1L1* gene knockout cassette was correctly inserted by homologous recombination (Figure 3d). Mice were routinely screened by PCR to determine their genotype.

The resulting NPC1L1-/- mice were found to breed normally and showed no obvious phenotype when compared with their wild-type NPC1L1+/+ counterparts. This was surprising considering that mice lacking NPC1 are generally sterile. These results do not exclude the possibility of subtle defects, such as those giving rise to minor abnormalities in the nervous system.

EXAMPLE 5: Analysis of Lipid Uptake and Trafficking in Wild-Type and NPC1L1 Knockout Mouse Cells

5

10

15

20

25

Introduction

NPC1L1 and NPC1 share a number of key structural features, including thirteen membrane spanning regions and a putative sterol sensitive motif. Accordingly, an important question is whether NPC1L1 shares some of the same functional properties as NPC1L1, specifically in the transport and movement of lipids. The present invention addresses the issue with a genetic-based approach in normal and NPC1L1-deficient mouse cells.

Methods

Generation of SV40-immortalized cell lines. Wild-type and NPC1L1 knockout mice that were 3-6 days old were euthanized in a sterile environment and liver tissue was removed and minced into 3-4 mm pieces. These were washed in PBS, transferred to 1ml of ice-cold 0.25% trypsin/100 mg tissue and incubated at 4°C for 16 hours. The trypsin was removed and the tissue incubated at 37°C for 10-30 min. DMEM medium containing 10% FBS and 2 mM L-glutamine was added, the cells were dispersed by pipetting and then kept in culture until they began to proliferate. Cells were transfected with the pTTKneo plasmid as previously described (Smart et al., 2004). Clones of SV40-transformed cells were picked and expression of the SV40 antigen was confirmed by immunofluorescence analysis using an anti-SV40 T antigen monoclonal antibody (BD biosciences pharmingen, San Diego, CA).

Fatty Acid Uptake Assays. Fatty acid uptake was carried out essentially as described (Pohl et al., 2002), using wild-type and NPC1L1 knockout mouse cells grown to confluency. Briefly, cells grown in 6 well dishes were washed in PBS and then incubated at 37°C with 1ml of prewarmed DMEM medium containing 173 μM BSA:173 μM sodium oleate with 0.43 μM ³H sodium oleate (23 Ci/mmol, Perkin

Elmer, Wellesley, MA). The assay was stopped by the addition of 2 ml ice-cold DMEM containing 200 μM phloretin and 0.5% BSA and the cells incubated on ice for 2 min. The cells were then washed six times with ice cold DMEM and lysed in 1 ml of 1M NaOH. Protein concentrations were determined using the fluorescamine assay (Bishop et al., 1978). Scintillation counting was used to measure the ³H sodium-oleate in 100 μl of lysate. All samples were assayed in triplicate. A similar procedure was used to measure cholesterol uptake. ³H-cholesterol was solubilized using cyclodextrin essentially as described (Sheets et al., 1999). Briefly, a mixture containing 110 μl of ¹⁴C-cholesterol (52.9 mCi/mmol, Perkin Elmer), 1mg cholesterol and methyl-β-cyclodextrin solution (mβCD/Chol 8:1 mol/mol) was sonicated in a bath sonicator for 15 min prior to an overnight incubation at 37°C. Confluent cells were incubated with 1ml of DMEM containing 10μl of solubilized cholesterol at 37°C for 0-40 min.

10

15

20

NBD-Cholesterol and NBD-LacCer Uptake. The fluorescent sphingolipid NBDLacCer was obtained complexed to BSA (Molecular Probes) and incubated with subconfluent cultures in serum-free media for 5-10 min. The fluorescent probe was removed and fresh media containing serum was added. Cells were imaged live using a fluorescent microscope equipped with a CCD camera. NBD-cholesterol was complexed with cyclodextrin as described above for ³H-cholesterol. The cholesterol/cyclodextrin complex was added to cells as described above for NBD-LacCer. Cells were processed and imaged as above.

Construction of mYFP-caveolin and fluorescent reporter vectors. To generate an mYFP-Caveolin fusion vector, caveolin-1 (GenBank accession number NM_001753) was amplified from a cDNA pool generated using human fibroblast mRNA, using the primers 5'-GCGAATTCTATGTCTGGGGGCAAATACGTAGA-3'

(SEQ ID NO: 17) and 5'-GCGGATCCTTATAT

TTCTTTCTGCAAGTTGATGCGGA-3' (SEQ ID NO: 18) Caveolin-1 was cloned at the 3' end of mYFP cDNA (described above) to generate the mYFP-Caveolin-1 fusion. The SRE-GFP vector was as previously described. To generate the DR4-GFP vectors the SRE element was removed from SREGFP and replaced by 3 copies of a DR4 element5 encoded by a double stranded oligonucleotide.

5'-

5

10

15

20

25

30

TTGGGGTCATTGTCGGGCATTGGGGTCATTGTCGGGCATTGGGGTCATTGTCGGGCA-3' (SEQ ID NO: 19) To generate a construct of RFP driven by the human ABCA1 promoter the genomic sequence of the promoter was amplified (nucleotides - 189 to +32) (Walter et al., 2002) and inserted into the pDsRed-Express vector (Clontech).

Results

To further characterize the role of NPC1L1 in lipid transport, mouse fibroblasts were isolated from NPC1L1+/+ (Wt) and NPC1L11-/- (L1) mice and were immortalized by expression of the SV40 large T antigen6. To characterize the response of these cells to changing lipid levels vectors were constructed in which the expression of GFP or RFP is controlled either by the ATP binding cassette transporter A1 (ABCA1) promoter, a dual DR4 element. or a dual sterol-regulatory (SRE) element. Expression of these constructs in the Wt and L1 cells indicated that the L1 cells are unable to express RFP driven by the ABCA1 promoter or DR4 element (Figure 2f). Both cell lines however, could express the SRE-driven GFP construct (Figure 2f) and responded identically to the LDL-derived sterol transport inhibitor U18666A. These results provided evidence that the L1 cells have a normal SRE response but they are unable to sense or regulate their lipid efflux response.

To evaluate the extent of this transport defect it was next determined whether the absorption and endocytosis of lipids at the plasma membrane was also altered. To assess cholesterol influx rates, radio labeled cholesterol was incubated with cells for 0-40 min. Both cell lines exhibited saturatable uptake but transport into the L1 cells was reduced by 30% (Figure 3a). Similarly, incubation with oleic acid revealed that L1 cells had a 5-10% decrease in uptake (Figure 3b). Next cells were labeled as above with a fluorescent cholesterol analog and chased for various lengths of time. Initially, cholesterol decorates the plasma membrane of both Wt and L1 cells in a punctate manner (Figure 3c). However, by 180 min, in Wt cells, NBD-cholesterol was localized at a single intracellular site, presumably Golgi, whereas in the L1 cells cholesterol accumulated in multiple intracellular pools (Figure 3c).

In addition, incubation with the fluorescent sphingolipid NBD-lactosylceramide indicated that in addition to differences in the transport of cholesterol and fatty acids, L1 cells are also defective in their transport of sphingolipids. After 15 min of chase, NBD-lactosylceramide localized to the Golgi apparatus of Wt cells and this localization was complete by 40 min (Figure 3d). However, in L1 cells NBDlactosylceramide was trapped in intracellular vesicular structures and did not reach the *Golgi* complex even after 120 min of chase (Figure 3d). Intriguingly, this phenotype has recently been described in NPC1-defective cells (Puri et al., 1999), lending further support to the notion that NPC1 and NPC1L1 may perform similar functions.

10

15

20

25

30

The differences in lipid endocytosis between Wt and L1 cells suggested that the lack of NPC1L1 activity causes a generalized lipid transport block that may involve deregulation of caveolae formation and/or internalization. The caveolin family of small transmembrane proteins includes caveolin-1/VIP21, caveolin-2, and a muscle-specific isoform caveolin-3. Caveolin-1 spans the plasma membrane twice forming a hairpin structure on the surface and forms homo- and hetero-oligomers with caveolin-2. Caveolins are the principle constituents of caveolae (small non-clathrin coated invaginations in plasma membrane). They preferentially associate with inactive signaling molecules such as Src and Ras family proteins and have been proposed to act as a scaffold for the assembly of signaling complexes. Caveolin-1 colocalizes and associates with the integrin receptors in vivo. It regulates binding of the Src family kinases to the integrin receptors to promote adhesion and anchorage-dependent growth. Other proposed functions for caveolins include regulation of cell proliferation and tumor suppression.

Expression of a mYFPcaveolin construct showed that in Wt cells caveolin localizes in a perinuclear *Golgi* area and in peri-plasma membrane ring structures (Pohl et al., 2004; Westerman et al., 1999) (Figure 3e). In striking contrast, the caveolin L1 cells appears to be trapped at the plasma membrane (Figure 3e), suggesting that lack of NPC1L1 activity causes its aberrant trafficking or mislocalization. The inability of L1 cells to endocytose caveolae may partially explain their multiple lipid transport defects.

To determine whether NPC1L1 is active in caveolae colocalization studies were carried out between mYFP-caveolin and NPC1L1-mCFP. No significant colocalization between the two proteins was detected (data not shown) suggesting that the effects seen in L1 cells are not a direct effect of the lack of NPC1L1 activity in caveolae.

5

25

EXAMPLE 6: Studies of Lipid Physiology in Wild-Type and NPC1L1-Knockout Mice

Methods

Animal Care. All mice were housed in the Mount Sinai animal care facility with controlled humidity and temperature levels and with 12 hour alternating light and dark cycles. Experiments were carried out according to protocols approved by the Institutional Animal Care and use Committee (IACUC). For colony maintenance the mice were given a regular chow diet (Lab Diet rodent diet 20, PMI Nutritional International Richmond, IN) and water ad libitum. For studying the effects of an atherogenic diet the Paigen high cholesterol, high fat diet1 was administered (Research Diets, cat. no. D12336) and contained 12.5 gm% cholesterol, 5 gm% sodium cholic acid and a fat content of 35 kcal%. The matched low fat diet (cat. no. D12337) contained 0.3 gm% cholesterol, no cholic acid and a fat content of 10 kcal%.

20 Plasma lipid Assays. For plasma lipid assays, mice were given the high and low cholesterol diets for 14 weeks and then fasted for 16 hours. They were euthanized using a lethal dose of the anesthetic Avertin and total body blood was withdrawn from the inferior vena cava. Four male and four female mice were used for each diet.

Histology. Livers from mice fed a high cholesterol diet were excised and fixed in 4% paraformaldehyde in PBS. They were embedded in paraffin, deparaffenized, rehydrated and 50m sections were stained using 0.1% hematoxylin and 0.25% alcoholic eosin. These were mounted in Permount and examined using a Nikon light microscope.

Results

The NPC1L1+/+ and NPC1L1-/- mice were placed on a high cholesterol diet for 14 weeks. When serum lipid levels from these mice were evaluated, no significant differences were observed between NPC1L1+/+ and NPC1L1-/- mice on normal low cholesterol diet. As expected, Wt mice on the high fat diet exhibited an increase in total cholesterol and LDL-cholesterol and a decrease in their triglycerides whereas HDL-cholesterol was similar to those of animals kept on the low fat diet. However, the NPC1L1-/- mice given a high fat diet showed no elevation in total and LDL-cholesterol and in fact showed a significant decrease in total cholesterol. These animals had a decrease in HDL levels and had similar triglyceride levels to mice kept on the low fat diet. In addition, NPC1L1-/- mice on the high fat diet had a significant decrease in plasma glucose compared to NPC1L1+/+ mice, which has a small but significant increase in plasma glucose (assayed following overnight fasting).

Histochemical analysis of liver tissues from these animals showed that NPC1L1+/+ mice on the high fat diet had larger, fat-laden livers, while livers from the knockout mice were normal but smaller than the Wt high-fat livers, indicating that these animals resisted the diet-induced fatty liver. Liver sections from NPC1L1+/+ and NPC1L1-/- mice confirmed the lipid-laden status of the NPC1L1+/+ livers and the resistance of NPC1L1-/- animals to this diet induced lipid accumulation. Also, gall bladders from Wt and NPC1L1-/- mice on the high fat diet were dramatically different with NPC1L1+/+ gall bladder tissues, showing obvious signs of lipid-induced cholestasis that were absent in the NPC1L1-/- mouse. Together, these data show that inactivation of the NPC1L1 protein has a protective effect against diet-induced hypercholesterolemia in these animals and suggest that NPC1L1 has a critical role in regulating lipid or glucose metabolism.

25

30

10

15

20

EXAMPLE 7: Screening Assays for the Identification of NPC1L1 Modulators

A number of assays have been developed for the monitoring of NPC1L1 function. These assays include, for example, prokaryotic in vivo assays; prokaryotic in vivo assays; eukaryotic in vivo assays; and reconstitution.

All of these assays are amenable to high-throughput screening and offer four diverse ways for screening small molecule libraries. Below is a description of the various approaches.

5 Prokaryotic assay

10

20

25

NPC1L1 has been successfully expressed in a prokaryotic host (E. coli). In these bacteria the protein is imbedded into the inner membrane. The engineering of the expression construct involved the replacement of the NPC1L1 ER-targeting signal sequence with that of the E. coli protein OmpA1. An IPTG-inducible promoter drives the expression of NPC1L1.

The expression host is a derivative of *E. coli* K12. This host was engineered to lack the prokaryotic permease AcrB (a permease that has homology with NPC1L1). The host was then engineered to also lack a second component of this system a protein called TolC, by homologous recombination deletion. This host has a tremendous advantage for our studies since the AcrB/TolC system in *E. coli* is very efficient and can work to mask or confuse the results of transporter expression studies.

In vivo: Using the above host the transport of specific substrates is able to measured by looking at growth rates and/or resistance to various compounds added to the growth media since NPC1L1 transports these substances into the bacteria where they exert a toxic effect. These assays can be done on semisolid or liquid media.

In vitro: Using the above cells we can produce membrane vesicles of the inner membrane that contain the NPC1L1 protein. These vesicles can be produced with the NPC1L1 protein facing the inside (IO; inside out) or the outside (RO; right site out) of the vesicle. This is extremely useful since one can measure material going into the vesicles or coming out of the vesicles depending on need.

Thus, one can use the above system as a high throughput screening for either activators (agonists) or inhibitors of NPC1L1.

Eukaryotic in vivo:

Mammalian: Cell-lines have been generated that express NPC1L1 or and celllines have been generated that lack NPC1L1 activity. Cells lacking NPC1L1 exhibit a

number of differences with cells that express NPC1L1. These differences are measurable and can be monitored in live cells by fluorescence detection and/or microscopy. Thus, the effects or activity of various small molecules on the activity of NPC1L1 can be evaluated in a high-throughput screening system.

Baculovirus: A very high-level expression system has been produced based on baculovirus that expresses NPC1L1 tagged at the C-terminus with a dual histidine-HA tag in insect cells. This provides an efficient and quick way to purify large quantities of recombinant NPC1L1 for reconstitution studies/screening (see below). In addition, these cells can be used to confirm results or candidate molecule identified by one of the methods described above.

Reconstitution:

5

10

15

25

Purified NPC1L1 from insect cells: Purified material from the above (baculo) can be used to form vesicles *in vitro* using various lipid compositions including the one that NPC1L1 resides in (Golgi membranes). Fluorescent or radioactive probes can be incorporated into the membrane of these vesicles or captured into their interior hydrophilic core. Probes will be identified on their ability to change location within these vesicles dependent on the activity of NPC1L1. And therefore, their movement can be monitored in the presence of compounds that change (increase or decrease) the activity of NPC1L1.

A mammalian cell assay for screening potential NPC1L1 is described herein (see ricin assay as described in Example 10, below) and a prokaryotic system for screening potential NPC1L1 inhibitors is described in Example 8.

EXAMPLE 8: Assay for Inhibitor Screening for NPC1 and NPC1L1 and Identification of 4-phenylpiperidines as potent inhibitors of NPC1

In order to devise an assay for inhibitor screening a system where some potential activity of NPC1 or NPC1L1 can be detected and monitored is needed. Also, further complications are added by the fact that expression of these proteins in mammalian cells is usually not tolerated and sometimes lethal.

30 Methods

The present inventors have devised a prokaryotic expression system for both NPC1 and NPC1L1 based on the expression of these proteins with prokaryotic secretion signals for targeting the *E. coli* inner membrane. The engineering of the expression construct involved the replacement of the NPC1 and NPC1L1 ER-targeting signal sequences with that of the *E. coli* protein OmpA1. An IPTG-inducible promoter drives the expression of NPC1 and NPC1L1. This system for expression of NPC1 has been described by the inventors (see Davies, Chen and Ioannou, *Science* 290: 2295-98, 2000).

In addition, hosts have been engineered to allow for the efficient detection of any potential activities as described in Example 9, below.

The expression host is a derivative of E. coli K12. This host was engineered to lack the prokaryotic permease AcrB (a permease that NPC1 and NPC1L1 have homology with), and was a gift from Dr. Tomofusa Tsuchiya (Antimicrob. Agents and Chemoth. 42: 1778, 1998). The host was engineered to lack a second component of this system a protein called TolC, by homologous recombination deletion (Figure 5). This host has a tremendous advantage for these studies since the AcrB/TolC system in E. coli is a very efficient drug efflux system and can work to mask or confuse the results of transporter expression studies.

15

20

25

30

The final improvement made was introducing into these strains mutations that make their outer membrane leaky. The *E. coli* outer membrane is a strong barrier of lipophilic molecules and thus prevents any assays to be carried out that involve lipophilic substrates. Since the predicted substrates of NPC1 and NPC1L1 are lipophilic it is critical to engineer a strain that has a leaky outer membrane. In this manner lipophilic molecules can cross the outer membrane so that they can interact with the expressed NPC1 and NPC1L1 proteins residing on the inner membrane of the bacteria.

Utilizing this bacterial host it was discovered that these mutants are unable to grow in the presence of 5 mM concentration of a short chain fatty acid (decanoate; a 10 carbon length fatty acid). However, bacteria expressing NPC1 are able to overcome this block and grow in the presence of decanoic acid. In one type of assay bacteria are

plated onto a dish to form a lawn. Small filter disks (about 8mm diameter) are soaked in decanoate and placed onto the bacterial lawn. Dishes are incubated overnight at 37°C and inspected the next morning. The substance (decanoate or other test material) diffuses from the filter in a radial manner into the bacterial lawn and will inhibit bacterial growth. The diameter of the inhibition ring (around the filter) will be directly related to the sensitivity of the bacteria to the test substance; the more resistant the bacteria are to the test substance the closer to the filter they will grow forming a smaller diameter ring.

This assay works equally well in liquid cultures; decanoate is added to liquid cultures and bacteria are grown at 37 °C with shaking for 4-6 hours. At the end of the incubation period an optical density measurement at 600 nm (OD₆₀₀) determines the ability of the culture to grow. Using the above cultures it was determined that control bacteria grew at an OD=0.9 whereas NPC1-expressing bacteria grew to saturation of OD>3.0.

15

20

25

30

10

5

Results

The above assays were used to search for inhibitors of NPC1 and NPC1L1. On the plate assay various inhibitors, as set forth below, were added to the cultures before plating and searched for molecules that did not interfere with the growth of control bacteria in the presence of decanoate. In the NPC1-expressing cells an increase in the diameter of the growth inhibition ring was observed, suggesting that the NPC1 protein is inhibited and leads to these bacteria regaining their sensitivity to decanoate. A number of molecules were screened and a number of candidate inhibitors identified (set forth below). The two most promising candidates were validated in mammalian cell cultures.

Cells were treated with these inhibitors and cholesterol storage was monitored. Cells treated with molecule #5 (4-butyryl-4-phenylpiperidine hydrochloride-see) overnight. In the presence of these inhibitors, mammalian cells should exhibit a disease phenotype (the human lipidosis Niemann-Pick C is due to a deficiency of NPC1). Cells from NPC1 patients store cholesterol in their lysosomes, which can be easily visualized by staining cells with a fluorescent probe that recognizes cholesterol.

Results are shown in Figure 6 and Figure 7. No significant staining for lysosomal cholesterol can be seen in normal human fibroblasts (Figure 6A). However, the same fibroblasts incubated overnight with inhibitor #5 have distinguishable lysosomes filled with cholesterol (Figure 6B).

Molecule #2 (4-methylpiperidine) was a weaker NPC1 inhibitor, although fibroblasts treated with this inhibitor still exhibit cholesterol-filled lysosomes (Figure 7A). Molecule #1 (4-phenyl-4-phenylpiperidine hydrochloride) did not demonstrate any NPC1 inhibition, as shown by an absence of cholesterol build-up in the lysosomes (Figure 7B). The molecules identified as potential NPC1 inhibitors may also be effective as NPC1L1 inhibitors. For example, Molecule #1 (4-phenyl-4-phenylpiperidine hydrochloride), has been identified as an inhibitor of NPC1L1, even though it did not demonstrate any NPC1 inhibition.

Candidate Inhibitors Identified Using the Above-Described Assay:

15

10

5

4 methylpiperidine #2

20

1-ACETOACETYL-3-METHYLPIPERIDINE

3-BENZOYL-4-HYDROXY-1-METHYL-4-PHENYLPIPERIDINE #3

4-Phenyl-4-piperidinecarbonitrile Hydrochloride #1

5

4-BUTYRYL-4-PHENYLPIPERIDINE HYDROCHLORIDE #5

1-BENZYL-4-CYANO-4-PHENYLPIPERIDINE HYDROCHLORIDE #4

1-BENZYL-4-FORMAMIDOMETHYL-4-PHENYLPIPERIDINE #6

CH₃ NHCO N C₄H₉

Bupivacaine hydrochloride B5274


10

5


ETHYL 1-METHYL-3-PHENYL-4-PIPERIDINECARBOXYLATE

5

2,2,2-TRICHLOROETHYL 4-CYANO-4-PHENYL-1-PIPERIDINEPROPIONATE HCL



10 4-BENZYL-1-BUTYLPIPERIDINE



1-Aminohomopiperidine

15

Apicidin

5

15

20

3-CARBAMOYL-N-DODECYL-1-PIPERIDINEACETAMIDE

10 EXAMPLE 9: Engineered E. coli Hosts for High-Level Expression of Mammalian Transporters.

Expression of NPC1 in bacteria as previously described by the inventors (Davies et al., 2000 Science 290, 2295-2298) was limited by the fact that E. coli bacteria have a number of efflux pumps that belong in the Resistance-Nodulation-Division (RND) family. These pumps transport molecules away from the E. coli cytosol in direct opposition to the direction of transport by NPC1 and NPC1L1. This in turn complicates analysis of experimental data generated in this system. Thus, an AcrB mutant strain has been obtained which lacks one of the major RND permeases part of the AcrA, AcrB and TolC complex.

First, using this strain the TolC gene has been mutated by homologous recombination using the approach recently described (Link et al., 1997 J. Bacteriology

179, 6228-6237). The TolC gene forms the channel on the *E. coli* outer membrane and it is shared by most of the RND permeases in *E. coli*. Thus, inactivating this gene effectively inactivates most if not all, *E. coli* RND permeases.

Second, following construction of the double AcrB, TolC mutant strain, these bacteria were mutagenized and selected for strains with a "leaky" outer membrane similar to the previously described selection procedure (Davies et al., 2000 *Science* 290, 2295-2298). This mutagenesis produced an AcrB/TolC/permeable strain.

Third, this triple mutant, (AcrB/TolC/Perm), was used to select for expression of large transmembrane proteins. This selection is accomplished by allowing NPC1-expressing and NPC1L1-expressing bacteria to spontaneously mutate on agar plates (as described by Miroux and Walker, 1996 J Mol Biol 260, 289-298; Shaw and Miroux, (2003). A general approach to heterologous membrane protein expression in escherichia coli. In Membrane Protein Protocols, B. S. Selinsky, ed. (Totowa, NJ, Humana Press), pp. 23-35). Colonies that can grow and continuously express NPC1 and NPC1L1 were isolated and cured of the NPC1 or NPC1L1 expression plasmids. This selection produced two strains:

- a. AcrB/Tolc/Perm/N1; and
- b. AcrB/Tolc/Perm/L1.

5

10

15

20

25

EXAMPLE 10: NPC1L1 Assay Based on Ricin Endocytosis

Following the observation that human liver has the highest expression of NPC1L1, the human liver derived cell line Huh7 was characterized. These cells express significant amounts of NPC1L1 as seen by mRNA and protein levels and were chosen for subsequent studies.

First, stable clones were generated that expressed higher levels of NPC1L1 by introducing the human NPC1L1 cDNA into these cells. About 30 clones were characterized and clone number 3 had about a five-fold increase in NPC1L1 protein expression.

Next, a number of siRNAs were designed that targeted the NPC1L1 mRNA at various positions. These siRNAs were tested and it was found that two siRNAs

targeted NPC1L1 very efficiently. The sequence of these siRNAs are set forth as follows:

1165: TGGTCTTTACAGAACTCACTA (SEQ ID NO: 23) 1484: TCCGGACAATACCAGTCTCTA (SEQ ID NO: 24).

The numbers 1165 and 1484 refer to the nucleotide position of the human NPC1L1 cDNA (set forth as SEQ ID NO:21), which is the first nucleotide of each siRNA.

10

5

Below are the actual construct sequences that were included in the siRNA expression vector (commercially available from GenScriptTM). The sequences were cloned into a BamHI-HindIII sites.

15 NPC1L1 Si RNA 1165

- GGATCCCGTAGTGAGTTCTGTAAAGACCATTGATATCCGTGGTCTTT

BamHI Antisense Loop Sense

ACAGAACTCACTATTTTTTCCAAAAGCTT (SEQ ID NO: 25).

Terminator

20

30

NPC1L1 Si RNA 1484

BamHI Antisense Loop Sense

ACAATACCAGTCTCTATTTTTTCCAAAAGCTT (SEQ ID NO: 26).

25 Terminator

Both of these siRNAs were introduced into a vector and stable cell-lines were generated. More than 50 of these cell lines were characterized and four were chosen to be characterized further. Si6 was found to be the best cell-line. Si6 has greater than a 90% decrease in the NPC1L1 mRNA making this clone effectively null for NPC1L1 protein expression.

To further characterize these clones, a number of experiments were carried out using lipid uptake and various toxins to probe their transport. Fluorescent lipids ceramide, cholesterol and LacCer were incubated with cells for 60 minutes at 4°C and then chased at 37°C for 30 minutes. All lipids exhibited altered uptake and localization when compared between the NPC1L1 positive clone number 3 and the NPC1L1 negative si6 clone. In particular, there was pronounced Golgi localization of all lipids in the NPC1L1 negative si6 cells.

The endocytosis of a number of toxins such as Ricin, Diphtheria toxin and Verotoxin were then tested. In the case of ricin, the si6 cells appear to target this toxin to the Golgi much more rapidly than either the wild type cells or the clone number 3 cells. To confirm that these results are not due to something unique to clone si6, the ricin uptake experiment was repeated with other, independent siRNA clones. All of these clones, with the exception of clone siS6, which was probably not a good siRNA clone, gave the same result with respect to ricin endocytosis.

10

15

20

25

30

A time course experiment was then carried out to determine the optimal time for detecting these differences in endocytosis. It was determined that as early as 15 minutes following addition of the toxin, the different in endocytosis is apparent. Si6 cells show a dramatic Golgi staining with the toxin whereas the wild type and number 3 clone cells exhibit only a punctate type of staining.

Finally, to capitalize on these differences the viability of these cells to Ricin, Diphtheria toxin and Verotoxin intoxication was tested. As predicted from the above results the si6 cells are much more sensitive to the toxins since they appear to target these toxins to their Golgi more efficiently. Si6 cells exhibit higher sensitivity to Ricin following incubation with Ricin overnight.

Alternatively, higher amounts of toxin (5 ug/ml) were incubated with the cells for different amounts of time. With this approach, similar to the above, a two-fold difference in Ricin sensitivity was seen.

In conclusion, the number 3 clone and Ricin intoxication can be used in an assay to measure an increase in the number 3 clone's sensitivity to Ricin based on NPC1L1 inhibition.

The above described mammalian cell assay has been used to screen a library of 3,000 compounds. Molecules that are inhibitors of NPC1L1 activity have been identified (see inhibitors below). A prokaryotic system for screening potential NPC1L1 inhibitors is also described herein (see Example 8).

5 Inhibitor hits:

4-Phenyl-4-piperidinecarbonitrile Hydrochloride; and

10

1-Butyl-N-(2,6-dimethylphenyl)-2 piperidinecarboxamide; and

1-(1-Naphthylmethyl)piperazine

 $3-\{1-[(2-methylphenyl)amino]ethylidene\}-2,4(3H,5H)-thiophenedione; and$

10

5

3-{1-[(2-hydroxyphenyl)amino]ethylidene}-2,4(3H,5H)-thiophenedione; and

15

2-acetyl-3-[(2-methylphenyl)amino]-2-cyclopenten-1-one; and

20

WO 2006/015365

PCT/US2005/027579

3-[(4-methoxyphenyl)amino]-2-methyl-2-cyclopenten-1-one; and

5

10 3-[(2-methoxyphenyl)amino]-2-methyl-2-cyclopenten-1-one; and

15 N-(4-acetylphenyl)-2-thiophenecarboxamide

EXAMPLE 11: Assay of NPC1L1 Function by Measuring Expression of the NPC1L1 Promoter.

The inventors observed that the NPC1L1 knockout mice described herein have high levels of truncated NPC1L1 mRNA. This suggests that lack of NPC1L1 activity induces expression of NPC1L1. This observation can therefore be used to develop an assay for screening for NPC1L1 inhibitors.

5

10

15

20

25

30

Reporter vectors were constructed that place expression of the luciferase gene under the control of the human NPC1L1 promoter or the mouse NPC1L1 promoter. To validate this, the human construct was transfected into three human liver cell lines.

The promoter sequences of human and mouse NPC1L1 are set forth as SEQ ID NO: 27 (human) and SEQ ID NO: 28 (mouse). These sequences are in the constructs driving the expression of luciferase in vector pGL3 (Promega CorpTM). These sequences also include the start codon and a short piece of protein coding region from the 5' end of the genes and are cloned in-frame with firefly luciferase, thus creating luciferase with a short piece of NPC1L1 fused to it's 5' end. The start codon region is included because a potential transcription factor, YY1, is known to be involved in the regulation of several key lipid homeostasis genes; in the human NPC1L1 promoter the transcription factor site covers the ATG in an antisense orientation and may possibly inhibit transcription of the gene from this start site.

As predicted, expression of luciferase in Wt Huh7 (wild type; human liver) cells was detectable since these cells express NPC1L1 and therefore are expected to also express luciferase driven by the NPC1L1 promoter. When the construct was introduced into the Huh7 cells where expression of NPC1L1 is inhibited by an siRNA (Si6 as described above), expression is up regulated. In contrast, expression in cells that overexpress NPC1L1 (L1 3+) is down regulated compared to wild type cells (Wt) and even more so compared to the cells that do not express NPC1L1 (Si6 cells).

These results indicate that NPC1L1 is unique in that it regulates its own expression. That is, when cells sense that there is lack of NPC1L1 activity the cells upregulate the NPC1L1 promoter and when levels of NPC1L1 protein rise the cells down-regulate NPC1L1 expression. Thus, the L1 3+ cell-line can also be used for

screening NPC1L1 inhibitors. Inhibitors of NPC1L1 induce expression of the luciferase gene driven by the NPC1L1 promoter to the levels detected in the Si6 cells, e.g., about 4-5 fold higher.

The inhibitors identified using the ricin intoxication assay (Example 10) were tested in utilizing the above assay whereby upregulation of the NPC1L1 promoter was used to detect the inhibition of the NPC1L1 protein. As shown in Figure 8, 4-Phenyl-4-piperidinecarbonitrile Hydrochloride (#1), (1-Butyl-N(2,6-diemethylphenyl)2 piperidine carboxamide) #7, 2-acetyl-3-[(2-methylphenyl)amino]-2-cyclopenten-1-one, 3{1-[(2-hydroxyphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione and gave a positive signal compared to control (none). Note that Ezetamibe did not inhibit NPC1L1 in this assay.

5

10

15

20

25

30

EXAMPLE 12: Comparison of NPC1L1 (-/-) Knockout and C57BL6 Wild-Type Mice Fed a High Fat Diet

Wild-type C57BL6 mice are known to be susceptible to diet induced obesity, followed by the development of type II (non-insulin dependent) diabetes. Administration of a diabetogenic high fat diet can induce these symptoms in wild-type C57BL6 mice.

Obesity is strongly associated with diabetes and as the mice become progressively more obese there is an increase in lipid deposition in adipose tissue, along with ectopic deposition of lipid in key peripheral tissues such as skeletal muscle, the liver and pancreas. Elevated amounts of plasma lipids, such as fatty acids are also observed. The peripheral tissues eventually fail to respond to insulin, leading to insulin resistance, glucose intolerance and elevated plasma glucose. The pancreatic β -cells attempt to compensate for the insulin resistance and glucose intolerance by producing more insulin, leading to hyperinsulinemia. Overt diabetes occurs when the pancreatic β -cells fail to secrete adequate amounts of insulin to lower plasma glucose levels and pancreatic cell damage occurs.

Under normal conditions, insulin regulates glucose by stimulating glucose uptake and metabolism in adipose and skeletal muscle tissues. It also inhibits gluconeogenesis in the liver. In the pre-diabetic and in patients with overt diabetes,

this regulation is impaired so that plasma glucose can no longer be effectively maintained at the required levels.

The studies below compare the effect of the NPC1L1 gene knockout (-/-) with wild-type C57BL6 mice that become obese and develop type II diabetes, during administration of a high fat diet. Mice that were 7-8 weeks of age were placed on a high fat diet for these studies.

The NPC1L1 (-/-) knockout mice were protected against the diet-induced obesity and diabetic symptoms observed in wild-type (wt) C57BL6 mice. Therefore, inhibitors of NPC1L1 may be useful for the treatment and/or prevention of obesity and diabetes.

1. Body weight of two sets of mice fed a high fat diet

5

10

15

20

25

30

The following experiments show that whilst the wild-type (wt) C57BL6 mice become obese when fed a high fat diet, the NPC1L1(-/-) knockout mice resist the development of obesity. Data is from two independently analyzed sets of mice identified as mouse set 1 and mouse set 2.

In the first experiment, NPC1L1 gene knockout (-/-) and wild-type (wt) mice were fed a high fat diet for 0-245 days and weighed on a weekly basis for most of the time-course. There were 5 knockout mice and 6-7 wild-type mice used in this experiment.

As shown in Figure 9A, the wild-type mice became obese whilst the knockout mice resisted the weight gain. By 245 days the knockout mice had an average weight of 32.5g whilst the wild-type mice were 55.4g.

In a second experiment, NPC1L1 gene knockout (-/-) and wild-type (wt) mice were fed a high fat diet for 0-95 days and weighed on a weekly basis for most of the time-course. There were 7 knockout mice and 7 wild-type mice used in this experiment.

As shown in Figure 9B, the wild-type mice became obese whilst the knockout mice resisted the weight gain. By 245 days the knockout mice had an average weight of 25.3g whilst the wild-type mice were 45.4g.

2. Glucose Tolerance tests on mice

5

10

15

20

25

30

The data below shows that on a regular chow diet, at 7 weeks of age, the wild-type (wt) C57BL6 and NPC1L1(-/-) knockout mice have a normal and similar ability to clear blood glucose.

When fed the high fat diet, the NPC1L1(-/-) knockout mice, although showing slightly impaired glucose tolerance, are able to effectively regulate their blood glucose, in contrast to the wild-type mice, which show classic glucose intolerance at both 102 and 262 days of high fat diet administration.

After weaning, 7 wild-type and 5 knockout mice (age-matched) were fed a regular chow diet. At 7 weeks of age the mice were fasted overnight and then injected intraperitoneally with glucose. Blood glucose was measured from 0-120 min. There is no significant difference in the glucose tolerance of these wild-type and NPC1L1 (-/-) knockout mice as both show efficient clearance of excess blood glucose (see Figure 10).

In a second experiment, mice were placed on a high fat diet at 7-8 weeks of age and, after 102 days of feeding the high fat diet, glucose tolerance was tested in 6 wild-type and 5 gene knockout mice. The mice were fasted overnight and then injected intraperitoneally with glucose. Blood glucose was measured at 0-240 min after injection. The wild-type mice are significantly intolerant to intraperitoneal glucose injection, with slow clearance. In contrast, the gene knockout mice effectively clear the injected glucose. The glucose intolerance observed in the wild-type mice is a sign of the onset of type II diabetes and is likely to be associated with the weight gain seen in these mice. The gene knockout mice seem to be protected against this symptom of diabetes (see Figure 11A).

In a third experiment, mice were placed on a high fat diet at 7-8 weeks of age and, after 262 days of feeding the high fat diet, glucose tolerance was tested in 6 wild-type and 5 gene knockout mice. The mice were fasted overnight and then injected intraperitoneally with glucose. Blood glucose was measured at 0-240 min after injection. At 262 days of feeding on a high fat diet the wild-type mice were significantly more intolerant to intraperitoneal glucose injection, with severely slowed

clearance, compared with the NPC1L1 (-/-) gene knockout mice, which effectively reduce the elevated glucose. The glucose intolerance observed in the wild-type mice is indicative of type II diabetes. The NPC1L1 (-/-) gene knockout mice, although not completely normal in their glucose clearance time, are not nearly as severely affected as the wild-type mice (see Figure 11B).

3. Insulin Tolerance test in mice

5

10

15

20

25

30

Normally, insulin stimulates glucose uptake and metabolism in adipose and skeletal muscle tissues as well as inhibiting gluconeogenesis in the liver, thus lowering blood glucose levels. The data below shows that when insulin is administered to the wild-type C57BL6 mice fed a high fat diet there is little effect on the blood glucose levels in these mice, indicating that they have become intolerant to the effects of insulin in lowering blood glucose. The NPC1L1(-/-) knockout mice respond to the insulin administration with a decrease in blood glucose, as expected in insulin responsive animals.

In a first experiment, mice were fed a high fat diet for 105 days (7 wild-type and 7 knockout mice). After a 3 hour fast, mice were injected intraperitoneally with insulin and their blood glucose was measured. The decrease in blood glucose caused by insulin administration was clear in the NPC1L1 (-/-) gene knockout mice, with a rapid decrease in glucose levels. In the wild-type mice there was a muted, almost non-existent response to insulin injection as the glucose levels remained high (see Figure 12A). This insulin resistance observed in the wild-type C57BL6 mice is characteristic of mice in a pre-diabetic or overtly diabetic state.

In a second experiment, mice were fed a high fat diet for 252 days (6 wild-type and 5 knockout mice). After a 3 hour fast, mice were injected intraperitoneally with insulin and their blood glucose was measured. As at 105 days, the decrease in blood glucose caused by insulin administration was clear in the NPC1L1 (-/-) gene knockout mice, with a decrease in glucose levels. In the wild-type mice there was a muted, almost non-existent response to insulin injection as the glucose levels remained high (see Figure 12B). This insulin resistance observed in the wild-type C57BL6 mice is characteristic of mice in a pre-diabetic or overtly diabetic state.

4. Insulin measurements in mice injected with glucose

In a first experiment, glucose was injected intraperitoneally into 7 wild-type and 7 NPC1L1 (-/-) gene knockout mice that had been fed a high fat diet for 72 days and then fasted overnight. Plasma insulin was measured at 0-30 min. In the knockout mice the pre-injection plasma insulin was low and the increase in insulin caused by glucose injection was presumably short-lived as it was not detected at 15 minutes, the first measurement post-glucose injection, results that would be expected in non-diabetic mice (see Figure 13A). The wild-type mice have hyperinsulinemia and the elevated insulin levels are maintained throughout the course of the experiment and this is characteristic of a pre-diabetic and diabetic disease state.

In a second experiment, glucose was injected intraperitoneally into 6 wild-type and 5 NPC1L1 (-/-) gene knockout mice that had been fed a high fat diet for 220 days and then fasted overnight. Plasma insulin was measured at 0-30 min. As at 72 days, in the knockout mice the pre-injection plasma insulin was low and the increase in insulin caused by glucose injection was presumably short-lived as it was not detected at 15 minutes, the first measurement post-glucose injection, results that would be expected in non-diabetic mice (see Figure 13B). The wild-type mice have hyperinsulinemia and the elevated insulin levels are maintained throughout the course of the experiment and this is characteristic of a pre-diabetic and diabetic disease state.

20

25

30

5

10

15

5. Plasma lipoprotein profiles in the mice at 120 and 268 days of high fat diet

Plasma lipid profiles were analyzed in wild type and NPC1L1(-/-) mice. The knockout mice significantly lower plasma LDL and HDL and total cholesterol than the wild-type mice. The plasma triglyceride levels were similar in both groups (see Figures 14A and 14B).

EXAMPLE 13: Comparison of Food Intake of NPC1L1 (-/-) Knockout and C57BL6 Wild-Type Mice

Food intake of mice lacking NPC1L1 (NPC1L1 knockout mice) has been investigated by the inventors. It has been found that there is no difference between

wild-type and knockout mice with respect to the amount of food consumed. This indicates that lack of NPC1L1 (or inhibition of NPC1L1) does not suppress appetite.

Since NPC1L1 appears to regulate the flow of lipids (and possibly other nutrients) from the plasma membrane (uptake) to the various cellular organelles such as Golgi and ER it was hypothesized that lack (or decreased) NPC1L1 activity could have a number of effects on cellular homeostasis: 1) limit the amount of nutrients (lipids, proteins, sugars) that become available for cellular processes, 2) alter signaling cascades that tell the cell to behave as if nutrients are plentiful, and 3) stimulate a limited nutrient response.

5

10

15

20

25

30

However, when mice are challenged with a high fat diet (60 kcal% fat; Diet D12492, available from Research Diets, Inc.TM, New Brunswick, NJ) the results are interesting. In the beginning stages of the high fat diet, the NPC1L1 knockout mice are eating less (about 60% of the wild-type mice). As they are challenged longer >90 days their intake becomes similar to wild-type mice. Importantly, even after 90 days, the knockout mice still do not gain as much weight as the wild-type animals (see Figure 18).

EXAMPLE 14: White Adipose Tissue Has Significant Expression Levels of NPC1L1

Previous real-time PCR data have shown that NPC1L1 is elevated in the small intestine of both mice and humans and in addition, is high in the human liver. The data described herein shows that adipose tissue expresses a significant amount of NPC1L1. Since the absence of NPC1L1 is protective against obesity and type II diabetes and adipose tissue plays a role in the development of both of these diseases, finding significant expression in these tissues is of considerable interest.

NPC1L1 transcript was measured by semi-quantitative real-time PCR, normalized to β-actin expression. As shown in Figure 15, in mouse white adipose (gonadal) tissue, NPC1L1 is expressed at 9% of the amount detected in the small intestine, which has the most abundant expression of NPC1L1. This is a significant amount compared with other tissues (for example, pancreas has only 2% of small the

amount found in the small intestine). The pre-adipocyte mouse cell line 3T3L1 does not express NPC1L1.

NPC1L1 transcript was measured by semi-quantitative real-time PCR in mouse white (gonadal) adipose (WAT) and interscapular brown adipose tissue (IBAT), normalized to β -actin expression. As shown in Figure 16, expression of NPC1L1 is higher in white adipose tissue and the amount in brown adipose is 42% of that found in the white tissue.

NPC1L1 transcript was also measured by semi-quantitative real-time PCR in human liver and white adipose tissue, normalized to β-actin expression. As shown in Figure 17, the expression in human white adipose tissue was 3% of that detected in human liver. Previously, it was found that human jejunum (the highest expressing human intestine tissue) had 4% of the NPC1L1 transcript found in human liver and so a value of 3% for adipose is a significant amount of NPC1L1. Many other tissues have less than 1% of the NPC1L1 detected in liver.

15

20

25

30

10

5

EXAMPLE 15: Creation of NPC1L1 Transgenic Mice that Overexpress NPC1L1

Rationale:

The NPC1L1 knockout mouse was instrumental in deciphering the lipid transport function of this protein and its critical role in intestinal cholesterol and other lipid transport. A powerful tool in drug discovery and drug testing (to determine is a drug acts directly on NPC1L1) is a mouse that overexpresses NPC1L1. There are a number of considerations in developing such as model. First, these mice must be able to tolerate higher expression of NPC1L1 so that its expression does not cause lethality. Second, given that the mouse NPC1L1 gene is not expressed in all mouse tissues, a system must be designed that expresses the protein at high levels but only in the appropriate tissues.

The first consideration can only be determined once the transgenic mice are generated and evaluated to see if they can pass the NPC1L1 genes to their progeny. To address the second consideration the mouse complete gene (genomic sequence as

described below) was used. In this manner, the promoter and all regulatory elements are maintained and provided the tissue specificity required.

Results:

5

10

15

20

25

The entire mouse gene sequence of NPC1L1 was cleaved from a Bac vector, clone RP23-64P22 (from female mouse library), obtained from BacPac ResourcesTM, Oakland CA, which contains the unordered genomic fragments given in GenBank Accession number AC079435. The complete, ordered, gene sequence is given in GenBank sequence, accession number AL607152. According to this ordered sequence (GenBank Accession number AL607152) the gene spans nucleotides 37338 (5' end) to 18610 (3' end) in an antisense orientation.

A region spanning the complete gene was excised using the restriction endonuclease enzyme MfeI, which cleaves the region from nucleotides 6656-46736, of GenBank Accession number AL607152, containing the entire NPC1L1 gene and almost 10kb of sequence upstream of the start codon and therefore including the entire NPC1L1 promoter region for regulated gene expression.

The MfeI fragment was cloned into the 6.8kb vector pSMARTVC (Lucigen Corporation™) at its EcoRI site.

The NPC1L1/pSMARTVC vector was cleaved using AscI and PmeI and a linearized NPC1L1 fragment, with short, flanking vector arms was isolated by sucrose gradient separation to allow removal of most of the pSMART vector.

The isolated NPC1L1 gene fragment was then injected into fertilized mouse eggs and these placed into pseudopregnant C57BL6 mice (TaconicTM). Transgenic mice were created by incorporation of the transgene into these mice. The mice were screened by PCR amplification of both their 5' and 3' ends, using one primer that contained the NPC1L1 gene sequence and a second primer that contained the short flanking pSMART vector arm sequence.

The primers used to amplify the 5' end of transgenic NPC1L1 have the following sequence: pSMART 5' CTATACGAAGTTATGTCAAGCGG (SEQ ID NO:

30) and mNPC1L1 BAC 46043(+) CTTGCACCTGACTTCCTCATATAAG (SEQ ID NO: 31).

The primers used to amplify the 3' end of transgenic NPC1L1 have the following sequence: pSMART 3'AAAGAAGGAAAGCGGCCGCCAGG (SEQ ID NO: 32); and mNPC1L1 BAC 7568 (-) AGGAACCGTACTGAGCGCATACCAA (SEQ ID NO: 33). Therefore, presence of the 5' and 3' ends of the NPC1L1 transgene in the progeny mice was confirmed, indicating that at least one additional copy of the mouse NPC1L1 gene had been inserted.

Two transgenic mouse lines have been created and one has successfully transmitted the transgene to its offspring (3 out of 7). Both of the parental original transgenic mice have an increased body weight, compared to the average weight of C57BL6 mice (Both transgenic mice were overweight). Male mouse #2 (which has successfully produced offspring) was 34 grams at 5.5 months of age. Female mouse #6 was 37 grams at 4 months of age (no offspring)). The average weight of a normal mouse at 4-6 months of age is about 25 grams.

Also, when genotyping these mice, the DNA was prepared by proteinase K digestion to produce crude, unpurified DNA for PCR-analysis. Unusually, there appeared to be lipid floating on the top of the extract and the OD abnormal, most likely due to excess tissue lipids.

Conclusion

5

10

15

20

25

30

The NPC1L1 gene was identified, based on its structural homology to NPC1. Cell-based studies of the NPC1L1 indicate that NPC1L1 has a predominant intracellular localization, with concentration in the Golgi and ER compartments. mRNA expression profiling of NPC1L1 reveals significant differences in RNA transcript levels between mouse and man, with highest expression levels found in human liver. Isolation of the mouse NPC1L1 gene allowed implementation of a knockout model of NPC1L. Mice lacking a functional NPC1L1 have multiple lipid transport defects. Surprisingly, lack of NPC1L1 exerts a protective effect against dietinduced hyercholesterolemia. When compared with wild-type controls, NPC1L1-

deficient mice also show a different response in levels of glucose, LDL-cholesterol, and HDL-cholesterol following a shift from a low-fat to high-fat diet. Further characterization of cell lines generated from wild-type and knockout mice reveals that, in contrast to wild-type cells, NPC1L1-deficient cells show aberrations in both plasma membrane uptake and subsequent transport of a variety of lipids, including cholesterol, fatty acids, and sphingolipids. Furthermore, cells lacking NPC1L1 reveal aberrant caveolin transport and localization, suggesting that the observed lipid defects may result from an inability of NPC1L1 to properly target and regulate caveloin expression. Furthermore, comparison of NPC1L1 knock-out mice to wild type mice fed on a high fat diet indicates that the absence of NPC1L1 is protective against obesity and type II diabetes. In addition, it has been found that NPC1L1 is highly expressed in white adipose tissue, which is involved in the development of obesity as well as diabetes. Thus, inhibitors of NPC1L1 would be capable of treating obesity and diabetes in a subject, in addition to hyperlipidemia and other lipid-related disorders such as cardiovascular disease. Several inhibitors of NPC1L1 have been identified, as set forth above. In addition, a transgenic mouse that overexpresses NPC1L1 has been created. This transgenic animal is useful for the identification and validation of agents that modulate NPC1L1.

5

10

15

20

25

* * *

The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those described herein will become apparent to those skilled in the art from the foregoing description and the accompanying figures. Such modifications are intended to fall within the scope of the appended claims.

It is further to be understood that all values are approximate, and are provided for description.

Patents, patent applications, publications, product descriptions, Accession Nos., and protocols are cited throughout this application, the disclosures of which are incorporated herein by reference in their entireties for all purposes.

WHAT IS CLAIMED:

5

15

1. An isolated nucleic acid encoding a Niemann-Pick C1-like protein (NPC1L1) wherein the nucleic acid comprises a nucleotide sequence that hybridizes under normal conditions to the complement of the nucleotide sequence set forth in SEQ ID NO: 2.

- 2. An isolated nucleic acid encoding a NPC1L1 polypeptide, wherein the nucleic acid comprises the nucleotide sequence set forth in SEQ ID NO: 2.
- 3. An isolated NPC1L1 nucleic acid comprising a nucleotide sequence having at least 95% identity with the nucleotide sequence set forth in SEQ ID NO: 2.
- 4. An isolated nucleic acid comprising a nucleotide sequence encoding an NPC1L1 polypeptide having an amino acid sequence set forth in SEQ ID NO: 3.
 - 5. An isolated nucleic acid comprising a nucleotide sequence encoding an NPC1L1 polypeptide having an amino acid sequence having at least 95% identity with the amino acid sequence set forth in SEQ ID NO: 3, wherein the encoded polypeptide has a lipid permease function.
 - 6. An isolated NPC1L1 polypeptide comprising an amino acid sequence encoded by the nucleic acid sequence of claim 1.
 - 7. An isolated NPC1L1 polypeptide comprising the amino acid sequence set forth in SEQ ID NO: 3.
- 8. An isolated NPC1L1 polypeptide comprising an amino acid sequence having at least 95% identity with the amino acid sequence set forth in SEQ ID NO: 3, wherein the NPC1L1 polypeptide has a lipid permease function.
 - 9. A vector comprising the NPC1L1 nucleic acid of claim 1.
 - 10. A vector comprising the NPC1L1 nucleic acid of claim 2.
- 25 11. A host cell that has been engineered to contain the vector of claim 9.

- 12. A host cell that has been engineered to contain the vector of claim 10.
- 13. An antibody that specifically binds to the NPC1L1 polypeptide encoded by a nucleic acid of claim 1.
- 14. The antibody of claim 13, which specifically binds to the NPC1L1 polypeptide of claim 7.
 - 15. The isolated nucleic acid of claim 2 comprising a mutation in at least one nucleotide that results in defective expression or activity of the NPC1L1 protein product.
- 16. The isolated nucleic acid of claim 15, wherein defective expression ofNPC1L1 results in a disorder in glucose metabolism.
 - 17. The isolated nucleic acid of claim 15, wherein defective expression of NPC1L1 results in a disorder in lipid metabolism.
 - 18. The isolated nucleic acid of claim 17, wherein the lipid is selected from the group consisting of cholesterol, triglycerides, and sphingolipids.
 - 19. The isolated nucleic acid of claim 18, wherein the lipid is cholesterol.
 - 20. A method of inhibiting the uptake of a lipid by a cell or transport of a lipid by a cell comprising contacting the cell with an agent which inhibits NPC1L1 nucleic acid expression or NPC1L1 polypeptide activity.
- 21. The method of claim 20, wherein the lipid is selected from the group consisting of cholesterol, oleic acid, and sphingolipid.
 - 22. The method of claim 20, wherein the lipid is cholesterol.

15

25

23. A method of decreasing the plasma glucose of a subject in need of such treatment which comprises administering to the subject a therapeutically effective amount of an agent which inhibits the expression or activity of an NPC1L1 nucleic acid or polypeptide.

24. A method of treating hyperlipidemia in a subject comprising administering to the subject a therapeutically effective amount of an agent which inhibits the expression or activity of an NPC1L1 nucleic acid or polypeptide.

- 25. A method of treating type II diabetes in a subject comprising administering to the subject a therapeutically effective amount of an agent which inhibits the expression or activity of an NPC1L1 nucleic acid or polypeptide.
 - 26. A method of treating obesity in a subject comprising administering to the subject a therapeutically effective amount of an agent which inhibits the expression or activity of an NPC1L1 nucleic acid or polypeptide.
 - 27. The method of any one of claims 20, 23, 24, 25, or 26, wherein the agent is an antisense molecule or an siRNA molecule specific for an NPC1L1 nucleic acid.

10

15

20

- 28. The method of claim 27, wherein the siRNA comprises any one of SEQ ID NO: 23 or SEQ ID NO: 24.
- 29. The method of any one of claims 20, 23, 24, 25, or 26, wherein the agent is an antibody specific for an NPC1L1 polypeptide.
 - 30. The method of any one of claims 20, 23, 24, 25, or 26, wherein the agent is a small molecule.
- The method of any one of claims 20, 23, 24, 25, or 26, wherein the 31. agent is a molecule selected from the group consisting of: 4-phenyl-4hydrochloride, 1-butyl-N-(2,6-dimethylphenyl)-2 piperidinecarbonitrile 3{1-[(2-1-(1-naphthylmethyl)piperazine, piperidinecarboxamide, methylphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione, 3{1-[(2hydroxyphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione, 2-acetyl-3-[(2methylphenyl)amino]-2-cyclopenten-1-one, 3-[(4-methoxyphenyl)amino]-2-methyl-2cyclopenten-1-one, 3-[(2-methoxyphenyl)amino]-2-methyl-2-cyclopenten-1-one, and N-(4-acetylphenyl)-2-thiophenecarboxamide.

32. The method of claim 24, wherein the hyperlipidemia is dietary hypercholesterolemia.

- 33. A method for identifying a test compound that binds to an NPC1L15 polypeptide, which method comprises:
 - (i) contacting a host cell that expresses an NPC1L1 polypeptide with a test compound; and
 - (ii) identifying a test compound that binds to said host cell but not to a control cell that does not express NPC1L1 polypeptide.
 - 34. A method for identifying a test compound that modulates the activity of an NPC1L1 polypeptide, which method comprises:

10

- (i) providing a host cell that expresses a functional NPC1L1 polypeptide,
- (ii) contacting said host cell with a test compound under conditions that would otherwise activate the activity of said functional NPC1L1 polypeptide; and
 - (iii) determining whether said host cell contacted with said test compound exhibits a modulation in activity of said functional NPC1L1 polypeptide.
 - 35. A method for identifying an agent useful in the prevention or treatment of an NPC1L1-mediated disease or disorder, which method comprises determining the effect of the substance on a biological activity of an NPC1L1 polypeptide by:
 - (a) contacting a test cell which expresses a functional NPC1L1 polypeptide with the test agent in the presence of extracellular cholesterol under conditions where uptake of the cholesterol would be effected; and
- (b) observing the effect of the addition of the agent on the test cell, in comparison with the effect of a control cell expressing a functional NPC1L1

polypeptide not contacted with the test agent, wherein inhibition of cholesterol uptake in the test cell compared to the control cell is indicative that the test agent is useful for the treatment of an NPC1L1-mediated disease or disorder.

- 36. A non-human animal which has been engineered to be deficient in the
 5 expression of a functional NPC1L1, wherein the non-human animal does not express
 an NPC1L1 nucleic acid or polypeptide.
 - 37. The non-human animal of claim 36, wherein said non-human animal is a mouse.
 - 38. A genetically modified, non-human animal comprising a recombinant nucleic acid molecule containing a nucleic acid encoding an NPC1L1 gene product, wherein said animal has increased NPC1L1 expression or activity, or displays symptoms of hyperlipidemia, obesity, diabetes, or cardiovascular disease.

10

15

20

- 39. The non-human animal of claim 38, wherein said non-human animal is a mouse.
- 40. A method of screening for an agent capable of treating an NPC1L1mediated disease or disorder comprising administering to the non-human animal of claim 33 a candidate compound and monitoring the expression or activity of NPC1L1.
- 41. A method of assessing whether a patient is afflicted with an NPC1L1-mediated disease or disorder or at risk for developing an NPC1L1-mediated disease or disorder, the method comprising comparing: a) the level of expression or activity of an NPC1L1 nucleic acid or polypeptide in a patient sample, and b) the normal level of expression or activity of the NPC1L1 nucleic acid or polypeptide in a control sample derived from a subject not afflicted with the NPC1L1-mediated disease or disorder, wherein a significant increase in the level of expression or activity of the NPC1L1 nucleic acid or polypeptide in the patient sample is an indication that the patient is afflicted with an NPC1L1-mediated disease or disorder or at risk for developing an NPC1L1-mediated disease or disorder.

42. The method of claim 41, wherein the NPC1L1-mediated disease or disorder is selected from the group consisting of hyperlipidemia, obesity, type II diabetes, and cardiovascular disease.

- 43. A method for inhibiting the expression or activity of an NPC1L1 molecule comprising contacting an NPC1L1 molecule with an agent selected from the group consisting of: 4-phenyl-4-piperidinecarbonitrile hydrochloride, 1-butyl-N-(2,6-dimethylphenyl)-2 piperidinecarboxamide, 1-(1-naphthylmethyl)piperazine, 3{1-[(2-methylphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione, 3{1-[(2-hydroxyphenyl)amino]ethylidene}-2,4(3H, 5H)-thiophenedione, 2-acetyl-3-[(2-methylphenyl)amino]-2-cyclopenten-1-one, 3-[(4-methoxyphenyl)amino]-2-methyl-2-cyclopenten-1-one, and N-(4-acetylphenyl)-2-thiophenecarboxamide.
- 44. A method for inhibiting the expression or activity of an NPC1L1 molecule comprising contacting a cell expressing an NPC1L1 molecule with an agent 15 selected from the group consisting of 4-phenyl-4-piperidinecarbonitrile hydrochloride, 1-butyl-N-(2,6-dimethylphenyl)-2 piperidinecarboxamide, 1-(1naphthylmethyl)piperazine, 3{1-[(2-methylphenyl)amino]ethylidene}-2,4(3H, 5H)thiophenedione, 3{1-[(2-hydroxyphenyl)amino]ethylidene}-2,4(3H, 5H)-20 thiophenedione, 2-acetyl-3-[(2-methylphenyl)amino]-2-cyclopenten-1-one, 3-[(4methoxyphenyl)amino]-2-methyl-2-cyclopenten-1-one, 3-[(2-methoxyphenyl)amino]-2-methyl-2-cyclopenten-1-one, and N-(4-acetylphenyl)-2-thiophenecarboxamide.
- 45. A method for inhibiting the expression or activity of an NPC1 molecule comprising contacting a cell expressing an NPC1L1 molecule with 4-butyryl-4-phenylpiperdine hydrochloride.
 - 46. The method of any one of claims 23, 24, 25 or 26, whereing the subject is a human.

5

FIGURE 1A




FIGURE 1B





FIGURE 1C



SUBSTITUTE SHEET (RULE 26)

FIGURE 1D







FIGURE 1E



SUBSTITUTE SHEET (RULE 26)

FIGURE 2A








FIGURE 2D



FIGURE 2E





FIGURE 2F



SUBSTITUTE SHEET (RULE 26)

FIGURE 3A




FIGURE 3B




FIGURE 3C

FIGURE 3D







FIGURE 3E





SUBSTITUTE SHEET (RULE 26)


FIGURE 4











SUBSTITUTE SHEET (RULE 26)

FIGURE 5




FIGURE 6A





FIGURE 6B



SUBSTITUTE SHEET (RULE 26)

FIGURE 7A






FIGURE 7B



SUBSTITUTE SHEET (RULE 26)

FIGURE 8

NPC1L1 Inhibitor analysis



SUBSTITUTE SHEET (RULE 26)

FIGURE 9A
Mouse Weight (g)




FIGURE 9B

Mouse Weight (g)





FIGURE 10

Glucose Tolerance Test (Reg. Chow)



SUBSTITUTE SHEET (RULE 26)

FIGURE 11A

Glucose Tolerance Test (High fat)




FIGURE 11B Glucose Tolerance Test for mice fed a
high fat diet for 262 days




FIGURE 12A

Insulin Tolerance Test in mice fed a high Fat diet for 105 days




FIGURE 12B

Insulin Tolerance Test in mice fed a high fat for 252 days




FIGURE 13A

Insulin Measurements in Mice fed a high fat diet for 72 days





FIGURE 13B

Insulin Measurements in Mice on high fat diet for 220 days



SUBSTITUTE SHEET (RULE 26)

FIGURE 14A

Wildtype and NPC1L1-deficient mice fed High Fat diet for 120 days





FIGURE 14B

Wildtype and NPC1L1-deficient mice fed High Fat diet for 268 days



SUBSTITUTE SHEET (RULE 26)

FIGURE 15
NPC1L1/β-Actin Expression in Mouse tissues





FIGURE 16


NPC1L1/β-Actin Expression in Mouse tissues



SUBSTITUTE SHEET (RULE 26)

FIGURE 17

NPC1L1/β-Actin Expression in Human Tissues



SUBSTITUTE SHEET (RULE 26)

-IGURE 18

				2	20/20			67 67 10 46 11		96	. 63	
							É 17	3.050	J\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$50.5 \$4.05 \$4.05		
119	0.93429	26.44 46.8	0.35336 0.2381	148.411		•	203	1.98 2.99762	31.92 53.45	0.6203 0.56083	110.605	
112	2.38857 4.56327	26.42 45.7571	0.90408	59,0464 36.3714 41.3201 52.9653 70.1833 86.1754 92.0089 85.1344 98.8948 90.6543			196	1.97143 2.51429	31.36 52.85	0.62864 0.47574	132.14	
105	1.74286 2.91224	26.54 43.8571	0.70759 0.65669 0.83114 0.66403	98.8948			189	1.88857 3.05238	30.42 52.9333	0.62083 0.57665	111.987 114.887 107.663	
86 .	1.81143 3.7449	25.6 45.0571	0.70759	85.1344			168	1.76857 2.72381	28.88 51.1	0.61239 0.53304	114.887	•
91	1.71143 3.28776	25.16 44.4714	0.68022 0.7393	92.0089			161	1.89429 2.93095	29.52 51.15	0.57301	111.987	•
8	1.71429 3.48367	24.84 43.5	0.69013 0.80084	86.1754			154	1.79429 2.87857	28.92 51.05	0.62043 0.56387	110.03	
63	1.58857 3.54898	24.6 38.5714	0.92011	70.1833			147	1.93143 3.24694	28.5 50.7333	0.67769 0.64	105.89	
26	1.76571 5.14898	23.78 36.7286	0.74252	52.9653			140	1.79714	27.54 49.9143	0.65256 0.59204	110.223	-
49	1.72571 6.12857	23.54 34.5429	0.7331	41.3201			133	1.83714 3.43469	27.08 47.9571	0.67841	106.655 94.7239 94.7239 110.223	•
45	1.24 4.84286	23 32.6714	0.53913	36.3714			133	1.83714 3.43469	27.08 47.9571	0.67841	94.7239	
35	2.70571 6.25469	22.68 30.9571	1.193	59.0464	9		126	1.82571 3.11429	26.58 48.3571	0.68688		9
	(-/-) wt	(-) ¥	(-) ¥¥	(-/-)	Wt n=7 L1 (-/-) n=6		(- /-)	¥ ;	¥ }	¥ (-)	(-/-)	Wt n=7 L1 (-/-) n=6
Days on high fat diet	g food/day g food/day	Weight weight	food/d/g wt*10 food/d/g wt*10	% intake by NPC1L1 of wt	j	(continued)	Days on high fat diet	g food/day g food/day	Weight weight	food/d/g wt*10 food/d/g wt*10	% intake by NPC1L1 of wt	3
SUBSTITUTE SHEET (RULE 26)												

SEQUENCE LISTING

<110>	Mount Sinai School of Medicine Ioannou, Yiannis Davies, Joanna P.								
<120>	NPC	NPC1L1 AND NPC1L1 INHIBITORS AND METHODS OF USE THEREOF							
<130>	220	2201581-wo0							
<150> <151>		60/592,592 2004-07-30							
<160>	33								
<170>	Pat	PatentIn version 3.3							
<210> <211> <212> <213>	1 500 DNA Mus	00 musculus		٠	.·	•			
<400>	1	3000333101	****	0000226000	+ c+c+20000	ataggeetag	60		
				ggggaacggg					
				tgcctccaga			120		
				caatgcggag			180		
				tgtctggcta			240		
				cttgtaaagc			300		
				ttcgaacaca			360		
				catgagaaac	_	•	420		
				ttgtggcttt			480		
				gtacactgta			540		
				tgagcaacca		-	600		
		-		cttaagtgct	•	•	660		
				agcaaagaaa		•	720		
atatatt	gta	tatataaaat	ttttcttttt	attgctatta	tgtattggat	atataggatt	780		
gtatata	itat	gcatatgtag	ttatatattt	atatattaca	tacatacata	tatatagttg	840		
ttataat	ttt	attttatgtt	tatggatgtt	ttgcctgcat	gtatgtctgt	accgtgtgtg	900		
tgtgtgt	gtg	cgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtatctg	gtgcctgagg	960		
aagtgag	aag	agggtgtcag	atcccctgga	actgtagtta	tatgttgcgc	gcgctcaact	1020		
ggccagg	aag	aacgacgctg	ctacaggatc	cttctgcaca	catttattca	gtcctgtttc	1080		
ttctttc	tcc	atatatctcc	cttgtttata	tctcccttgt	ttatatctcc	cttgtttata	1140		
tctctcc	ctt	gtttatattt	cccctgtttg	tatctctccc	tcgtttatat	ctccccttg	1200		

tttatattt	ccctgtttg	t atctctccc	t cgtttatat	c tcccccgaa	ccctgggcctc	1260
tcactcttt	t tatactctc1	ctcatccac	g cactgcagg	c cacgccccc	t cgccagtcac	1320
gaggcttcag	g ctaatcaggg	g cagcagggg	c aaatctcca	c caaattgga	t tcacctgtat	1380
cctggtaca	ctgcgcagca	a ctcaagatg	t ttgtgtctt	a tatgaggaag	g tcaggtgcaa	1440
gtcatatga	ttagctgcag	tccctggcg	c ctttaggac	t gccgccacao	ctgctcctaa	1500
caattcccc	ttttttttt	tttggcagag	g agaatgcct	tagatagcc	cccgcagcca	1560
tgcccctta	ccgtccttgg	gtgacaaaca	a gcattggtt	gatccctgto	ttaggttggt	1620
gacatgccca	gggagtctta	tcactgacta	cctctctate	atgccaagc	acacctgggg	1680
agattgtgtt	ttgcttgcgg	caggtgcato	aaaaggcca	gatgttaatt	aacctatggc	1740
cagatcttaa	ttgctgcaag	caagcctcat	gggtgaaggt	agaggtctga	tccccagtgt	1800
gcaagcatag	gggccctaca	caaaaccato	ccttaggct	atcacccaga	gaggtcttgg	1860
ccagctcccg	tgtcgttttt	cctgggggaa	gggaactagg	acactgaaco	ttcatgcaat	1920
cagacatgcc	ttccacagga	tgccaacago	aagctatcct	ctgtgcagtg	cttagcctcg	1980
caccccacgg	cataacgcag	cataatttct	tttagagcgg	caaaccgaat	ctgaggagat	2040
tgtcccgcct	ccactgcagc	aaaagcctac	gctaccatgg	cgaaagtgcg	ggtcgcacac	2100
tctgcaccta	acacatgtgc	caaacacaaa	acacacacac	actataacaa	gcatacatcc	2160
cagggctctc	atccccactc	atcttccctg	aagcaaggga	tagatagcca	gaggggctat	2220
ctctttaaga	ggaattcagg	gatcaaaaag	cgtggaaaaa	tttgaatgtc	atgtcgagct	2280
				gctccatcct	_	2340
gggatcatcc	accacatcca	caggggcaac	tggatcagga	gcctcattct	tgcagtgtct	2400
				tgtggaaaca		2460 .
				ggggagatgg		2520
				atctggggag		2580
				ggaggcatag		2640
				attttgtcct		2700
				taagcccttc		2760
			•	cttgactgcc		2820
				aactatcaga		2880
				atctattgat	-	2940
				cttaacttgt		3000
				atgctcacct		3060
agaggtcctt	cccaaactcc	tgggttactt	tgtgcctact Page	tcctggcaac 2	tttatgcttg	3120
			J -			

cctctatttt atccgaggtc cttcccaaac tcctggggtt gcaagtttca ctcaccgtga 3180 acttaccctg cctgccggca accactgact gctgaaagtt ctgaactcgg tgggggggtc 3240 ggttccccgt acgggccacc aattgtcgcg cccactctcg accagcaaga acgacgcgac 3300 caccagtcct tctaacagca gtttattcag tcttcatctc tcttcttct cttcatcagt 3360 accgttcccc agctgaagag ttctgaatcc acgccggatc cttctcaaca gtctgtttca 3420 cgggaacctt tattaaccgc tccttccccg tgatgcagtt ctgaatcctc cctgtagcag 3480 ggggtcttcg ctcatgcctg aagatgtttc ttttcccggg tttcggcacc aactgttgcg 3540 cgcgctcaac tggccaggaa gaacgacgct gctacaggat ccttctgcac acatttattc 3600 agtcctgttt cttctttctc catatatctc ccttgtttat atctcccttg tttatatctc 3660 ccttgtttat atctctccct tgtttatatt tcccctgttt gtatctctcc ctcgtttata 3720 tctccccctt gtttatattt cccctgtttg tatctctccc tcgtttatat ctccccgaa 3780 ccctgggcct ctcactcttt ttatactctc tctcatccac gcactgcagg ccacgccccc 3840 tcgccagtca cgaggcttca gctaatcagg gcagcagggg caaatctcca ccaaattgga 3900 ttcacctgta tcctggtaca cctgcgcagc actcaagatg tttgtgtctt atatgaggaa 3960 gtcaggtgca agtcatatga cttagctgca gtccctggcg cctttaggac tgccgccaca 4020 cctgctccta acagttatag atggttgtga gcctttgagt ggggactggg aatcaaactt 4080 gtcctctaga agagtagcca ctgctcttag atacttagcc atcttctag cctaaagaat 4140 tttttttccc tttggctttt caatacacgg tttcttggtg tagccctggc tgtcgtgtcc 4200 tgtacacaca catgcacatg cacacgcaca catgcacagt catccatgat ggagaggggg 4260 actgagcccc gggcctgaga tgccaagcac acacactgtc attgaactgt acctttagtc 4320 actaaaaagc cctggtctga cagccactgt gccgctgggc atggtggtgc aggcctttga 4380 ctccagcact tggaactcag cgtctggctg acctctgtga gtttgctgca agcttggtca 4440 acatacagag ttccaggcca gccagggcta catagtgagt gtggctgtgt ctcaaatgta 4500 aacaaaaagg ccttacacaa ccaagtcaaa ctcaaccacc ctttcttact gttttggtgt 4560 aagtgacagg acctcacttt gtgagaagct gtcagctgtt gccctaataa ttaaggttga 4620 agtctatcat tgtctgggta gccttctggg ctccatgcta atggtgaact ttctctgtca 4680 gactetette ttaacetggg ggatecetgt gatggtttgt atgttettgg etttatetee 🐇 4740 tgggattaaa ggcatgcact accttgcctg ggcctaagct tttcatagct gctgtgcctc 4800 aagatctcca tgtcaagatc taggtcagaa acttgtgtct tccagcctca agatctggat 4860 cacatgtgag ccctccaatt ctggattgta gttcattcca gatatagtca agttgacaac 4920 caggaatagt cattacaatc caacccttgt cttgtttgtt tttttgtttg tttgttttg 4980

. ttgttcttgt ttttttcggt ttttcgagac agggtttctc tgtgtagccc tggctgtcct 5040 ggaactcact ctgtagacca ggctggcctc gaactcagaa atccacctgc ctctgcctcc 5100 catgtgctgg gattaaaggc atgcaccacc actgcccagc taatccaacc cttgtcaatt 5160 tgacacaaat atctcatgtc cacatgaaac aataacaaga tcataaatat gcctaacatg 5220 atataactat teetigtaca ateacaaaaa cattigtaaa attacagtgg ggcaatgtee 5280 ctcgggaaca ttcttttagt atctcaactt aaatacagat tgatgttaaa aaaaaaatgg 5340 gagaaagcac aaatagctat acaaatgtgt tcttaacaat ataaaccaga agcattgata 5400 ttactttata atcctcattt ctgcaactgg tcatgtggtc ttagatggta tttataacta 5460 cctccctcta ctacccattc tgtattttct ccatcctctg caagcacctc agctggtctt 5520 cttggctctt ttcctggagg agtgacccat accttcaccc ctgatgggtc tgtgtccttt 5580 gtcatcctgc ttggattagg ctgttttgtt ttctattgac tttaatcaca ggacttggta 5640 gtactaggag acaccctaag ggatctcctg cactccagac ataatccctt ttaccttcat 5700 tgtggtagtt gatccaattt ccccatggta atctggatct atcacccctc ctaacactgt 5760 tattcttttc ttagcctgtt ggtttaaggg cattagaagc ccaaaatgac aagggggaag 5820 5880 ctggtaccaa tttgtattag tcaggatttg tcagagacca taccgtgaga aatcgagctt 5940 ctcacaatct cccaccetga caggccaaat ggcctcgtga taggagccgg ttgtcactcc 6000 ctcctcctg ttcccttcct ggcacctgag gctgtgaaag ctgaattata gtccccgctt 6060 ccctatctct tcctgactcc atgacatcca aggacatgag ttacacctga gcccggcctg 6120 acacctcaag gctgttaagg aggatctatg ttctggagat aagatgcaga gtgcccaccg 6180 CCtggagcct gactttggcc cttatgtcag cagatgtcca cttgtttgtt ctttgttaaa 6240 ttcccccttg acccctccct attccccaag atgtatgctt taaaaccagg catctcagta 6300 taatagatgg agaccttgat aggcaccctt cttggtctcc gcttctcctt cccttcttcc 6360 Cattttcttc caggtttgcg gtccctctca cgaataactg aatcctgcgg gacgggataa 6420 gtggcaccca acatgagggt gaggattgta tttccttcca gtggaggttc cagagaggtt 6480 tgtcacgacc ccaagaattt agaagtagtg aaggacccct tctgccgctc acggaagagt 6540 gagaagteet tggtgagttg agteatetee aetteaggtt atgggaaata agetttetaa 6600 agaggcagcc ttcatcaaag gcttaaagat agctctcagg gaaagaggag tacgagttaa 6660 aaagaaagat ttgataaact tttattttca tagaccaggt atgtccatgg tttattatag 6720 atgaagcaga gatacgttgt aaaaaatggt gaaaggtagg tagagactta aatgataaac 6780 tagctaatga gggtcccgat gcggtccctg caactgtctt ttcttattga ggagtaaata 6840 tcagaagctg ccactgtgcc tcctctccct tctctggcag aattcccaga agaaggagat 6900 Page 4

aaagaattag agtctgaaca tgagaaagag aaaataagtt tcagaaaagc agttatcccc 6960 tgtttgggac cttttagcaa aaaagaggga aaatgaaaat aagctatatc agagctctcc 7020 tagggacaga aggaaaatgg gagacgtcct gcttcctctc tggctcctat ggagatattc 7080 ctagttctgg ttaggatgtc tgggtccctt tgagacatca agttctattc cctgtctgtc 7140 tattgtctgg ttttggtgca ccaaaatgtg tccatatatc tgtctattta tgtttgcttt 7200 tgttttgttg tttgaatgat agttgtactg tgtttcatgt tgaaaaaaat ggttaaaatt 7260 ttatctgctg gctgtccatt ctttgattta gtttaacttg tttaaaaagc agtctcaatt 7320 tgcacagcag aaacagataa ctgtggctgg gagtcaagta tagctggaag agccctgctg 7380 agagccggga cgggataagg attctctaga gtcacagaat ttatggtatg tctttctata 7440 ttaagggaat ttgttgtgat gacttacagt ctgtggtata gctaccccaa caatggtcag 7500 ctgtgaatgg gaagtccaag aatttagtag ttgcccactc cctcaaggtt agtgaggcta 7560 gttgttgtag ctgatcttct gtagaagtag attccaacag atgtgttggc aagtaaatgc 7620 aagcaggtga aggagagcaa atcttccttc ttccaatgtc tttacgtagg tctccagcag 7680 aaggtgtggc ccagattaaa ggtgtgtacc accatgcctg gatgggattt gttttatcct 7740 aggatgatct tgaactcaga gatctccttg ctttagtctc ctgggattaa gggcgtgtac 7800 taccttgcct gggcctaagc tttgctttgc tttgcttttt tttctttttt ctttttctt 7860 ttggtttttc gagacagggt ttctctgtgt agccctggct gtcctggaac tcactctgta 7920 gaccaggetg geetegaact cagaaatteg ettgeetetg eeteccaagt getgggatta 7980 agggcctaag ctttttcata gccactgtgc ctcaagattt ctatgtcaag atccaggtca 8040 gaaacttgca tcttctaccc tcaagatctg aatcacagat gagacctcca attctggatt 8100 gtagttcatt ccagatatag tcaaattgac atccaagatt agccattaca gtcccagacc 8160 tcacactcta tacctgcaaa tggaatgcca ttccttggtt aagatcatag gttcagcttc 8220 ctttctcctg gtagaaccca ttaagctaga acctgagatt cctagagtcc ttccctatgg 8280 taacgaggca tctcagtacc ttaagccttc agctaatgac ttttgcttac cctggatatt 8340 cctacccctt gacctaaaac tatataaacc ttgaatcacc ccaagttaag ttgatctgtc 8400 tccctgaagc tggtcctggt gtgcccttat tactcactgg gcttctggac acctctccca 8460 CCCCCCCCC ccttctaac catcatctct gctcctggga ggggacaggt gcagggaggg 8520 tcacatttag tcttcttgcc tcaacctttt gaatgctgtc caccgcctgc ctcaccacat 8580 ctgtcatttc ttcttttgca atatatgtag ttgaactcaa aatttccctg ttagtacgac 8640 tttcctgcac acacatttgg attgctaggt tttttttact ttagtagttt tatcattact 8700 tcgaagccct atgaagatat ttatgttctt ccttggcccc tgggtcatct ctcagccagg 8760

tccctaggta caacctctat attataggac ccaggctccc tgtctggttt cactttctta	8820
acctttgaag ttatcattct aggtaatatt taaaaaaaat agtagtgcac taagaggctg	8880
ggtgtggtgg ctcatacctg caatcccaac cttcaggcta agacaggagg attactgtaa	8940
attcagagtc atctgtggga tacacaggga attccaggtc aatctggtct ccagagcagg	9000
caggcctaca cagagaaact ttgcatatat atatatttta aaagaaagaa tggaaggaag	9060
gtcagaccac attttattag tgagcttggg aatctgcatg ctttgtgact gctggatgag	9120
atgtgatagt gtatcctaaa tggatggatt ttatcatctt ttcttccaga acacaaacag	9180
ctgcttttca tcttcctgct tgcctagctt ctttgggcta gatggttctt tgtagctctc	9240
tacctttaaa ctctacccca ggtaaagttc cgagtagtgg cctatcttta tgttgatcaa	9300
tgtttgatca tccctgaaca gagagaggga atcccctctg tggtttgttt gtttgtttgt	9360
ttgtttgttt gtttgtttt gttttacaag acagagtctc tctgtgtagc actggctgtc	9420
caggaactca ctttgtagac caggctggcc ttgaactcaa agagatccgc ctgcctctgc	9480
ctccccaagc actgggatta aaggcgtgcg ccactaccac caccacccag ctccctctgt	9540
gttgtaaaac agctgctcct gttgctttaa ggctgaggca aggcgctaca ctggggaaga	9600
gaaagaggca aaggtgaata aagcaagata aaactgccat agaatttttc aggccaactt	9660
tttttttgtt tgcctggttg ctatggactt ttatctattt ttttttttga gtgcctacaa	9720
agtttgttct gacatctcag cttattttat cagtgtttct atggagagat actatcgtag	9780
agcttccttg tttactgaat tcctgatgtc actcctgaat ggcgtatttt aaaaatcatt	9840
atttactgat ccttcgggac cacaagataa gtgagaactc cagatattca gtctctctgt	9900
ctaaagcaca agaggtgggc aagactaggt tagcacctcg actgtgcacg ttgcatttaa	9960
tgcagatgtc tggaagcaga tcacagagcc gctgcctggg acatgcacgg tggtcagcag	10020
agataatgtt ccctgccttt cacatagacc tccaaactct gaatgctgct ggagaacaga	10080
gaggtcagtt aagtgaactc tcttcacacc ccagggcctg cttgaacagc tttcgttaaa	10140
gaactaccaa gcaaacaccc tggtcccagg gcactgcctt gccccaaccc caaactgccc	10200
cctgacatag tatgaaatgc tgctctgggc tgcagactga ctacactgta gccagagata	10260
attgtatgaa taataaaaac aaattaaaaa gagatattat ggctggctgt acagtttagt	10320
agtgtagcac agacttacca cgtgcaagtc cagggttcaa ccgtcagtac caaaccctcc	10380
ctccacaaac ccggaggtat cttcttatca taccgcagtt gcttggttag taaagcctgg	10440
aaaatataat acataactat aaaagtgtga tgagacactg ttatgattag gtgagtatat	10500
gatgagacac tgtgcttgct ggcatcactg atgtctggcc tgtgagagtt gagactgacc	10560
cttagctaga taccagtaac agattctgat aattgtctga taatcctcat ttagcccaag	10620
gtatgaaatt gctaactgtg cacttcagag tcataaatac atttaaaatc ataggtttca Page 6	10680

ggtctgggaa cacatttgaa ggagacacat tccaaaaata aaaaagaaga gggggaggag 10740 10800 cataaagggg tcaatgggaa cttatttata atcatgaaat cttggcaacc agcccgattt 10860 tcaatgatgg gagagtagac ccctctgctg ctccatggat gataattcca aataaacatg 10920 gtgatcagag attgagggca atggagtttt aaaatcaagg gaaaaacagc aagcgtgcat 10980 gcttgtgtca cttgttcgtg actgaactag tgtgccctgg caaggcctac agggaccccc 11040 acacaggcag tgatgtgaga ccaggtgacc ctccagtgtg actgtgtgtt tctcatgctt 11100 ttgggggctt cagaaaagcc ctcagaccaa ggatctggac ctcatctctc tggagtctgg 11160 tctggggaca gctggacagc cctcgtgaga actgatgtgg agaaggcagg gctcaatgcc 11220 cctcactggg gctcttgggg ttttcatgtg gcagcagtat ctgtagacca ggctggcttt 11280 gaactgcctg cctcttcctc ctgagtgcta agattaaagg tgtgcaccac caatgttcct 11340 attccaggaa tgtcctcaat caatgacttg taagtgtgga tggtgccaca cccttatcca 11400 ctggtgggga tcccctaggg cgggtcccct tatgtcctgg aggtctcagg gacaggtgat 11460 attettgaat ceatettgat cateacatet catggttete agtetgetea gecetetgte 11520 gtcacctgaa gtcatcttcc aaataaccct gattttcatt tgtcctagga tacttgtctc 11580 11640 gtggcatcca gggagcaaca agggaagcag gtgatgttgt gtggcccagg gcccttctcc 11700 tragcetete tigitecety cetaagetig ggeggattee cetetgagee caceegagee 11760 CCtgggaCac tggtggaact cagtaggagc ccctccctgc agctgtctca acaggtagct 11820 gcatgagtgg ccttgaagca attatcagca attcagccct ggcaatagag gccaaggtcc 11880 tggcctgtct tggtgatagc aagagcccaa ggaaagactg gaagtttcct actggaaaga 11940 agcagaggat gaaccatgta cctgggccca ggttgggtgg gacttgccac tcagagcccc 12000 taaccagggt tgttcagagg actaggccag ggccaggacc aagaaaggga tagaacgggc 12060 atgaggagga agggtgaagg gatccaagga atctctggtc ctgttccctg ttaggacatt 12120 tgtcatggaa tcactctcgc ttagtgtctc tgttatctgg gtgctaatag caactattca 12180 gttgctagga tgttaggtga gtctgaacct acccttgatg ttgatctgaa gaggcgatgc 12240 gttagactgc aggttggagg ccaagtccag gacagtgttg atattctgga tctccaagaa 12300 gcctccaagg ccaaagccag gccagtgtct ggtctcgcag aggaacagct ctgcatctct 12360 tgcccggttg gctctaacta ccacattaga cttcagttgc gtcaaaaaac gaggggaccc 12420 cagcgccttc actaggaagt tgacctcaga aggaggagat ggaatggcac catctgatgt 12480 aagggaagag aaaataaatt attaaccagt acggcccagt cctattggcc ccatgacaga 12540

cgagggttat	cactaagagg	aggaagctgc	cttaatgtgc	aaactcaggg	gccagtcctc	12600
agcttccccg	gctgtctcca	aggcctggtc	ctgcttttcc	ttgatcactt	cctggctctg	12660
ggatggcagc	tgcctggcag	ggatggctgc	tctgggccct	gctcctgaat	tcggtgagtc	12720
tgttgcttgt	ggctactcct	tggtgcctcc	cattagggca	aagtgatacc	tgatacctga	12780
tactgggtac	ctgataacgg	ggaagggtcc	cacggctgtg	ggagggttcc	tatgcccaaa	12840
gataagtgct	ggtggagggg	tctccaggtc	aaggggttga	agggatagag	gtcagagagg	12900
caaagggatg	gggcctttgt	ctgaggttaa	atggggacca	agtcaggtgc	tagaggtgga	12960
tcccagtgaa	cagcgcctga	aatattctgg	gcttgggagg	aggttttgct	accatccttg	13020
tttgctctca	ggcgatagca	ttggccaatg	caggatgtag	gagtgggggg	ctcttataca	13080
gactcttgta	caaggaaccc	tgacctcggg	gtagagctca	gcctggagac	tcaaactgac	13140
agcaataaag	gtcgctatct	cctactctcc	cctgcagcac	gaccctttaa	agccacactc	13200
tattggatca	cttccttttc	tgaatagccc	cctcactgtc	cattggggga	gtgcccctcc	13260
attggcaccc	taagcatagc	acgagccccc	acaagcctcc	cgcagcactc	ccagcccctt	13320
actgctggcc	ttcttaccca	tagactccct	agcctctcac	tctccagaca	gtccctggct	13380
gtgccaacca	gccttagggc	ttatggatgc	tatcggttct	ttctgcaggc	ccagggtgag	13440
ctctacacac	ccactcacaa	agctggcttc	tgcacctttt	atgaagagtg	tgggaagaac	13500
ccagagcttt	ctggaggcct	cacatcacta	tccaatatct	cctgcttgtc	taatacccca	13560
gcccgccatg	tcacaggtga	ccacctggct	cttctccagc	gcgtctgtcc	ccgcctatac	13620
aatggcccca	atgacaccta	tgcctgttgc	tctaccaagc	agctggtgtc	attagacagt	13680
agcctgtcta	tcaccaaggc	cctccttaca	cgctgcccgg	catgctctga	aaattttgtg	13740
agcatacact	gtcataatac	ctgcagccct	gaccagagcc	tcttcatcaa	tgttactcgc	13800
gtggttcagc	gggaccctgg	acagcttcct	gctgtggtgg	cctatgaggc	cttttatcaa	13860
cgcagttttg	cagagaaggc	ctatgagtcc	tgtagccggg	tgcgcatccc	tgcagctgcc	13920
tcgctggctg	tgggcagcat	gtgtggagtg	tatggctctg	ccctctgcaa	tgctcagcgc	13980
tggctcaact	tccaaggaga	cacagggaat	ggcctggctc	cgctggacat	caccttccac	14040
ctcttggagc	ctggccaggc	cctggcagat	gggatgaagc	cactggatgg	gaagatcaca	14100
ccctgcaatg	agtcccaggg	tgaagactcg	gcagcctgtt	cctgccagga	ctgtgcagca	14160
tcctgccctg	tcatccctcc	gccccggcc	ctgcgccctt	ctttctacat	gggtcgaatg	14220
ccaggctggc	tggctctcat	catcatcttc	actgctgtct	ttgtattgct	ctctgttgtc	14280
cttgtgtatc	tccgagtggc	ttccaacagg	aacaagaaca	agacagcagg	ctcccaggaa	14340
gcccccaacc	tccctcgtaa	gcgcagattc	tcacctcaca	ctgtccttgg	ccggttcttc	14400
gagagctggg	gaacaagggt	ggcctcatgg	ccactcactg Page	tcttggcact 8	gtccttcata	14460

gttgtgata	g ccttgtcagt	aggcctgac	c tttatagaad	tcaccacag	a ccctgtggaa	14520
ctgtggtcg	g cccctaaaag	ccaagcccg	g aaagaaaag	ctttccatg	a cgagcatttt	14580
ggccccttc	t tccgaaccaa	ccagatttt	gtgacagcta	a agaacaggt	c cagctacaag	14640
tacgactcc	c tgctgctagg	gcccaagaad	ttcagtggga	tcctatccc	t ggacttgctg	14700
caggagctg	t tggagctaca	ggagagactt	: cgacacctgo	aagtgtggt	ccatgaggca	14760
cagcgcaac	tctccctcca	ggacatctgo	tatgctccco	tcaaaccgca	a taacaccagc	14820
ctcactgact	t gctgtgtcaa	cagcctcctt	caatacttco	agaacaacca	cacactcctg	14880
ctgctcaca) ccaaccagac	tctgaatggc	cagacctccc	tggtggactg	gaaggaccat	14940
ttcctctact	gtgccaagtg	agtagatctg	aggggaacag	gtgagagctg	ctatgccccc	15000
aggaaccagg	, ccagaaccta	gctccaccct	tgggagccag	ggacagctcg	tatgtgcaca	15060
, tatcagggco	atggcctgtc	caagtctatt	taagtccctt	cttggagctd	actcccatct	15120
tattcctgca	ggaattttgt	cctaccagtc	tttccagctc	caatccatat	gatctttcca	15180
tccatgatgc	tcctggtatc	aacttaataa	tttttagaat	tactttaact	tcacatgaat	15240
gaatattttg	cttgtgcata	tgtatacgca	ctgcttatat	atgtgcctgg	tgctgaagaa	15300
gccggaagaa	gttgctagat	tttcaggaac	tggagttgag	gtcagtcata	gcggccaggt	15360
gggtcctggg	aaccgggctc	tggccctttg	cagaaatacc	atgaaacgtc	tgcgtcctct	15420
ctcctgccct	catgtagtct	tagtttaaat	ctcaaagcga	tgtctcaggt	agtgtttgtg	15480
tttgtgatgc	ttccttttct	ggactctgtg	tcttggtctg	tagggacttt	ggtagcctca	15540
caactggcta	gaaatatgtt	catctgggct	taggtggaac	tgtggttagt	ctccagtccc	15600
aggcatcagc	acagttttt	ctacaacctt	atgctgttga	ggttctgctt	ctggctttgt	15660
ccattttggc	tggcacaaac	aggatgccag	tgagctcatc	agacagaggg	aaggttggtg	15720
agagggccag	aggtagagga	ggctcctgga	gaacatcatg	gagagtgaag	tgcctcaaat	15780
ggccttgtcc	actctagagc	aggcgagggt	tacagcaggt	aaccacagc.t	gagtgttctt	15840
atgaaaacag	ttttgaccct	gcaagcccca	gacttcatag	tctttagagc	catcagatga	15900
gagcagaaag	cttttgctgg	ctctcattgc	tactggctgt	ctatccccgt	ttgagtctcc	15960
agtgcaagct	acttcctaga (gtatccatgc	tgtcccctag	atcggacagc	agagaagggc	16020
tgtggagagg	catcggggat d	cagccacgca	aaagacaatt	taaaaaatat	tatttattt	16080
tatttataca	ggtacactgt a	acctgtcttc	agacacacca	ggagagtaca	tcagatccca	16140
ttacagatgg	ttgtgagcca d	cgtgtggtt	gctgggaatt	gaactcaaga	cctctagaag	16200
agcagtcagt	gctcttaacc t	ctgagccat	ctctccagcc	ttacagtgta	gcttttgttt	16260
tgttgcttt	tatgttgttt t	tagacagag	tcacactatt	tgagacggtc	ctcaaattca	16320

cgcccttgcc tcagcctcct gagggctgtg gctgcaagcc taagccatca tacttggctt 16380 gtactacctt tattttgatt ttgaatgctc ccgactcctg gtgagtcagt tatgttaatt 16440 ctatagactg gaaacctgag gctcagagtg gtatggtaag acgggcaagg ccacacagga 16500 atccagetet etttgaegge tetgttgate aatataetea ettgtteaga eeteagaatg 16560 tgtataaaga gcttggtgtt ggtagtctat tcagtctcca cagaggtgtg ctctgtagaa 16620 agggtttagt tgaagggcac aggcccctgt ccaagggcat tctctgggtc tgtgagctcc 16680 agggctcaac tcaacattta ggggtgattc tagctctggg agggggaaagt gaagaacagc 16740 attgagatct gtgagggaga tgggcatggc tcagttctgg gctcatcact taatggtgat 16800 gctcatttga caggtctgga aggtttggct atgtgagggg gcataggaag catcacctgc 16860 ccaagggaac cacattcagt ggactagggg accatatgag actaccttgt gaggagatag 16920 tcattttgaa ctctctgggc ctggtattgt ggagacactg ctcctccaat agcggggaga 16980 ggagctgggg cagggagggg ccaaagagtc caggcagggc caggaaaggt tctttccctt 17040 tgtggtttcc ccctagtgcc cctctcacgt acaaagatgg cacagccctg gccctgagct 17100 gcatagctga ctacggggca cctgtcttcc ccttccttgc tgttgggggc taccaaggta 17160 agtgaggtag ctgggggggc tactgaaggg ataattttgg cacagagata ataggtagga 17220 ggagggagaa gccatggtga gtgtatccag gatctggggg cctggcataa gggggctgca 17280 ggcaatgctt cctacctcac tgctctcatc tctcaatgct acccaggagc tctggttttg 17340 tgcctttggc tgggaaaggg aaatgaagca tgggataagg ctgttattgg agtgaggaag 17400 caatagaagg acaggaatgg gagaaggtta caccctgagg ggaggagggg aaaagggttc 17460 aacaggaggg aggctcaggg tttctcttcc cagggacgga ctactcggag gcagaagccc 17520 tgatcataac cttctctatc aataactacc ccgctgatga tccccgcatg gcccacgcca 17580 agctctggga ggaggctttc ttgaaggaaa tgcaatcctt ccagagaagc acagctgaca 17640 agttccagat tgcgttctca gctgaggtag gggccctgca gagtccctgg ttctatgctt 17700 gcaatcccta atggtgtggg tctattccag tcaaatctac aaactggctc tacttgttcc 17760 tgactggccc cgggcagtga acacctgtgc ctagctgtgg cgcttgtgtt agaggctcct 17820 gcagttcatt cctagagtgt gtggccactc agtatgtggt ccgtgagctg gctgtgtgct 17880 tgcagcgttc tctggaggac gagatcaatc gcactaccat ccaggacctg cctgtctttg 17940 ccatcagcta ccttatcgtc ttcctgtaca tctccctggc cctgggcagc tactccagat 18000 ggagccgagt tgcggtgaga gcaagaggga cacagtgaga gtgactcaga gcctaggaca 18060 cctccagaag gcttttcaaa gcttcccgag tgtgggcaca ttaaaatagc aagttggaca 18120 catccagatg gaatcccttg aagggtagcg tttcttgggt gtgttctatg ttgaaaggct 18180 ttcttcctgc tctctaatat attccaactg tctacatgca aagctaccat ttaaaaggcc Page 10

atgcaatgc	a gttctggga	a ggtgcagcca	a ggtacccctg	g cattctttg	ttccatgggc	18300	
ttgcccctg	a gagcatggt	t tagcataga	g acttagatg1	gggttcttca	ttgaggtggg	18360	
tggtgtgtg	a gcaccaatg	a tgcctgccc	a ctcctcagco	accctggaga	gtacaaaggg	18420	
tctgggcag	g tgtcctggt	a gccagcccto	ctcactgaat	tgcaggtgga	ttccaaggct	18480	
actctgggc	c taggtgggg	t ggctgttgtg	ctgggagcag	tcgtggctg	catgggcttc	18540	
tactcctac	c tgggtgtcc	c ctcctctctg	gtcatcatto	aagtggtaco	tttcctggtg	18600	
ctggctgtg	g gagctgaca	a catcttcato	tttgttcttg	agtaccaggt	aagaagggag	18660	
gggttcttc	a tactcaaca	t cctcattaga	caaagttctg	cacagactca	ctggaattct	18720	
ggtcaattt	a tacgtgtag	g aaatagcctg	ggttggcaca	aattcattca	cactcattga	18780	
gccatcttg	a acttgcttc	c agttaaaccc	atacagcato	cagtaagctt	tgtaatggat	18840	
tagaggtac	c tctttcctg	c ctttacatta	ccaggggcgg	cattccatgg	tataggcaca	18900	
agccagagt	c cagatagtc	t ctctttgctg	tcaaacactt	ggcgtgacat	gaacacttgg	18960	
tcgtttcca	c atctagaaco	g caccagtggt	tctttacatc	ccaacataga	agcagagagc	19020	
gtggctgtga	ı gctgttagta	a ggctcttctg	tccacggaag	gtctggaagt	tcctcagatt	19080	
tggccaggaa	tccaaaccct	aaccacccca	atgctgacct	ctaaagtttg	gtgaccttgg	19140	
gctggagaaa	tggctcagca	gttaagagca	ctgactgctc	ttccaaaggt	tctgagttca	19200	
attcccagta	ı actacatggt	ggctcacaac	catctgtaaa	gggatgtgat	gccctcttct	19260	
ggtgtatatg	gaaacagcta	cagtttactc	atatacataa	agtttggtga	ccttggcaca	19320	
cccgtgtact	ctgtctcttt	gcccatgcag	aggctgccta	ggatgcccgg	ggagcagcga	19380	
gaggctcaca	ttggccgcac	cctgggtagt	gtggccccca	gcatgctgct	gtgcagcctc	19440	
tctgaggcca	tctgcttctt	tctaggtgag	caagggctgt	ccttctccac	ccgggatggg	19500	
atttgctagg	ttattctaag	agggagccca	ggctttcaga	aggcagtggg	tgttccctgc	19560	
tttaagctgt	ctgtgctggc	atgtggccca	tgatgccaga	atgcccgaca	gaccctgtgc	19620	
cctcgacagg	ggccctgacc	tccatgccag	ctgtgaggac	ctttgccttg	acctctggct	19680	
tagcaatcat	ctttgacttc	ctgctccaga	tgacagcctt	tgtggccctg	ctctccctgg	19740	
atagcaagag	gcaggaggta	agttcaactg	ggccaggaca	agggacttac	cctgccagtg	19800	
tccctatatt	ctctggaaga	tgtggcacag	aggtagccag	aagagtttga	tgggaggcag	19860	
ggacagtatt	ctgagagaga	atgtttgggg	ctctgtgctc	accaatttcc	tgtaaaaaga	19920	
gaatttcttt	ttagttattt	gtggtaacat	catcaacgcc	cctaaaagta	tgtaaagttt	19980	
acaaaataaa	ttgtaaataa	aaagttaaca	taaattttt	gatgacggaa	aattcagtat	20040	
ttgattaaga	caggaagtaa	gctgggtgtg	gtggcccatg	cctttaatcc	cagcacttgg	20100	

gaagcagagg caggcggatc tctgagttcg aggccagcct ggcctataaa gtgagttaca 20160 ggacagccaa ggctacacag aggaaccctg tcttgaaaca aacaaacaaa caaacaaaca 20220 aacaaacaaa aaccaaaaag acaggaagta aaagcaacaa aaaactgcgt gggggctgta 20280 gagacggctc agtggttaag agcactggct gttcttccag agatcccgag ttcaattccc 20340 agcaactaca tggtggctca ccatccatac tgggatctga tgccctcttc tggcagcagg 20400 tgtccataca gttagaccac tcatacaaaa tcttctgggc ttccttgaat gaggtggatc 20460 ctgtagtctg ccttggaccc agtcttgagg gcctgtcatt ctctaggcct ctcgcccga 20520 Cgtcgtgtgc tgcttttcaa qccgaaatct gccccaccg aaacaaaaag aaggcctctt 20580 actitgette treegeaaga tatacactee ettectgetg cacagatica reegecetgt 20640 tgtggtacgt gggctgaagg gctgttccac ttttgtacca ctttgggagg gaaaccgggc 20700 agagcatggt ggcatgggag gctgcccagg CCCggagcag acacttggag ctagagcttg 20760 agcctgtcca actctaggac gtttcccagg atgcccaaca aagccattca aatttgaggg 20820 aagatgaagg ctgtttgggg agaggttctc acgtgccagt ttttccctca gctgctgctc 20880 tttctggtcc tgtttggagc aaacctctaC ttaatgtgca acatcagcgt ggggctggac 20940 Caggatotgg ctctgcccaa ggtgagcctg gccttttctc agccctttgt cctgggaggg 21000 gcagcagtgc ccaataggtq qagcggtggt ggtggtggtg gtggtggtgg tggtggagct 21060 tgagaggggg acatagcaca aggcttagcc ccatgcagag ttgctctaag tggaccgtga 21120 gagagaaagc acatccatgt tgtaagtgtg agcgctgagt gctggctcag ggtcacagta 21180 gatgtcctgt gctggaggcc tatccacatg gccattcaca cagggtgggg cgccacttcc 21240 ttctatgtca gttcctcacc aatagctggt ttcggattta ttactttatc tgtacgagtg 21300 ttttgtctgc gtgtatgttt ttgtgccatg tgggtgcctg gtgcctgcct gcagaagtca 21360 aaaggagggt gtcagatccc ccgggactgg aattacagat ggctgtgagc caccctgtgg 21420 9tgctgggaa ctgaacccgg gcattctgcc gagccaactc tccaacctca gcacttgtta tttttctgtg ttttttttt tttttttt tttttttgt gtaggggaat caaatctggg 21540 atttcccatt tgtcttgttt cgatctcttg agagtcctag caacaccgct gtctggcttt 21600 atagtttcga tttgcatttt ctttctttt ctttttaaag atttatttat ttattatatg 21660 taagtacact gtagctgatt tcagacaccc cagaagaggg catcagatct cattacaggt 21720 ggttgtgagc caccatgtqq atqctggaat ttgaactcag aacctttgga agagcagcca 21780 gtgctcttaa ctgctgagcc atctctccag gcccctcaat ttacattttc aacaattaga 21840 aatgttacat accttttcat gtacatgttg atcactatat atcttattta agaagaaatg 21900 tgctgacttt gctcggtttt tgaattggct ttttgttgtt gctgagcctt ggagagttcc 21960 ctgtggattc tggaggttgg tgtcttctca gagacctgat tatcaaatgg ttttcttttt Page 12

ctgtgggctg ctctgttatt ctagtggtgg tgtgccttgg tatgccaaat atttaagcat atccatggat tettetete tettategte tgaattegat ggcatattaa agacataatt gataaacaga aagttattaa gtttgtctgg tttctattaa ggttttttat gactttaqaa 22200 cttctgttta agtctttgat tcatttgaga tttgctcatt tgttttttga aatagggttt 22260 gtctgtgtag ccctagctgc tctggagctc actctgtaga tcaggctggc cttgagttca 22320 gagatccacc tgcctctgcc tccaagtgct gggattatag gtgtgtgcca ctaccccact 22380 ttgaattgac ctttatatat qatgttatga aagtggacaa attttaattc catccaqctt 22440 tcccaggact gtactaagaa gtacagctct cctccatccg atggtttggc agccctgcca 22500 gaggtcattc aagcatgtct gtgcatgact Ctttattctg Ctccattgaa atttcatgcc 22560 ggcttccgtg tcagcagggc cctgctttga ttcatacgga gttgcaaacc agaaaatgtg 22620 agacttgcaa atttgttctt tgtcgatttc tcttgggcta tttgagttct tgtgagatta 22680 cacttgaatt ttagcttgac atttttagat tccttcaaaa accatccttg gcatttatgc 22740 agggattgca ctgaatctgc agatggcttt gccttgatag tactaatacc gtcacaatat 22800 ttgtcatcca gcccatggac acacgatgta tttttttttc attttttct ttaatttctt 22860 Ctaagaacca catctccaaa tttttaattt ttttttttg agacagggtc tcactacgta 22920 gccctgcctc actgtgtact cacatgtaga tcagactggc cttgaaccca cagacatcgc 22980 ctggctctgc ctctcaagtc ctgggaccaa aggtgtgtgc caccacacta ggtctgagcc 23040 actggctttc cacatgctaa gcatgcactc ttaccactca gatgcaccct gagccctcct 23100 ctctgaagga tagttttgct gtaaataagg ttttttcttc cctttagtac tttgaataca 23160 tgaaccgcag tctccaacgg cagatgggaa aggtggaagc agctgcgtta gtcctttgtg 23220 acaagccatt ttttgtgtgt tgtccccaga gctctctgag gttggctttt gacagctgta 23280 ctacagcctg ccttggtcaa ggtttgagct tgtcctttta gacgtcccag gaattccttt 23340 aaggttgata ttcgtgcctc tctttcatcg atttggggga gttttggcta ctgcttcttc 23400 aaagatcaca tecagattet tteattttte tteettttet gattttgttt ttgtttttgt 23460 tttttgtttt tcgagacagg gtttctctgt atagccctgg ctggaaactc actttgtaga 23520 CCaggctggc cttgaactca gaaatctgcc tgcctctgcc tcccgagtgc tggaattaaa 23580 ggcgtgtgcc accaggcctg gctttttct gaaattctta cagtgcatct gtgggcctat 23640 tggcatcgcc tggggccctc tctgtgtgta tcttggtgtg cccttttatg tttgtatctg 23700 ggcatgttcc tcgaagtaca tagtgctgtg tgtacctcag cctgtatctt gtatatatgt acacatgtag tetgtacatt tetgagtagg tttetgagca tgtgtetetg agtgttetga 23820 gcatgcatct ctgagtgttc tgagcatgtg tctctgagtg ttctgagcac gtgtatctga 23880

gtgcgtccct gagtctgcct ccgagcatct catctacctc gtgtacctct gagtgtgtct 23940 tctgcttcca gatacatctg catggacttc tgagactgtg ctctgacctg gggcggaccc 24000 actgtggata tttcctacac tcacagatcc tcttctttcc caggattcct acctgataga 24060 ctacttcctc tttctgaacc ggtacttgga agtggggcct ccagtgtact ttgacaccac 24120 ctcaggctac aacttttcca ccgaggcagg catgaacgcc atttgctcta gtgcaggctg 24180 tgagagette tecetaacee agaaaateea gtatgeeagt gaatteeeta ateagtaagt 24240 ggttggtctc cccgacaccc tggcttgttc cttctctgct ttctctctc attcctcttc 24300 tctcttcctg catgctctgt ttctgcagct aacaaagcca ggggaggctc cagtgcaagg 24360 gtaaggaagg agtccccagc agactcattg gctccacctc ctcctctcca ctgtctggcc 24420 tcaggtctta tgtggctatt gctgcatcct cctgggtaga tgacttcatc gactggctga 24480 . ccccatcctc ctcctgctgc cgcatttata cccgtggccc ccataaagat gagttctgtc 24540 cctcaacgga tagtaagttt ggggctacag gaggctcact gcccattaca gcttagggaa 24600 actgaggcag gagaaaagaa aggctctcag tctcccatca aacccatagg gtccaggtgg 24660 tttaggggtt aggcactcac actatcagtg tcccctggag tattacacct ttgtttgcag 24720 aacatgttgg ttgtgggcag tgggctatgg agttggaagt ggagctatgg ccctgcatat 24780 ggagctgctg tgtttaacaa gtgtgggaga tcccatttct tgaccccaca actgggggtg 24840 gcaggtgtaa acctcttaga actggggact ttagatttgg gcacagaatg ggagtcagga 24900 caggagctgc cttgcctggt gtgtcactgc ccagagtcct ccctctctgc agcttccttc 24960 25020 tttcataagt acctgccctg gttcctgaat gatacgccca acatcagatg tcctaaaggg 25080 taggttccga gggtggctct tgctggagac tggggagact agtgggttct agaaatggta 25140 gacacagagg aggcaagagt gcctagccaa gccctttctg gggcacagtg agtggactga 25200 caggacaagg tctcgttccc tctaagcctc tactctgtcc tccactttgc aggggcctag 25260 cagcgtatag aacctctgtg aatttgagct cagatggcca gattataggt aagtgtgata 25320 tggtttgggg aggagatete aagteagtea getgttttag agteetetaa gageaeceat 25380 gcatgtggct gacgtgtgtg tgtgtgtgt tgtgtgtgtg tgtgtgtgt tgtgtgtgta 25440 agttagcagg gtgtgagggt aggtgtataa ctgtcctggg cctgtaagca ccggttctcc 25500 ttctcaactc cacgagctaa tacttcaccc attctttcac cccaagtcca ttgccactgt 25560 gaaatgtgtg gcagcctttg taacagctga cgtcattatt gagagccacc cacttcaaca 25620 catattcact ctcgtgtgta tcatatgtcc atgtcagcag caacttctgg ctaaatgaag 25680 taggatgcct ttgtgtagtg gaatctcaag aggcatcaac agtaactagg gagtgactct 25740 gacaggtggg gaggagctta atccagcagg cagcagaacc aaccaatcat ctgcatggag 25800 Page 14

ggagccagct gttgttagat ctgtgcacac cactatgagt gcaggagctg gcaagacggg	25860
tctgggtgct ttggatgaat tcagtttttt acctaaataa ctccaagttg gaatcactag	25920
ctgtaaactg atggcagcac atctagtcca ccctctaagc taactcttct atgaagttcc	25980
tatcttccaa gaagtcacac caccttaccc taggcaacag aggcatgtgg tcaaaaggga	26040
tcggggtatg gcagacagag gaatggattg tttcttggag ggcaggtctg catctgtcat	26100
ggccctaagt atcccacagc agcgcttttc tttctttttt aatttttaat ttttttggtt	26160
tttcgagaca gggtttctct gtgtagccct ggctgtcctg gaactcactc tgtagaccag	26220
gctggcctcg aactcagaaa tccatcagcc tctgcctccc aagtgctggg attaaaggca	26280
tgcgccacca ctgcccggca gcagcacttt tcaaaatgag agttcccctc tctcctctaa	26340
cagtatcagc attatcagga gatggctagc catgcccacc ccttgcctag ccatgcccac	26400
cccttgcctg agccatgcca gaccatatct cggcacgagg atgaccatcc ttctgggtgt	26460
gagcaactag taccttaaga ttacgcattg gcgactattt ctcatctgtc tttgttttcc	26520
ctgtgtgtgc ctagccctcc tttctttagc ggatgcaaca ctgctgaaca caattcacag	26580
ttgtttattg tacttacagg caggatccca aagtcacagc tttaataatt cagtcatttt	26640
tgtttgcctg tcttcctttc tagtctgttc ccacaggaat aggcaaactg aaaattaatt	26700
tttttgagac agaġtctcat gtagcccaca ctagtctaga actttctatg tagtgctgaa	26760
ctcctgaatc tccagcctcc ccaagtactg ggaccacaaa tatgaaacaa cacactccaa	26820
caagaaagta ggctcaattt ttgattaaaa tccagtgcat attctgaaag cacacataga	26880
aggatttggt ttcaccaggg agatatttta gtactttagt ttagtttttt tttttcttt	26940
tttctttttt tgagtttctc tgtgtagccc tggctgtcct ggaactcact ctgcctcgaa	27000
ttcagaaatc cgcctgcctc tgcctcccaa gtgctggcat taaaggcgtg cgtcaccact	27060
gcccggagag attttagttt ttgctttgct tttgaaacag tatcttactc tctagcccaa	27120
gctggccttg aatttgaagt aatttcccta cctgtctgct ggctgctgga atttcaggtg	27180
gtacataagg catgatcatt caagcttcat ctatcaaagt caggccttgg tctcagtggc	27240
agaagtagag tttgaggatg ttgatgcaaa atgtaaatgc aatccttgag gctggagaga	27300
tggctcagag gttccagagg acccagctct gactcctgca ctggtgcagc agatcatgac	27360
tgcctttaag tccagttaca ggcgatccca tgccctcttc tggcctctat gggcaccagg	27420
aatgcatgtg gtacacagac atacatgcag gcaaaacact catacatgtt aaaaataaat	27480
aaggaaatgc aggtctcttg tagagaatcg atcaggaatt tcaagtgctg ctggtggcac	27540
cctgaaccca atgagatcac atctgtgtta atttctccgg gatacgccaa tgggcactga	27600
tctttgactt tcagcctccc agttcatggc ctaccacaag cccttacgga actcacagga	27660

ctttacagaa gctctccggg catcccggtt gctagcagcc aacatcacag ctgaactacg 27720 gaaggtgcct gggacagatc ccaactttga ggtcttccct tacacgtgag aactagaggg ctgagtcagg ggtgtgggag gaaacagcca cacaagagat gttggggggga ctgtaggctt 27840 tgagtgatcc tgtgggatga ggaccaactt tgtctcagct gtctcctggg gtaqcttqcq 27900 gcctgtccat ttcttacaca ggtcagcacc caactcaaat ctgggtccct tgttttcctt 27960 gggagatggg atgctcatat cacctgaagg gaggattgat gctttgacca caccctgatc 28020 tttggcagga tctccaatgt gttctaccag caatacctga cggttctccc tgagggaatc 28080 ttcactcttg ctctctgctt cgtgcccacc tttgtggtct gctacctcct actgggcctg 28140 gacatacgct caggcatcct caacctgctc tccatcatta tgatcctcgt ggacaccatc 28200 ggcctcatgg ctgtgtgggg tatcagctac aatgctgtgt ccctcatcaa ccttgtcacg 28260 gtaacccaca gagcgggcct tggaagttga cgatctacac tcataagcta ccctcattct 28320 atgtagaatc tagacatccg gctggcttgc tttcttgtac ccacacccca ccttctccct 28380 tgtttcctga agttcatttc tcttgcctgt aggcagtggg catgtctgtg gagttcgtgt 28440 CCCacattac ccggtccttt gctgtaagca ccaagcctac ccggctggag agagccaaag 28500 atgctactat cttcatgggc agtgcggtga gtgggggggg atggcctcac cctgcgatcc 28560 acctgagect ttatgteete etgtgetgae teetggetgt gaeteetgee aggtgtttge 28620 tggagtggcc atgaccaact tcccgggcat cctcatcctg ggctttgctc aggcccagct 28680 tatccagatt ttcttcttcc gcctcaacct cctgatcacc ttgctgggtc tgctacacgg 28740 cctggtcttc ctgcccgttg tcctcagcta tctgggtgag tacctgtgca cacccggcca 28800 agatgtcaca actgtgagca ttgatcaaaa tggtgcctgc tcccctggaa aacttagaga 28860 tttcaggctg agggttttac catacatcct actttgggag cttttgtttt acatttaata 28920 tgcagcaagc atctttctct gtgagttgat tgtgtcttaa acactgtgtg ggctgctgaa 28980 cttttctgat agacgtttat gcacatacaa acacacaca aaatggacac acatgcacat 29040 adacacat actcacatag acacacactc agacacacat gtacacattc acacagacac 29100 acatagacac acatatatac agagacacac agacacaagc atacactcat acacacagac 29160 acacatatag acactcacag acacactcac acaagcacag atacaaatac acacacacac 29220 tcacaatttg aatgcacaga cacacagata cagatacata cactcatact cacatataaa 29280 Cactcacaca cagacacaca aaaacatgta caggggctgg agagatggct cagtggttaa 29340 aagcagtagc tgcttgctct tccagaggtc ctgagttcaa ttcccagcaa tcaaatggtg 29400 gctcacaact atctataatg gtaaccaatg ccctcttcag gtgtgtctaa agacagctac 29460 agtgtactta tataaatgaa ataaataaat ctttaaacac acacatacaa agacacatac 29520 tcatatacac aaacacacac acacacatac agacacacgt tcacagaagc acagacacac Page 16

actcacagat acacacagac atgtacataa aagacacaca catacacaga cacacacaca 29640 cacacacaca cacacacaca cacacttctc tgtagatgga acccagaata ttgcacatgc 29700 taggcaagta ctgtaccact gagtcacacc ttagcacaga atacatattt tacaatgaga 29760 attgatgagt gaggtccatg agattgtctg agtagattct gagcctcttg ctcatatagt 29820 29880 aagagaaggt gtattttggc caatcacagt atatatgttt ggaatctcag ggtcctcatg 29940 gcatcaactg tagtcactga ggctctgttt tggaccaatt acagctttcc tcttggcatc aatttcatcc tggattgtgc tttaggccaa tcacagtctt gcctcttagc ctcacaacag 30000 tctccagcta catcaccagg gqtggtggtg gtggtattca acctacagct gatgaaggcc 30060 taagggccgt ctggctgata gttcttcagg gcagacagaa cagcaaggcc gagtcccaca 30120 30180 ggtggtgttt aggaaagcag attgccccat cctgcagcat cttagcttgc ttacagggac atgggcatca ggagcgctta caatataatc taaagagatt attaggacga ataatgatct 30240 30300 taatatattg ttaatggtgc tgcacatgct taactcacca agtaccccag gaagaagtgt 30360 ttcccttatc tgcatcactt cctccactct ctatttaagc agcctacaac ttctggtcat 30420 tagactattt ctgatgctat actactgttg ctagcactac agtaactgac cttgttgctg aatctttgac cttgtcatcc agtattttct tagagtaaac ctggagatgt tgattattga 30480 tgtcggttgt taatactccc cacaaagttc aatggtgatg ataatggtgg tggtggtggt 30540 ggcattagag tcacctacag gaactcactg actatctttg tggagaagaa tgtgtatgtt 30600 ggggacagtg agggaacagc cctgggagat gttgccagcc cagagcctca gagacacagg 30660 ctggaagttt ctagacctat atggggtgga gagtactgag gactgcaagc ctcccatccc 30720 Cagtgatgaa gctgtagtca agaataccct gaagctaggg ctatgcaagc agagtcccga 30780 agggcatgtg gtgagtatag agccctactc cctggttgcc ttgtgccttg ggtttgtagt 30840 tacaatataa ggtatgcttt ttagaggaga gttgaccatg gtgtcagtac cagattgtcc 30900 Caggaacaaa gggagagaga gggtgtcagg gatcctgttg agagagcatg ccagctgagg 30960 31020 caggctggtg agggtggtgg aaataccagc tgaaacagct gttggtaatg tgaggcaagc gcaagcaggt agagccgggc tctatctaga tttgcatacc gctgtgatac ctgcgtcatc 31080 tgtatgcctc tcagaccata gatgtatgtt ctttctcttc cacagggcca gatgttaacc 31140 31200 aagctctggt actggaggag aaactagcca ctgaggcagc catggtctca gagccttctt gcccacagta ccccttcccg gctgatgcaa acaccagtga ctatgttaac tacggcttta 31260 atccagaatt tatccctgaa attaatgctg ctagcagctc tctgcccaaa agtgaccaaa 31320 agttctaatg gagtaggagc ttgtccaggc tccatggttc ttgctgataa ggggccacga 31380 gggtcttccc tctggttgtt tccaaggcct ggggaaagtt gttccagaaa aaaattgctg 31440

gcattcttgt	t cctgaggca	g ccagcactgg	ccactttgtt	gtcataggtc	cccgaggcca	31500
tgatcagati	t acctcctctg	g taaagagaat	atcttgagta	ttgtatggga	tgtatcacat	31560
gtcaattaaa	a aaggccatg	g cctatggctt	aggcaggaaa	tagggtgtgg	aacatccagg	31620
agaagaaagg	attctggga1	aaaggacact	tgggaacgtg	tggcagtggt	acctgagcac	31680
aggtaattag	ccatgtggcg	, aaatgtagat	taatataaat	gcatatctaa	gttatgattc	31740
tagtctagct	atatggccaa	ggtatttata	aatatatttc	gagtctgagt	cttatttctg	31800
ggagcatggg	gctgggtggg	aagaacaggg	cccaacaatc	ctccttcttg	cccagggtct	31860
tgtagttgco	gggaacatgt	ttgtatctct	cacccagcat	ttcctcccct	tatcaaaact	31920
atttccaggg	ctggagcact	tgttcttaga	gagaacatgg	gttcagttct	cagtggttca	31980
caatcatcta	caattccaat	gtcaggaaat	ttgacacctt	ctgatgttca	cagacaccag	32040
gcatgtggtg	cacatatgta	caggcaagac	actgatacac	acaaaacaaa	caaatacatc	32100
taaaaatgat	ttaaagaaaa	catctttagg	gccagtgaga	tggctcagtg	gttaaaaggt	3216 <u>0</u>
gattggcatc	aatcttgagt	ttgaccccct	ggaactcata	tgatgggagg	agggaaccaa	32220
ctcttggaag	ggctcctctt	acctctacat	ccatgcattg	gcacccctag	ccccagaag	32280
gtaacaacat	attaataaag	tctccgttct	aggatggggc	tgtagctcag	tgctggagca	32340
gcagcatggc	agcctcatgt	acatgcagtg	tctgtcacct	gccatcctca	gtactgaaaa	32400
ggacagagag	caagagcccc	gaccttgtcc	ctagatgtta	ccacttccag	tgacaataac	32460
tgcctttgtt	taccactgtc	cctgagtaca	tttaaaaaaa	aaccctccat	tccatatcag	32520
catgactgtt	aaatgactgt	taatatttac	ctatagccct	aggacagagt	gtgacccacc	32580
ctgggctgta	atgttttaga	agagcaggga	aggcaaaggg	gacctaatgt	cttcctggct	32640
tgaggaggtc	acagtacgct	gggagtggtt	gacctcatct	ggaaaatggc	attcagtttg	32700
gcctccagtt	tcctcagcta	cagagcatgt	tgcaggcgct	gtgtgtctgt	ctgaaggcag	32760
acagctctgg	gctgggcagg	ttttctggca	tgggtcttat	ggctggagca	caacctgaat	32820
ctggtgcctt	ggttgcaaca	gagacagaga	agaagatacc	ttgtttgtga	agcacagact	32880
ttgttgaata	gtgtcgtaga	gagtgtttta	ctgctgtgag	cagacaccat	agccaagaca	32940
actcctagtg	tcttagagag	ggttttactg	ctgtgagcag	acaccatagc	caaggcaact	33000
cctagtgtct	tagagagggt	tttactgctg	tgagcagaca	ccatagccaa	ggcaactcct	33060
agtgtcttag	agagggtttt	actgctgtga	gcagacacca	tagccaaggc	aactcctagt	33120
gtcatagaga	gggttttact	gctgtgagta	gacaccatga	ccaaggcaac	tcctagtgtt	33180
gtagagagag	ttttactgct	gtgagcagac	accatgacca	aggcaactcc	tagtgtctta	33240
gagagggttt	tactgctgtg	agcagacacc	atgaccaagg	caactcctag	tgtcttagag	33300
agggttttac	tgctgtgagc	agacaccatg	accaaggcaa Page	ctcctagtgt	cttagagagg	33360
			ruge .	~~		

gttttactgc tgtgagcaga caccatgacc aaggcaactc ctttaaggac aacatctaat 33420 tgggtttggc ttacaggttc agaagttcag tccattatca tcaaggtggg aacatggcaa 33480 aatccaggca ggcatggtgc aggaggagct gagggttcta catcttcatc tgaaggttgc 33540 tagaagactg gcttccaggc agctagaatg agggtcttag gctcacatct acagtgacac 33600 acctactcca gcaaggccac gccctctacc cccccaccct ctcccgggca ggatacattc 33660 ttggagctgg aagtttactg aatgggtccc ttgatcttga atgcactccc tgggccaagc 33720 atatgcaaag aaaaatgatg cttttatcac gtgtcctgct ctggctgcct ctgggttaag 33780 gataactttt gtacaggata caatcacaat gacatgcaca tcagggacat ttatggaaat 33840 attgtttttg ttctattcct ttccattttc aagaggatag tcttgtgaca tgttcaactg 33900 cctatgagag cctgtgatgg gcaggggtac tgtcctccac tgtgaggcac agggttagaa 33960 catggggcct gtgaggcggg cacatttgga gaatctactg gagaatgcca gagtgcattc 34020 aagatcaagg gacccattca gtaaacgtcc agctccaaga atgtattctg cccggtgtgt 34080 34140 gagagagaga gagagtgatg ggggacattc cagatcccct ttgagcctct tcactctctc 34200 tgtccagctc ctgtttggct gaagagcagc tgtggttcct cctgtggaag gaggaaagga 34260 gctagcatct ctggaaactg ctgcctactt tctagtctgc cagcccctg tgtattatta 34320 ctagctggtc tttacaaggg tccctggaag gtcaggaagt atgtgaaatc tggttaaaga 34380 agctctgcct cagaacagag ggtgaatctc agctattcca tgttaaatga caccttgtca 34440 ttagctgtcc tgtgcatgtt actggggagg aaagtgtttc tcagtcctag ccagctgtaa 34500 acctggcaag atatgtacac aggcgtaagg gagacatgaa tgttatgggg ccaaccaacc 34560 attitictaat tittgtaaac aagtititta attigittat tiagtitigta aatgigtatg 34620 cacactcaac ttgcatttat gtttttgcac tgtgtgtatc cctggtgccc gtgaatgcca 34680 gacaaaaagt gtcaggtctc ttggaactgg agtacaggct gttgtgaacc accatgtgaa 34740 atgtaagtac actgtagctg tcttcagaca caccagaaga gggcgtcaga tctcgttaca 34860 gatggttgtg agccaccatg tggttgctgg gatttgaact ctggaccttc ggaagagcag 34920 tegggtgete ttacceactg agceatetea ceageceaac ageaatgtte ttgactgetg 34980 aaccttttct ccagcctccc acaaaccact ttctggttgg acttgaagcc agctccacaa 35040 ggtagaaccc atgcctggta ccattaacgg ggctaaaaac tgtggctaac tacattatag 35100 gccatgggga gaacctagtc ttattatgtt aaatggacat agtaaaagac ttcccttcaa 35160 gatctcatct tcatactcag agatcagttc attcctcaac ttttatcaga gaaccgtctt

tttgagtagg	tggtgattga	tacagcaact	ggtcaccatg	r cagagactaa	gactgtggac	35280
agctcagctc	taaataggat	gtctatgtca	tgtgtcctcc	ccacaaggct	cagagaggga	35340
agagagggca	gaaagtctgt	aagagacaga	gggagtgaad	: caatgcagtg	agactgtgtt	35400
tgccagacac	gataggacca	ttgcatatgt	gaactcacag	gggctgggaa	ggcatgtaca	35460
agacctgctt	gcctaagatc	aagccaacca	caaccatago	: aagataagtg	agggcccaag	35520
aagtcccacc	ccatctgagg	cactactgac	agctgagggc	tacataatct	cacccttctc	35580
cagggatgca	ggctgtggtg	gtttgactag	gatcagctcc	cacagactca	tgtgtttgaa	35640
tgctttgctc	ataaggagtg	gcactattag	gaggtgtggc	cttgtcggag	taggtgtggt	35700
tttgaggtct	ttgcttaagc	catacctagt	gtggctcaca	gtcacttcag	ctgcctcttg	35760
atcaagatgg	agaactctca	gctccttctc	cagaaccatg	cctgcatgca	tgctgccatg	35820
cttcccacca	tgacaataat	agactaaacc	tctgaaatga	caagtttggc	tccaattaaa	35880
tgttttcctt	ataagagttg	ctgtggttat	gatgtttcct	taaagcaata	gaaacccaca	35940
ttaagagacg	gtccctgaga	ggctacccat	gttccagtaa	acaggtccac	actgaatgga	36000
tgaatggaca	gcaatgaatg	gactcagtgg	gcatcaaatt	gaaaagaaag	ggggtggggt	36060
agaaaacatt	tgtacatgaa	gttgggaggg	aaaaattgtg	tggagctagg	gaggatctgg	36120
aagggagagg	atagggggta	gattgaatcc	aaacacacta	tataatattt	acgaatcata	36180
aaactaaaca	acctcaagaa	gaacctaggg	gagcctgtat	aatctgggag	ggacagtttc	36240
cccaagcata	gatccagaag	ccgtaaacta	aaagcaaggg	ggccctgggg	aagtggggaa	36300
gggaaaagac	ccacaccccg	ccagagttcc	acctactctc	tggtcagtca	ggtgtgggag	36360
gggtgggcat	tcctctatcc	cactctttag	ggagtggcca	ggggcagccc	tacctgggga	36420
ccctggagct	actttgctaa	agccaccagg	gttataggag	agagggatga	gggaagagat	36480
tcccaacacc	tgtgagagta	catgcagcct	tgatggagca	gagactctct	atggtttaag	36540
agctttatta	tagaaaggca	gggagagagg	ggggggctag	aaagagtaag	agggagagag	36600
gagagaagtc	aaagagagag	gagagaggag	aagacaaaga	gagggtgaga	gagagggtga	36660
gagtgagggg	taagaagaag	acaagtaaga	ggagtaagag	agcgaggtgg	ggctgaacag	36720
ccctttttat	ggtcttcact	gttgctaggt	aactggggag	gagtttagtc	tgaaggtcag	36780
aagcttgggc	cattgcctaa	gtgactactg	accatgcttc	tcttgttggg	gctgtggggg	36840
acagtagctt	aggcaggagc	cagagttcca	ggagcataag	ggaacgccta	ccgtgtcatg	36900
aaggtgaatt	atgactttgg	ggttcagaac	tcagcttaac	tggagaccag	cctatctttg	36960
tatagcccaa	tgccccacgc	atattcaaat	aggaaccctc	tgtaatacaa	accaaaataa	37020
acaaaccaaa	atccaaaagt	aagctggaaa	atgcatagtg	gtctgaaaaa	acgtttgccc	37080
tacgttcaac	atacgaggac	taaaatcaag	aatacacaaa Page	gagacaaatt 20	agtgcagtga	37140

gtatgtggat	aactgtccca	tgggaaacaa	a catctctggd	taaaggaggo	tggggaggtt	37200
					tcctcagcat	37260
					gaggcagagg	37320
					gttgaaagac	37380
	•				ctgggcagtg	37440
					tctgagtttg	37500
					agaaacgctg	37560
					caaccaacca	37620
accaaccagt	ggagaataat	tgagagaga	acctgatgtg	acttctggcc	tccatctgta	37680
tgtgggaatg	cacagtatca	caaatgtatt	tatttaacac	acacacacat	acacacacac	37740
acacagcagt	taataaaaaa	gataagctcc	ccttttactg	ttgcttgata	gctcattcct	37800
tcttgttgct	aaatagtatt	tcctttcatg	aaccattctc	ttggcaaact	cttggctgct	37860
tctaatttt	gcagttatga	ggaaggcaat	gaaggtttct	ttgtaggttt	ttgtatgatc	37920
acagttttca	aatgctgggc	aaatatatgg	tagcatgttt	gctatgctgt	aaagttacct	37980
ttagcttctc	agtttttta	ggtccttcct	tctttctttt	cctttctctt	tccttccttc	38040
cttccttcct	tccttccttc	cttccttcct	ttcttccttc	ctggtggtaa	gtgggactca	38100
ctttgtagct	caggcttgtc	ttgatactct	tcctgtctca	gccttccaag	tgctggaact	38160
ttaaccataa	gccaccccac	cagactacta	actattattt	attggtttgt	ttaattattg	38220
ctttttttct	tttcttttag	acaaataact	cactgtattt	agcctcagtg	ggcctgccac	38280
ttgctgtata	gacctggctg	gccttgaact	cacagaaatc	agcctgtctc	tgcctcctaa	38340
atactagagt	taaacctgtg	tgccaccatt	cccagcttcc	actaatttta	tttacttttt	38400
tttttttt	ttttccgaga	cagggtttct	ctgtgtagcc	ctggctgtcc	tggaactcac	38460
			agtgctggga			38520
			gtaattaatg			38580
			ttccttgatg			38640
			ggtttgtttt			38700
ttcagtctgg	ccttaaagtc	tctgtgtagc	tactgttggc	attcacgttc	taatccttct	38760
			tgtgtaccac			38820
			attattcaaa			38880
			ggactagaac			38940
caatgatcaa	tgggcgtggt	tgcctatact	tccagcctca	gcagagaaag	ccggctggca	39000

tgaccagcta	aagcagcgaa	ctttgtattt	gactgagaga	cccttcctca	atgaatggta	39060
gaagagtggg	caaaggtgat	tcctgacgtt	agcaagtgct	cttcaccaga	aagccttttc	39120
tttagcattc	acattatttc	tttttaaaag	tctgttgaca	gcaagcagca	ctgattcagt	39180
gaattacata	aaaaaagtaa	atgaggtcga	aggggctcat	gttgggggtt	tggaatgtag	39240
gaattgtggt	tcatatggtc	aagatacatc	gtatatatgc	attaaattgt	gaaaaaatat	39300
tcattttata	tttttggttg	tgagcctagc	ctttaatggc	tgagccatct	ctccagccca	39360
aagatattct	ttttttttt	tgttttttt	tgttttttg	agacagaaga	tattctttt	39420
taaaatatgt	tgcctgttga	ggcctgctcc	ttttaatata	gcagtagcca	ttttgtattc	39480
tgtctccatt	ttgctcctaa	ggtgaaatga	agttcaggtt	ctcagactct	gcttcccaga	39540
agtgagcatc	cagagctgac	actaagtatg	ttactaataa	gccaaaaagt	tacggccgaa	39600
tcacttgtcc	ctgttatctc	aatgttctga	aattccctgc	tcagtacctg	tccaccaccc	39660
ttcttacctc	agtcaggacc	actcagctta	caggttggct	aataatactt	tatctagtta	39720
gacaaaactg	ctgtaccact	tcactgcttg	cctttgaacc	tttttttaag	atatatttat	39780
tatttatatg	taagtacact	gtagctgtct	tcagacgcac	cagaaaaggg	tgtcaaatct	39840
tattacggat	ggttgtaagc	caccatgtgg	ttgctgggat	ttgaactcag	gaccttccga	39900
agagcagtca	gtgctcttaa	ccgctgagcc	atctctccag	ccccatcttt	gaacttttga	39960
acctggtttt	tcctataaaa	agcctgccct	gaggaccggc	tggtgccaca	gttaggtttt	40020
tccttcttgt	ggacctagat	gtccagtatt	atgctgtgtg	ttcaataaac	tattcctgtt	40080
taactgaaat	tggtgtacgt	atggtttgtg	gcaagtctca	gaccccgaca	ctgacatgtg	40140
atgtgtatgg	ttatttgcaa	attaataaat	ttaagcatta	actttcagta	tagtaaataa	40200
tgatgaataa	aacataaaaa	ctgtttggat	tgtcaacaaa	attttctcat	cgtctgtgta	40260
tgggtgtttt	gcctctaggc	atgtatgtạc	ttcatatgtg	catgcagtgt	cctctaacgt	40320
cagaagaggg	tagcagattc	cctgggttta	tagatgattg	tgagccacca	tgtgggtgct	40380
gggaatcaaa	tctgggtcct	ctggaatatc	agctagtgtt	ctttgttttt	gtttttctga	40440
gacaggattt	ctccatgtag	ccctggctgt	cctgaactct	cttggtagac	caggctggcc	40500
ttgaattcat	agagatctgc	ctacctcact	ggcattaaag	gtgtgtgcca	ccaccaactg	40560
tctgagccat	cgcggttgct	ccatgggttc	ttgaaacaaa	atttaagatc	ataattttt	40620
gtttggttgg	tttttttga	cacagggttt	ctctgtgtag	ctctggccgt	cctggaactt	40680
actctgtaga	ttaggctggc	ctcgaactca	gaaatccgcc	tgcctctgcc	ttccaagagc	40740
acgatcataa	attctaagtt	gaaaaaattt	acatcaattt	atctgtatgg	ctttacttaa	40800
aatttgctaa	ggcccaacac	tattaagtta	tttgttaagc	ctggaatgtc	tcttactgga	40860
aaagcatttt	cctaacatgt	tcaagaccct	gagtttgtct Page 2		caagaaaaca	40920

aaagtaaaa	t cagtatttt	g ctctgtgtg	g tggcatata	t ctttacttc	t gcacttggca	40980
					a gcgagttcca	
					t gtagatgtta	
					t tgttttttt	41160
					t ggatgaataa	41220
					g gttactacac	41280
					c agtttataca	41340
					t gaaaaaaaaa	41400
					t agacaggagg	41460
					gctgtagaat	41520
					gtcaagaggc	41580
					tgggttacat	41640
					gagaagttta	41700
					gtactgaggg	41760
					ttgtcttcgg	41820
					accctcttct	41880
					gattacaggt	41940
					atgtctatat	42000
_					cacacacaca	42060
					ttcttgtcct	42120
					ctgttaatag	42180
					acaaaatgtg	42240
					gaagaaaggc	42300
			cgtcaagtgg			42360
			ccgcatcgtg			42420
			ctttaggcaa			42480
•			ccgccggtag			42540
			ttaggcgcgc			42600
			cgtccctcgg			42660
			ttgggcatcc			42720
			ctctaccgca			42780
			Page 2		- -	

					cctggtgctg	42840
caggtgaggt	ggagagaggo	ggcgggccgt	tggggtccag	caggtcctta	ccccagttcc	42900
acctcccago	gccagaggtg	ccccggctcg	g cgtcctacgt	ctgggaactg	cg ccactccg	42960
tagcccacco	ttcagggttt	gtgattctct	ctggggtgc	accaggtgat	ttgagtaaat	43020
ggccaggcgt	tatctgacco	acggatccgt	tggcaggaat	gcgcttctt	gggtacaggc	43080
tgggtttgtg	cgggagatgc	ttaggtgttg	gacctgtcag	cctgggtttg	agggcctccc	43140
agcgccctgt	gggcatcccc	agaacggtgc	: aaggggcttg	ttaggcaggg	ttcaaaccgt	43200
gcaggctgta	ggaggaggac	tttcacagcg	ggagaaacta	gtagatttca	gaattcccgg	43260
gctcggaggt	ggcaggaatg	actggtatgt	attgattggt	gggtgtggc	tcttgccagt	43320
gacttactaa	gttggtggac	aattgtaatg	tttacgaaat	ttacatttgg	attaaaattt	43380
atatgtccta	ggttatattt	attgtttttg	aagcgttact	aatgactgac	tcaagttgtt	43440
tggacacctt	tttaaaaact	gttttctttc	gagacaagat	cttgctgtgt	agccctggtt	43500
gacttggaac	ttgccaggta	gatcaggatg	gcttcgaact	tatggtcctc	cttcccgacg	43560
ctcccgcgct	gggattgttg	acattgttga	gttagtaata	agcaaacatt	taatgaatat	43620
atttaacact	ctcagctgcg	gtatagactc	tgatggtatg	gatatttaaa	taatggtctg	43680
tctacttttg	acactgtaca	gagagtaaag	cacagacact	aatagagagc	tctgctagtt	43740
ctctgtgtgg	tagagctctt	tggaaggaag	tgatagaagt	ggtagttagg	aaattgagac	43800
agttttgtag	gagacgttga	agtaggtttt	gaggggcgtg	tagagtctga	ttcacaaacc	43860
tataaagtgc	ttcatgtcac	ctttgctgtt	tgttgacccc	tgcatcagcc	ccagacaggg	43920
ctttcctgtg	tagctctgaa	gtcctggaac	tcactctggc	atcaacctca	gatatctgcc	43980
taggattaaa	gactcgaatt	gccaccacct	ggcttacctt	ccatcttaat	ctgttctgtg	44040
ggcttgtcag	gggttacttt	cttcagttcc	tctcagtgga	agaagccaaa	gcttagaatg	44100
ttctagtaac	tcttaacata	atgaccatga	ggtgatcagt	gggaaggttt	gctactgagt	44160
ttcagtttca	gaatggaaac	cgatgagtcc	ctggggtagc	tcatccttat	cagtggccca	44220
agtgctgctg	gttgagtaat	tggagagggt	gagaggtggc	accttgtgtt	tctttataat	44280
gaagtcttgc	cacctgatcg	ccatgctctc	tgaatctgac	gtagtagttc	aacaaggtta	44340
gatgacaaca	agaacttcac	tctgtttcct	gcaactcagg	acttcagttt	tctaattcca	44400
aatctttttg	ccctttttgt	catttagcca	ctccatagta	tggtgagaac	ttttgttttg	44460
gttatgaaag	gaggaaagag	tatcccagtg	gctggctggc	atttgaattt	cttctgtata	44520
acatcttatt	ttagctttaa	cacaatttga	gaggttggtt	cttgtttgtc	tgatgaactg	44580
ataaaggcaa	gatagatgca	cttatcgtac	aactttataa	aacagctacc	tctgaaaggt	44640
taagatagct	ctataggtta	cagtgtggtg	cccatgctat Page	gggaggtagg 24	gagccgagga	44700

agggacaggg	g tcaaccaaa	t atttcaagg	t tccaaatct	g ggtaactgga	a agagtgaggt	44760
cattaactg	t attgtcacti	ggatttgggg	g ggtgggaaa	g ttttagataa	a gttgaatttg	44820
agatcgcaga	a caggttctgg	; cttcagagc	t gttggaatg	g taggactgga	a tcttgcagga	44880
gatggaagga	a ctgtgaagto	: tgaagaagag	cccagtgtag	g aggacagctg	gggaacggtc	44940
accgtaaggg	g gcattgggtt	ctaccgcago	caaggttaca	a gtcccaagta	a caggtttaag	45000
agttgtttgt	tcttaccctt	tctccaacco	caggtggtt	tcaaccatca	gccttgaccg	45060
agagcccttt	tatcttctca	gtttctttct	tttgtggggt	gggaggttga	agacaaggtt	45120
tctctgtgta	gctttggcta	tcctgaaact	tgctttgtag	tccaagctgg	ccttgaactc	45180
acagagatco	gcttgcctct	gccttctgag	cgccggcatt	: aaataaaggo	atgtgccacc	45240
actgcctggc	: tcagtttcta	ttttcaaaca	agtatttatt	gagtctccac	tataatatac	45300
actgatttgg	gccatgagaa	acagaggctt	ataagttgtt	gtggggttt	ggatttttt	45360
tttattctga	gaaaaggtct	caccatgtag	ccttgactgg	cttggaacct	actatgtaga	45420
tcaggctggt	ctcgtattca	aagacatctg	cctgcctctg	cttcttgagt	gctgggacta	45480
aaggcgtgcg	ccaccacatc	cagccaacca	agagacttt	tactatgtat	acacttgaat	45540
actattttca	tcaggtagat	catagtaagt	ccccgagga	tctgcttttt	ttttttttt	45600
tttaatttac	tgaaagcctt	tgcaagaggc	ttgtaagcta	catttagtat	tggtaagggt	45660
tttggtatct	tttctactca	tttactgctt	tttctgttct	tgattcagtg	atcctaagac	45720
tccttcctgt	gacttcctct	ctcaaagtgt	ggttgctgcc	cagggtctgt	gaacaggccg	45780
gagtggtttg	ggtggtttct	gtggcgcttg	ggagctccct	accgatgtct	tggggagtag	45840
ctgctgctgt	gtgtgcttct	ttatgtcaac	tgaatccaaa	ccgagaccaa	ggcgtctaga	45900
aagacataat	ctggggctgg	tgagatggct	cagtgggtaa	gagcacccga	ctgctcttcc	45960
gaaggtccga	agttcaaatc	cctgcaacca	catggtggct	cacaaccatc	cacaacaaga	46020
tctgactccc	tcttctggag	ggtctgaaga	cagctacagt	gtacttacat	gtaataaata	46080
		aaaaaaagac				46140
gatgattgat	gtgggagggc	ccactgtggg	cagtgccatc	cctgggcagg	tggtatgggg	46200
tgtataagaa	agcaggctgc	gtgagttagt	aggtgtcatt	cctccgtagt	ctctgcttta	46260
gttcttgctt	caagttcctg	ccttggcttc	acctgatgat	ggactggatc	ctttaagcca	46320
tgtaaaccct	ttcctcccca	ggttgtttgt	gatcatggtg	tgttttacac	agccacagaa	46380
agcacacaag	tgcagtgctg	ctgacagagg	ctggctgtct	gtttcccttc	tcagggttta	46440
		aagattttgt				46500
ttttgttttg	tttttttttg	ttttttgttt	ttcgagacag	ggtttctctg	tacagccctg	46560

gctgtcctgg	aactcactct	gtagaccagg	, ctggcctcga	actcagaaat	ccacctgccc	46620
ctgcccctg	cccccccc	ccccccagt	gctgggatta	aaggcgtgca	ctgccacgcc	46680
cggctagtat	: tagaaaatgt	taagaacaaa	agtagtctag	tcagtcaatg	actaaacaga	46740
caatgactco	tggagtcagt	gtgaaaagca	tggctaagtg	gaagtcttcc	ttataggagt	46800
caggagccac	ctgtttctca	cttctcttgt	aacttattgg	aaaatcttag	aggagtcagt	46860
tcccctcttg	tcttctgaga	tggcatattg	aaggcaatgg	acttctattc	caacaaggac	46920
actgcctcta	gggtgagtct	gtgaacatag	gcagctggag	ctctggagtg	ttgtgagaac	46980
tgggtagtgt	agatgggcag	gtggaagggg	agtcgcagga	aggctgagtg	aggactgtca	47040
ggccttggtt	tggagcaccc	tgaggttaca	ggagagtctt	tactgcctga	cttcttgtag	47100
ttaagttgaa	gatttaaggt	gttagagata	gagtgctttt	gagtacaaag	gactcagaca	47160
ctggtagcat	ggatgctaga	gagagtcaaa	ccttcaagct	accagcagat	tagaagtggt	47220
ttttgactgt	gttttgttt	gttgttgttg	tcgtcgtcct	tgtcgtcgtc	atcatcttct	47280
tcttctaaag	atttatttat	ttattttatg	tgtatgagta	cactgtagct	gtacagatgg	47340
ttgtgagcca	tcatgtggtt	gctgaaaatt	gaactcagga	cctctgcttg	ctccagcccc	47400
acttgatcct	gccccgcttg	ctcctgtcct	aagatttatt	atatgtaagc	acactgtagc	47460
tgtcttcagc	cacaccagaa	gagggtgtca	gatctcatta	cggatggttg	tgaaccacca	47520
tgtggttgct	gggatttgaa	ctctgctctt	ccgaaggtct	tgagtgctct	gagccatctc	47580
tccagccctg	tcttttttt	ttttttttga	aacagggtct	gactgtacac	cctggctggg	47640
ctggaactca	ctatatatca	atcacaattt	atatcaggct	agcctctgcc	tcctgggtgc	47700
tgaattaaag	atgtgtgcta	ccatacctgg	cctttgtctc	cagttttaca	tcttttagga	47760
ttctgtctgt	ctgtctgtcc	atttattttg	gctagattga	cttttattgt	ttgttgtgtc	47820
ttgtgtaact	tctctgaatc	tgcattttct	tcatttgagg	atgttggtgg	tgctcttcac	47880
agggttttg	tgagttttga	aactgtagaa	gcacacagta	tagctagcac	tgtgttttgt	47940
cttccgagtt	gtgctcagac	atgttagtga	gtactcagtg	ccccagccat	gtcccagctt	48000
acttcctcaa	gccttattac	ctctgcctag	tgcaggggtc	ttgctctttc	ttggtgatac	48060
tgcttcttgg	agctctgctg	ggcacactcc	ttcattaagg	accacttgag	aacccgatcc	48120
ttcttcctct	gtagatttct	ttctctagaa	atgttctcac	cacagtctgc	cagggcatca	48180
gggttccatg	atgccccacc	tgtatagact	tctatcagag	tgagtctgta	cttgtgcagt	48240
gttgaagata	aaacccactc	tcctgtcatg	accagccaag	ctgacctaca	ccccaagccc	48300
tatagctgta	tggaccatcc	atgatagtct	cagcaccttt	ctggatgtta	agggtgtgtc	48360
ttcataccaa	aggaggactg	tcaggcccca	gtcttggaaa	agcctgtgtt	agaagtccca	48420
ggtaatagga	gtgagtttgt	attcttttgc	tttttagagt	ttttattcct	tgcacactgt	48480
			Page 2	LU		

aggcccaggg tgggtgttta tggagtcaag tactcactcc tacatcgtat cctcagctgt 4	8540
cagttgggga agtggtggca agaatctgat aagcctgagt gcatcttgta gattttcatc 4	8600
tttcactttt taaacctgaa ttgctggcac cttccggaat ccacagcctg agtgtgttct 4	8660
tcacattgcc agcaaggttg gcaaaagtaa tgacaactct ggtgtcggcc tttaatctca 4	3720
gcactgggaa gacagaggca ggcagatcgc tgaggccagc ctggtctaca gagcaaattc 48	3780
C2002C2+CC 2000C+2C2C 2000C00C h-100C0	3840
cttggtccca aaaagtaatg acaactaaag ctgtctagtt ttgcatcctc taggtttgta 48	3900
catacagtta gatttgactt attttgagtt tattcatttt ggaaacttct tgaggaagag 48	960
caattcctac cagcttttgg tgaagttgta gagtgtttcc attttgcttt ggtttactgt 49	020
tatttaattt tatacttaga agattttgtt atatttctgt ggtggtgtgg tctgataggg 49	080
tgcagatgaa tttatttatt tatttattta tttatttatt	140
agacagggtt tetetgtgta gecetggetg teetggaact caetetgtag accaggetgg 49	200
cctcgaactc agaaatccat ctgcctctgc ctcctgagtg ctgggattaa aggtgtgagc 49	260
caacactgcc cagctgcaga tgttgtattg atgtttgttt catttttagg tctttaaaac 49	320
atttgatcac atggcccgcc aggatgatga gaaaaggaag aaagaactag aagagaaaat 49	380
aagaaaaaag gaggaagagg ccaaggcctt gccagctgct gaaactgaga aggtagcggt 49	440
gccggtccca gtgcaggagg tagagatcga tgctgctgca gacttgagtg ggcctcagga 49	500
agtagagaag gaggagcccc caggctccca ggaccccgag cacacagtga cccatggcct 49	560
ggagaaggcg gaagctccag gaacagttag cagtgctgct gaaggcccta aggaccctcc 49	620
tgtgctcccc aggtaggagc atctcctgca gtgtcgtcct ctctgctgtg cttaagtttg 490	680
cctatgagtg gtttttgttt tgtgtggttt gtaaaaaaat atcagctctg ttttggtggg 49	740
cagtggttaa ctatagaaat tcatttctta atagttctgg aggctggaaa ccccagatta 498	300
aagtatgatc tgggttgttt gtttgaaggc ttctatcagt ggtttgcaga cagccatctt 498	160
cctgtgtctc gtcacattcc tttgttcttg cctgtgtctt attctcctat tctcaagcag 499	20
cactcaaaca ccttagtgag ccagattgcc ttccatcctg gtgcttcagg gacctccttt 499	80
Cggaactcag tgttgaattc 500	00
<210> 2 <211> 4002 <212> DNA <213> Mus musculus	
<pre><400> 2 atggcagctg cctggcaggg atggctgctc tgggccctgc tcctgaattc ggcccagggt </pre>	60

gagctctaca cacccactca caaagctggc ttctgcacct tttatgaaga gtgtggggaag Page 27

120

aacccagago	tttctggagg	cctcacatca	a ctatccaata	a tctcctgct	t gtctaatacc	180
ccagcccgc	atgtcacag) tgaccacct	g gctcttctc	agcgcgtct	g tccccgccta	240
tacaatggc	ccaatgacad	ctatgcctg	t tgctctacca	a agcagctgg	t gtcattagac	300
agtagcctgt	ctatcacca	ggccctccti	t acacgctgc	cggcatgct	c tgaaaatttt	360
gtgagcatac	: actgtcataa	tacctgcago	cctgaccaga	gcctcttcat	t caatgttact	420
cgcgtggttc	agcgggacco	tggacagcti	cctgctgtgg	tggcctatga	a ggccttttat	480
caacgcagtt	ttgcagagaa	ggcctatgag	tcctgtagc	gggtgcgca1	ccctgcagct	540
gcctcgctgg	ctgtgggcag	catgtgtgga	gtgtatggct	ctgccctctg	caatgctcag	600
cgctggctca	acttccaagg	agacacaggg	aatggcctgg	ctccgctgga	catcaccttc	660
cacctcttgg	agcctggcca	ggccctggca	gatgggatga	agccactgga	tgggaagatc	720
acaccctgca	atgagtccca	gggtgaagac	tcggcagcct	gttcctgcca	ggactgtgca	780
gcatcctgcc	ctgtcatccc	tccgcccccg	gccctgcgcc	cttctttcta	catgggtcga	840
atgccaggct	ggctggctct	catcatcatc	ttcactgctg	tctttgtatt	gctctctgtt	900
gtccttgtgt	atctccgagt	ggcttccaac	aggaacaaga	acaagacago	aggctcccag	960
gaagccccca	acctccctcg	taagcgçaga	ttctcacctc	acactgtcct	tggccggttc	1020
ttcgagagct	ggggaacaag	ggtggcctca	tggccactca	ctgtcttggc	actgtccttc	1080
atagttgtga	tagccttgtc	agtaggcctg	acctttatag	aactcaccac	agaccctgtg	1140
gaactgtggt	cggcccctaa	aagccaagcc	cggaaagaaa	aggctttcca	tgacgagcat	1200
tttggcccct	tcttccgaac	caaccagatt	tttgtgacag	ctaagaacag	gtccagctac	1260
aagtacgact	ccctgctgct	agggcccaag	aacttcagtg	ggatcctatc	cctggacttg	1320
ctgcaggagc	tgttggagct	acaggagaga	cttcgacacc	tgcaagtgtg	gtcccatgag	1380
gcacagcgca	acatctccct	ccaggacatc	tgctatgctc	ccctcaaccc	gcataacacc	1440
agcctcactg	actgctgtgt	caacagcctc	cttcaatact	tccagaacaa	ccacacactc	1500
ctgctgctca	cagccaatca	gactctgaat	ggccagacct	ccctggtgga	ctggaaggac	1560
catttcctct	actgtgccaa	tgcccctctc	acgtacaaag	atggcacagc	cctggccctg	1620
agctgcatag	ctgactacgg	ggcacctgtc	ttccccttcc	ttgctgttgg	gggctaccaa	1680
gggacggact	actcggaggc	agaagccctg	atcataacct	tctctatcaa	taactacccc	1740
gctgatgatc	cccgcatggc	ccacgccaag	ctctgggagg	aggctttctt	gaaggaaatg	1800
caatccttcc	agagaagcac	agctgacaag	ttccagattg	cgttctcagc	tgagcgttct	1860
ctggaggacg	agatcaatcg	cactaccatc	caggacctgc	ctgtctttgc	catcagctac	1920
cttatcgtct	tcctgtacat	ctccctggcc	ctgggcagct	actccagatg	gagccgagtt	1980

gcggtggat	t ccaaggcta	c tctgggcct	a ggtggggtg	g ctgttgtgc	t gggagcagtc	2040
gtcgctgcc	a tgggcttct	a ctcctacct	g ggtgtcccc	t cctctctgg	t catcattcaa	2100
gtggtacct	t tcctggtgc	t ggctgtggg	a gctgacaac	a tcttcatct	t tgttcttgag	2160
taccagagg	c tgcctagga	t gcccgggga	g cagcgagag	g ctcacattg	g ccgcaccctg	2220
ggtagtgtg	g cccccagca	t gctgctgtg	c agcctctct;	g aggccatct	g cttctttcta	2280
ggggccctg	a cctccatgc	c agctgtgag	g acctttgcc	t tgacctctg	g cttagcaatc	2340
atctttgac	t tcctgctcca	a gatgacagc	c tttgtggcc	tgctctccc	t ggatagcaag	2400
aggcaggag	g cctctcgcc	cgacgtcgt	g tgctgcttti	caagccgaa	a tctgcccca	2460
ccgaaacaa	a aagaaggcc1	cttactttg	ttcttccgca	agatataca	c tcccttcctg	2520
ctgcacaga	t tcatccgccd	tgttgtgctg	ctgctctttc	tggtcctgt	t tggagcaaac	2580
ctctactta	a tgtgcaacat	cagcgtgggg	ctggaccagg	atctggctc	t gcccaaggat	2640
tcctacctg	a tagactactt	cctctttctg	g aaccggtact	tggaagtgg	g gcctccagtg	2700
tactttgaca	ı ccacctcagg	ctacaacttt	tccaccgagg	caggcatgaa	a cgccatttgc	2760
tctagtgcag	, gctgtgagag	cttctcccta	acccagaaaa	tccagtatgo	cagtgaattc	2820
cctaatcagt	: cttatgtggc	tattgctgca	tcctcctggg	tagatgactt	catcgactgg	2880
ctgaccccat	cctcctcctg	ctgccgcatt	tatacccgtg	gcccccataa	agatgagttc	2940
tgtccctcaa	cggatacttc	cttcaactgt	ctcaaaaact	gcatgaaccg	cactctgggt	3000
cccgtgagac	ccacaacaga	acagtttcat	aagtacctgc	cctggttcct	gaatgatacg	3060
cccaacatca	gatgtcctaa	agggggccta	gcagcgtata	gaacctctgt	gaatttgagc	3120
tcagatggcc	agattatagc	ctcccagttc	atggcctacc	acaagccctt	acggaactca	3180
caggacttta	cagaagctct	ccgggcatcc	cggttgctag	cagccaacat	cacagctgaa	3240
ctacggaagg	tgcctgggac	agatcccaac	tttgaggtct	tcccttacac	gatctccaat	3300
gtgttctacc	agcaatacct	gacggttctc	cctgagggaa	tcttcactct	tgctctctgc	3360
ttcgtgccca	cctttgtggt	ctgctacctc	ctactgggcc	tggacatacg	ctcaggcatc	3420
	tctccatcat					3480
ggtatcagct	acaatgctgt	gtccctcatc	aaccttgtca	cggcagtggg	catgtctgtg	3540
	cccacattac					3600
	atgctactat				-	3660
	gcatcctcat					3720
	acctcctgat					3780
	gctatctggg					3840
gccactgagg	cagccatggt	ctcagagcct	tcttgcccac Page 2	agtacccctt 29	cccggctgat	3900

gcaaacacca gtgactatgt taactacggc tttaatccag aatttatccc tgaaattaat gctgctagca gctctctgcc caaaagtgac caaaagttct aa 4002

<210> <211> <212> 3 13<u>3</u>3

PRT

<213> Mus musculus

<400> 3

Met Ala Ala Ala Trp Gln Gly Trp Leu Leu Trp Ala Leu Leu Leu Asn 10 15

Ser Ala Gln Gly Glu Leu Tyr Thr Pro Thr His Lys Ala Gly Phe Cys 20 25 30

Thr Phe Tyr Glu Glu Cys Gly Lys Asn Pro Glu Leu Ser Gly Gly Leu 35 40 45

Thr Ser Leu Ser Asn Ile Ser Cys Leu Ser Asn Thr Pro Ala Arg His 50 60

Val Thr Gly Asp His Leu Ala Leu Leu Gln Arg Val Cys Pro Arg Leu 65 70 75

Tyr Asn Gly Pro Asn Asp Thr Tyr Ala Cys Cys Ser Thr Lys Gln Leu 85 90 95

Val Ser Leu Asp Ser Ser Leu Ser Ile Thr Lys Ala Leu Leu Thr Arg 100 105 110

Cys Pro Ala Cys Ser Glu Asn Phe Val Ser Ile His Cys His Asn Thr 115 120 125

Cys Ser Pro Asp Gln Ser Leu Phe Ile Asn Val Thr Arg Val Val Gln 130 135

Arg Asp Pro Gly Gln Leu Pro Ala Val Val Ala Tyr Glu Ala Phe Tyr 150 155 160

Gln Arg Ser Phe Ala Glu Lys Ala Tyr Glu Ser Cys Ser Arg Val Arg 165 170 175

Ile Pro Ala Ala Ser Leu Ala Val Gly Ser Met Cys Gly Val Tyr 180 185

Gly Ser Ala Leu Cys Asn Ala Gln Arg Trp Leu Asn Phe Gln Gly Asp 200 205

Thr Gly Asn Gly Leu Ala Pro Leu Asp Ile Thr Phe His Leu Leu Glu 210 215 220 Pro Gly Gln Ala Leu Ala Asp Gly Met Lys Pro Leu Asp Gly Lys Ile 225 230 235 240 Thr Pro Cys Asn Glu Ser Gln Gly Glu Asp Ser Ala Ala Cys Ser Cys 255 Gln Asp Cys Ala Ala Ser Cys Pro Val Ile Pro Pro Pro Pro Ala Leu 260 265 270 Arg Pro Ser Phe Tyr Met Gly Arg Met Pro Gly Trp Leu Ala Leu Ile 275 280 285 Ile Ile Phe Thr Ala Val Phe Val Leu Leu Ser Val Val Leu Val Tyr 290 295 300 Leu Arg Val Ala Ser Asn Arg Asn Lys Asn Lys Thr Ala Gly Ser Gln 305 310 315 Glu Ala Pro Asn Leu Pro Arg Lys Arg Arg Phe Ser Pro His Thr Val Leu Gly Arg Phe Phe Glu Ser Trp Gly Thr Arg Val Ala Ser Trp Pro 340 345 Leu Thr Val Leu Ala Leu Ser Phe Ile Val Val Ile Ala Leu Ser Val 355 360 365 Gly Leu Thr Phe Ile Glu Leu Thr Thr Asp Pro Val Glu Leu Trp Ser 370 380 Ala Pro Lys Ser Gln Ala Arg Lys Glu Lys Ala Phe His Asp Glu His 385 390 400 Phe Gly Pro Phe Phe Arg Thr Asn Gln Ile Phe Val Thr Ala Lys Asn 405 410 415 Arg Ser Ser Tyr Lys Tyr Asp Ser Leu Leu Gly Pro Lys Asn Phe 420 430 Ser Gly Ile Leu Ser Leu Asp Leu Leu Gln Glu Leu Gln 435 440 Glu Arg Leu Arg His Leu Gln Val Trp Ser His Glu Ala Gln Arg Asn

WO 2006/015365

455

450

460

Ile Ser Leu Gln Asp Ile Cys Tyr Ala Pro Leu Asn Pro His Asn Thr 475 476 480 Ser Leu Thr Asp Cys Cys Val Asn Ser Leu Leu Gln Tyr Phe Gln Asn 490 495 Asn His Thr Leu Leu Leu Leu Thr Ala Asn Gln Thr Leu Asn Gly Gln 505 510 Thr Ser Leu Val Asp Trp Lys Asp His Phe Leu Tyr Cys Ala Asn Ala 515 Pro Leu Thr Tyr Lys Asp Gly Thr Ala Leu Ala Leu Ser Cys Ile Ala 530 540 Asp Tyr Gly Ala Pro Val Phe Pro Phe Leu Ala Val Gly Gly Tyr Gln 545 550 560 Gly Thr Asp Tyr Ser Glu Ala Glu Ala Leu Ile Ile Thr Phe Ser Ile 565 Asn Asn Tyr Pro Ala Asp Asp Pro Arg Met Ala His Ala Lys Leu Trp 580 585 590 Glu Glu Ala Phe Leu Lys Glu Met Gln Ser Phe Gln Arg Ser Thr Ala 595 600 605 ASP Lys Phe Gln Ile Ala Phe Ser Ala Glu Arg Ser Leu Glu Asp Glu 610 615 Ile Asn Arg Thr Thr Ile Gln Asp Leu Pro Val Phe Ala Ile Ser Tyr 625 630 635 640 Leu Ile Val Phe Leu Tyr Ile Ser Leu Ala Leu Gly Ser Tyr Ser Arg 645 650 655 Trp Ser Arg Val Ala Val Asp Ser Lys Ala Thr Leu Gly Leu Gly Gly 660 670 Val Ala Val Val Leu Gly Ala Val Val Ala Ala Met Gly Phe Tyr Ser 675 680 685 Tyr Leu Gly Val Pro Ser Ser Leu Val Ile Ile Gln Val Val Pro Phe 690 695

Page 32

Leu Val Leu Ala Val Gly Ala Asp Asn Ile Phe Ile Phe Val Leu Glu 705 710 715 720 Tyr Gln Arg Leu Pro Arg Met Pro Gly Glu Gln Arg Glu Ala His Ile 725 730 735 Gly Arg Thr Leu Gly Ser Val Ala Pro Ser Met Leu Leu Cys Ser Leu 740 750 Ser Glu Ala Ile Cys Phe Phe Leu Gly Ala Leu Thr Ser Met Pro Ala 755 760 765 Val Arg Thr Phe Ala Leu Thr Ser Gly Leu Ala Ile Ile Phe Asp Phe 770 780 Leu Leu Gln Met Thr Ala Phe Val Ala Leu Leu Ser Leu Asp Ser Lys 785 790 795 800 Arg Gln Glu Ala Ser Arg Pro Asp Val Val Cys Cys Phe Ser Ser Arg 805 810 815 Asn Leu Pro Pro Lys Gln Lys Glu Gly Leu Leu Cys Phe Phe 820 825 830 Arg Lys Ile Tyr Thr Pro Phe Leu Leu His Arg Phe Ile Arg Pro Val Val Leu Leu Phe Leu Val Leu Phe Gly Ala Asn Leu Tyr Leu Met 850 860 Cys Asn Ile Ser Val Gly Leu Asp Gln Asp Leu Ala Leu Pro Lys Asp 885 870 880 Ser Tyr Leu Ile Asp Tyr Phe Leu Phe Leu Asn Arg Tyr Leu Glu Val Gly Pro Pro Val Tyr Phe Asp Thr Thr Ser Gly Tyr Asn Phe Ser Thr 900 905 Glu Ala Gly Met Asn Ala Ile Cys Ser Ser Ala Gly Cys Glu Ser Phe 915 920 925 Ser Leu Thr Gln Lys Ile Gln Tyr Ala Ser Glu Phe Pro Asn Gln Ser 930 935 Tyr Val Ala Ile Ala Ala Ser Ser Trp Val Asp Asp Phe Ile Asp Trp 945 950 960

Leu Thr Pro Ser Ser Ser Cys Cys Arg Ile Tyr Thr Arg Gly Pro His 965 970 975

- Lys Asp Glu Phe Cys Pro Ser Thr Asp Thr Ser Phe Asn Cys Leu Lys 980 985
- Asn Cys Met Asn Arg Thr Leu Gly Pro Val Arg Pro Thr Thr Glu Gln 995 1000 1005
- Phe His Lys Tyr Leu Pro Trp Phe Leu Asn Asp Thr Pro Asn Ile 1010 1020
- Arg Cys Pro Lys Gly Gly Leu Ala Ala Tyr Arg Thr Ser Val Asn 1025 1035
- Leu Ser Ser Asp Gly Gln Ile Ile Ala Ser Gln Phe Met Ala Tyr 1040 1050
- His Lys Pro Leu Arg Asn Ser Gln Asp Phe Thr Glu Ala Leu Arg 1055 1060 1065
- Ala Ser Arg Leu Leu Ala Ala Asn Ile Thr Ala Glu Leu Arg Lys 1070 1080
- Val Pro Gly Thr Asp Pro Asn Phe Glu Val Phe Pro Tyr Thr Ile 1085 1090 1095
- Ser Asn Val Phe Tyr Gln Gln Tyr Leu Thr Val Leu Pro Glu Gly 1100 1110
- Ile Phe Thr Leu Ala Leu Cys Phe Val Pro Thr Phe Val Val Cys 1115 1125
- Tyr Leu Leu Gly Leu Asp Ile Arg Ser Gly Ile Leu Asn Leu 1130 1140
- Leu Ser Ile Ile Met Ile Leu Val Asp Thr Ile Gly Leu Met Ala 1145 1150 1155
- Val Trp Gly Ile Ser Tyr Asn Ala Val Ser Leu Ile Asn Leu Val 1160 1165 1170
- Thr Ala Val Gly Met Ser Val Glu Phe Val Ser His Ile Thr Arg 1175 1180 1185
- Ser Phe Ala Val Ser Thr Lys Pro Thr Arg Leu Glu Arg Ala Lys 1190 1200 Page 34

ASP A	la Thr 205	Ile	Phe	Met	Gly 1210	Ser	Ala	val	Phe	Ala 1215	Gly	Val	Ala			
Met Ti	hr Asn 220	Phe	Pro	Gly	Ile 1225	Leu	Ile	Leu	Gly	Phe 1230	Αla	Gln	Ala			
Gln Le	eu Ile 235	Gln	Ile	Phe	Phe 1240	Phe	Arg	Leu	Asn	Leu 1245	Leu	Ile	Thr			
Leu Le	eu Gly 250	Leu	Leu	His	G]y 1255	Leu	۷a٦	Phe	Leu	Pro 1260	val	Val	Leu			
Ser Ty 12	/r Leu 265	Gly	Pro	Asp	Val 1270	Asn	Gln	Ala	Leu	Val 1275	Leu	Glu	Glu	•		
Lys Le 12	eu Ala 280	Thr	Glu	Ala	Ala 1285	Met	val	Ser	Glu	Pro 1290	Ser	Cys	Pro			
Gln Ty 12	r Pro	Phe	Pro	Ala	Asp 1300	Ala	Asn	Thr	Ser	Asp 1305	туг	val	Asn			
Tyr Gl 13	y Phe 10	Asn	Pro	Glu	Phe 1315	Ile	Pro	Glu	Ile	Asn 1320	Ala	Ala	Ser			
Ser Se 13	r Leu 25	Pro	Lys	Ser	Asp 1330	Gln	Lys	Phe								
<210> <211> <212> <213>	4 30 DNA artifi	cial														
<220> <223>	primer															
<400> gcggga	4 tccg aa	ccgg1	tcca	gct	acagg	ta									30	
<210> <211> <212> <213>	5 32 DNA artific	cial														
<220> <223>	primer															
<400> gcggaat	5 ttcc tcg	gagga	itgg	gca	gtcti	tc ag	3								32	
<210>	6															

	WO 2006/015365	PCT/US2005/027
<211> <212> <213>	DNA	
<220> <223>		
<400> gcttc	6 ttccg caagatatac actccc	26
<210> <211> <212> <213>	27	
<220> <223>	primer ·	
<400> gaggat	7 cgcag caatagccac ataagac	27
<210> <211> <212> <213>	8 24 DNA artificial	
<220> <223>	primer	
<400> tatctt	8 CCCCT ggttCCtgaa cgaC	24
<210> <211> <212> <213>	9 22 DNA artificial	
<220> <223>	primer	
:400> :cgcag:	9 agct tctgtgtaat cc	22
210> 211> 212> 213>	10 25 DNA artificial	
220> 223>	primer	
400> ctccct	10 Catt Ccccaagatg tatgc	25
		23 .
211>	11 22 DNA	

	•	
<220> <223>	primer	
<400> ggagag	11 ggcta ttcggctatg ac	22
<210><211><211><212><213>	12 25 DNA artificial	
<220> <223>	primer	
<400> ctgggd	12 ctccc tcttagaata accta	25
<210> <211> <212> <213>	13 22 DNA artificial	
<220> <223>	primer	
<400> ggagag	13 gcta ttcggctatg ac	22
<210> <211> <212> <213>	14 21 DNA artificial	
<220> <223>	primer ·	
<400> ctctga	14 gccc agaaagcgaa g	21
<210> <211> <212> <213>	15 23 DNA artificial	
<220> <223>	primer	
<400> gaccag	15 agcc tcttcatcaa tgt	23
<210> <211> <212> <213>	16 22 DNA artificial	

PCT/US2005/027579

WO 2006/015365

<220> <223> primer

Page 37

<400> 16 gagaatctgc gcttacgagg ga ·	22
<210> 17 <211> 32 <212> DNA <213> artificial	
<220> <223> primer	
<400> 17 gcgaattcta tgtctggggg caaatacgta ga	32
<210> 18 <211> 37 <212> DNA <213> artificial	
<220> <223> primer	
<400> 18 gcggatcctt atatttcttt ctgcaagttg atgcgga	37
<210> 19 <211> 57 <212> DNA <213> artificial	
<220> <223> synthetic sequence	
<400> 19 ttggggtcat tgtcgggcat tggggtcatt gtcgggcatt ggggtcattg tcgggca	57
<210> 20 <211> 88029 <212> DNA <213> Homo sapiens	
<400> 20 gatcatgagg ttaggagttc gagaccagcc tggctgatat ggtgaaacgc cgtctctact	60
aaaaatacaa aaattagctg ggcgttgtgg caggtgcctg taatcctagc tacttgggag	120
gctgaggcag gagaattgtt tgaacccagg aggcggaggt tacagtgagc cgagatcacg	180
ccattgtact ccagcctggg cgacaagagt gaaactccca tctcaaaaaa aaaaaaaaaa	240
aaaaaaaaa agacatgtat tctctctctc agtcacggac ggcagaagtc cgaagtgagg	300
agtgggcagg gctgcacttc ctaggctctc ggggagactt tttttcctgt cccttccagt	360
ttctggtggc tccaggcatg ccttggctta tggcagcatt attattccag tgtctgcctc	420
tgtgatcata gtgcctcctt ttcttttttt tttttttaca ttttttttt gtatttagag	480

Page 38

aaaaaaacac ttaacataaa atttaccatc ttaacctttt ttttgagact ctgttgccca	540
ggctggaatg cagtgttaca atcacagctc actgcagcct caacctcctg ggctcgtgac	600
atcctcccat ctgactctcc caagtaactg gggaccactg gcatgtgcca ccacacttgg	660
ctaattttta cattttttgt agagacaggg tttctctatg ttgcctaggc tggtctcaaa	720
ctcctcagct caagcaatcc tcctgccttg gcctcccaaa gtgctgggat tataggcgtg	780
agccaccacg cctggccatg ttaaccattt ttaggtgtgc agttcagtat gttaaatata	840
ttcacattgt tatgaaacag atgtccagaa cttttcatt ttgctaatct gaaactctgt	900
acccattaga caacagctcc ccccgcaggt aaccattcta ctttttgctt ctatgatttt	960
gactacttta gacactttat ctaaatggaa tcatatggca attgtctttc tgtgattgac	1020
ttatactact tagcataatg ttaagtttca tccatgttgt agcatgaatc agaatttcat	1080
ccctttttat ggcttgataa tactgcattg tatgtatata ccacattttg cggtaggtac	1140
aatgtatatt tacattgctt ccacctcttg gctactgtga ataatgctgc tatgaaaatg	1200
ggcgtgtagg tatcttttcc agatcctgac tttacttcct ttggataaat acttacaggt	1260
gggactgctg gggtatatga ttgttctact tttaattatt taacactctt ctacaattta	1320
ttttctgttt ttgttgttct aatagtagtt attattaggt gaggtatttc ttatctctta	1380
taaggacacc tgtcattgga tttagggtcc acctggttaa tccaggatta tcaagtctca	1440
aaatcctgaa ttacatctgc aaagactctt tttccacata aggtcacatt cacaggttcc	1500
agtgattcaa acatggacat gtcttctggt cccccattat gtccactata ctctctttt	1560
ttttttttt tttaagatgg agtctcgctg tgtcgcccag gctggagcgc agtggcgcga	1620
tcttggcttc ctgcaagccc acctcccagg ttcacgccat tctcctgcct cagcctcccg	1680
agtagctggg actacagaca cccgccacca cgcccagcta attttttgt attttttag	1740
tagagacggg gtttcaccat gttagctagg atggtcttga tctcctgacc tcgtgatccc	1800
cctgcctcag cctcccaaag tgtcgggatt acaggcgtga gccactgcgc ctggcctaag	1860
tccactatac tttcttcttc cctgccttat ttttattctt gatacttatc tccatctgac	1920
atgctctata tttctttatt tatcttgttt ggcagacgac aatcaagata aagccatgga	1980
gacaaggatt titgttgctg tigttcttgt titttgagac agagcctcac tctcacccag	2040
gcctagagtg cagtggcaca atctcggttc actgcaacct ctgcctccca ggctgaagtg	2100
	2160
	2220
	2280
gcctagacaa ggatttttgt tttggtcacc tgtgttttcc cattagaaca gtggctggca	2340
caaatggctg cacagcacat actggttgaa caaatgaagg acggggtggc tggtctagac Page 39	2400

						g aaaaatctct	
	catctgggga	attagactc	c ctaagttaa	a ttttctttc	t tttttggag	a tggggtctca	2520
	ctctgttgcc	caggctgga	g tgcagcag <mark>c</mark>	a ccatcacag	c tcactgcag	c ctcaacctcc	2580
	tgggggtcaa	gcaatcctc	c cacctcagc	c tcccgagta	g ttgggacta	c aggcccatgc	2640
	caccatgccc	agctaattt	t ttttttggt	a gagacaggg	t gtcaccatg	t agcccagact	2700
	ggtcttgaac	ttctggact	c aagcgatct	t cctgcctcg	g cctcccaaa	t gctgggatta	2760
	caggcatgag	ccacagtgc	c tcacctcct	a agttaaatt	t tctgcagtg	g agaatacaat	2820
	ctctttaata	ttatctctc	a gttaagaca	a atttcagga	t cctccttaa	a aaaaaaaaa	2880
	aaaagaaaga	aaataagtti	t gccaatacaa	ataccattt	c tcactaaag	t gaattagggt	2940
	tccttggaga	aatggttgg	tttgtttctg	ggcagtaaa	t gtataaaac	gaaagcaagg	3000
	aagtccaggg	tgtccaatc	tttggcttt	ctgggccaca	ı ctggaagaag	g aagaattgtc	3060
	ttgggccaca	cataaaata	: actaacaata	gctgatgag	taaaaaaaaa	a aaaatctcat	3120
	aatgtttta	gaaagtttat	gaatttgtgt	: tgggctgca	gggccacagg	; ttggacaagc	3180
	ttgacctaaa	gactactagg	attgtggatt	: actaggatt <u>c</u>	, tgccagaagg	g acacagcagc	3240
	aactaaatat	ttgatgagac	aatctgaaca	tttaaaaaag	gacaatgact	gtaatggatt	3300
	aaagcacatc	aaatatctaa	acatccatca	attcatgata	gcactgcccc	ttctccccaa	3360
	agaacccaaa	gtggtcacag	ttagaggttg	ctggggcatc	catccatcca	tctttattat	3420
	tattactatt	atttgagaca	aggtctcact	cagtcaccca	tgctagagtg	ctgtcgtccc	3480
	atcacggctc	actgtatcct	caacctcctg	ggctccagcc	atttccctgc	ctcagcctcc	3540
	taagtagcgg	gaattacagg	catgcatcac	catgcctgtc	taatttttac	atattttgta	3600
	aagatcttgc	catttcctgg	gctcaagcag	tcctcctgtc	ttggccccc	aaagtgctgg	3660
,	gattataggc a	agagccactg	tgcgtgggaa	agcatcaagc	atacatcctg	gctatcccga	3720
4	atggattgta 1	tttcaaagta	accagagaga	tgagggaatg	ctcacctttg	tagaagaatc	3780
1	tcatcttata a	aatgcaggag	aaatgagagc	atttgaaatt	accactttgc	acacctaagg	3840
						ttgagctgga	3900
1	taattcttcg (tgtgggggg	gaggtgtgct	ctgtgaatta	tacaatgttt	agcagtattc	3960
(ttgcattca t	tttctagat	aacagcagta	ccacccgcca	cccccaccc	agttgcaaca	4020
			ttgccaaatt				4080
			taatgatcat				4140
t	gatggtaaa c	ttcatggat	aatcaggatg	acaaccccca	aattgagaga	tgaattacaa	4200
t	attactaag a	gacaaaccc	gccttgtgcc	tcagtagaag	tacatagtgc	cagccacgaa	4260

gcgttattgc aaacaaaaca aaacaaaaaa acccaaacct caacattaca cctaaaccta	4320
atgaagette tagecagggg caaatecaag etttgtgggg eettaaaeta tacaaattte	4380
acagtcctct ttaagaaaaa gacacaaaat tataaatgcg aaattaggta cgggggtcta	4440
tgcaagggag ggcctgaaga ttaagcttca ttagtttcac tgtaaacctc ccctgactct	4500
agaattaact gtgattacag gacataccag ggacaaaaaa cgttaaatga cacctgaaga	4560
tacaatcagc aaaacccaga aagtggaaaa ttctgttggt caaatgaccc agtttcttca	4620
ataagtaaat gccatgaata acaaacaaca aaaagagagg ggaaatttat atatataata	4680
tatatataat atgtataata tatatatatg ttgttatatg gtttgttt	4740
acacgagtct ctctctcacc caggctggag tgcagtggca tgatctcggc tcactgcaac	4800
ctctgcctcc tgggttcaag cgattcttct gcctcagtct cccaagtagc tgggactaca	4860
ggtgagcacc accacacca gctaattttt gtatttttgg tagaggtagg gtttcaccat	4920
attggccagg ctggtctcga actcctgacc tcgtgatctg cccaccttgg cctcccaaag	4980
tgctgggatt acaggtgtga gccactgcgc ccggccctgt ttttgtttgt tttgagatag	5040
aatctcactc tgttgcctag gctggagtac agtggcatca tctcagccca ctgcaacctc	5100
cacctccctg attctagcaa ttctcctgcc tcagcctccc aagtagctga gattacaggt	5160
gtgcaccacc acacctggct aattittgta titttagtag aaacagggtt tcaccatgtt	5220
ggccaggctg gtctcaaact cctgacctca agtgatcctt ccacctcagc ctcccaaagt	5280
gctgggatta caggcatgag ccactgtgcc cagccaaaat tgttatatat taagagacat	5340
atatttgtat gaaatgcagt aagtaaacct tgtttggacc ctaaatatct aatgtacaaa	5400
attttttaag gcaatgggga aaattaaaca catactaggt attaagtgat gttaaataat	5460
ttttaaaatt ttggtgggtg tgataatagt ataaagtcct tatctgttag agacacacac	5520
tgacgtattt ataggtgaaa tgacatgatg tccaggattt gctttaatat acagcacttc	5580
aaaaaaaaat gcagaaaggg atacatgaaa tgagaaaggc agcaaactgt tgttgaagtt	5640
ggatgatgag tacagccctc cgttattatc caagggggat aattcctgga cccctacgga	5700
taccaaaatc caggtatgct caagttcttt atgaaagttc attgtaatta ttctattata	5760
taaaagtttc gaaattctgt tgataaaatg tatttttagt agagacgggg gtttcacctt	5820
gttggcccaa ctggtctcga atttctaacc tcagatgatc caccagcctt ggccgcccaa	5880
agtgttagca ttacaggcgt gagccaccgc gcccgcctgg ccttgataaa aacagtttta	5940
accttccgtt gcttcgattc catgcccact aagtaacatt ccagtttgtt tttcactttc	6000
aaaaggatgt gctgtaacta ggggatgtaa acaagctcca tgaccctact tattccaagt	6060
tttcgttcca ctctcccacc ttttttttaa gacaaggtat caccctcggt cgcccaggct	6120
ggagcgcgat cactgcttaa tgcatcctcg acctcctggg ttcaagcgat tctcctgcct Page 41	6180
i ugo Ta	

cagcctccca	agtagctggg	actacatgc	g cacaccacca	a caccggtta	a ttttttgtag	6240
agacgggggt	ttcaccatgt	tgcccaggc1	t ggtcccgaa	tcctgggct	c aagggatccg	6300
cccgcctcag	cctcccagag	tgctgggati	t acaggtgcca	a gccaccgcg	ccggccccag	6360
cttcttaaaa	gaatgatccg	aaactatgg	agcactggg	ttttggtcc	cacccaagaa	6420
atgcccgctc	gcagaggcto	gccgcggcag	gctctcccga	a cgtgacagag	g tgtgggtctg	6480
gattcagcct	cggttcttac	gagtcagata	ggtggacacg	g caaagcaaaa	acatcacaggg	6540
ctttttgtat	ttagcacaga	aaacacttgt	gagcccgago	tgagaaccca	a aaaggcacgc	6600
ttcaggccat	cgtagccacc	aagcctggto	agattccgto	caccgtctcc	ttggtgctcc	6660
gagacccaaa	tcgctgactg	gggccgaggg	cgggcgtgac	tgcgcaggcg	tgcctcccct	6720
gcgagatgcc	ggaggtaagc	tgcggggtaa	ggggcgagaa	attaagggcg	aacgtcattg	6780
cgcatgcgcc	ctctactctc	gttgcggggg	taggcgggcg	ccgggctgtg	tgagggggcg	6840
gggcgcggca	gtgttcggta	cggatggagt	tgcaggagac	ggcgagtaca	tatcactgcg	6900
caggcgtcct	cttcccctaa	ctctcagggt	cgctagggtg	gcgcgcaggc	gcagagcgat	6960
gcgcaaatgt	gcgcaggcgc	ttaggggctg	aggcgcgatg	gcaggtgtcg	gggctgggcc	7020
tctgcgggcg	atggggcggc	aggccctgct	gcttctcgcg	ctgtgcgcca	caggcgccca	7080
ggggctctac	ttccacatcg	gcgagaccga	gaagcgctgt	ttcatcgagg	aaatccccga	7140
cgagaccatg	gtcatcggtc	aggcgggctg	agggtgggga	ggccctttgt	acccagctca	7200
gccctcggcg	gcgctccctc	ctcccgagcc	cagccgggtc	gctggctccc	ccagtaccta	7260
gcctgagggt	gccccgagga	cgccaggccc	cctgcctaga	gctccgggcc	gcacgtcgga	7320
gggggccggg	cggagaggcg	gcccactagg	gccggtcgtg	actatgtgtc	tgccccgcag	7380
gcaactatcg	tacccagatg	tgggataagc	agaaggaggt	cttcctgccc	tcgacccctg	7440
gcctgggcat	gcacgtggaa	gtgaaggacc	ccgacggcaa	ggtaaggctg	gcgttggccc	7500
acgcagccgt	tcttcagtgg	agctcccgtg	gggtgtaaag	cactgcctgg	aggaggcctc	7560
aagggacagg	aacttgcact	tggagagcct	gcggtataaa	ggtggggcct	tcactcacat	7620
atgttgcagg	tggtgctgtc	ccggcagtac	ggctcggagg	gccgcttcac	gttcacctcc	7680
cacacgcccg	gtgaccatca	aatctgtctg	cactccaatt	ctaccaggat	ggctctcttc	7740
gctggtggca	aactggtaag	aggattttct	ctttggcttc	agcttagaat	ctctcacttg	7800
tttccaaatt	ttgatttatc	aagattgtga	aactttgtag	cacagtcaga	attggggaga	7860
cagatgttgc	cttctgctcc	acagccaggg	acaatagtgg	gttccatacc	ctggaacaga	7920
caactggagg	ccccaccact	catacattcc	atgtttcctt	gtagcgggtg	catctcgaca	7980
tccaggttgg	ggagcatgcc	aacaactacc	ctgagattgc	tgcaaaagat	aagctgacgg	8040

agctacagct	ccgcgcccgc	cagttgcttg	g atcaggtgg	a acagattcag	aaggagcagg	8100
attaccaaag	ggcaagtgca	tatctccttg	g taatttgag:	a gggcagttga	cctttatacc	8160
cactatacct	actcaagttt	ctgcttggga	gatcagctc	t gcagagaatg	gaatgagaag	8220
tattggttta	gataggttgt	ttgtttgttg	tttttgagad	ggagtttcac	tcttgttgcc	8280
catgctggag	tgcaatgcca	tgatcttggc	tcactgcaad	ctccgcctcc	ccaggttcaa	8340
gcgattctcc	tgcctcagcc	tcctgagtag	ctgggattad	aggcatgcgc	caccatgcct	8400
ggctaatttt	gtactttag	tagagacggg	ggtttctcca	cgttggtcag	gctggtctcg	8460
aactcccgac	atcaagtgat	ccgcccgcct	cagcctccca	aagtgctggg	attacaggtġ	8520
tgagctaccg	cgccctgcct	gttttgcttt	tttatcaaaa	cattttattg	tggtaaaata	8580
taacaccaaa	tgtgtcattt	taactgtcta	tatagttcag	tggtattaag	tgccttcata	8640
atgttgtgct	accaacacca	tcatccagct	ccagaacttt	ttcatcttct	caaactaaaa	8700
atctgtactt	attttgttt	gtttttgaga	tggagtctcg	ctctgttgcc	caggctggag	8760
cgcagtggcg	ccatctcggc	tcactgcacc	ctccgcctcc	caggttcaag	cgattctcct	8820
gcctcagcct	cccaagtagc	tgggattaca	ggcaagtgcc	accatgcgtg	gctcattttt	8880
gtgtttttag	tagagactgg	gtttcaccat	gttggccagg	ctggtcttga	actcctggcc	8940
tcaggcaatc	cactgccgca	gcctcccaaa	gtgttgggat	tacaggcgtg	agccactgca	9000
cccagcaaat	ctgtacttat	tataaacaat	aacttcccgt	ttccttttgt	cctgacaccc	9060
accattctac	tttctgtctc	tatgatcctg	actaccctat	ctcatataag	tggaatcatt	9120
cagtatttgt	ccttttgtga	ctggcttatt	tcactgagta	taatgttctc	acagttcatc	9180
catgttatag	catgtgtcag	aatttcttaa	ggctaatatt	ccattgtatg	catgtgccac	9240
atttcgcttt	cagtagtcat	ttttaagctc	tataaaataa	aatgaagaaa	ggacagttca	9300
caatctagta	atagccattg	cctacctgtt	tttcttggac	tcttgttgga	aatggtagga	9360
tcatgatttc	agtcctaaca	gagatgcttg	tggagggaca	gcctgtccct	ttcttggggc	9420
agcctcagtg	gggagaccat	agcactccta	atggagtcac	agatagtatt	ccaaaaggag	9480
				tcacaacagc		9540
				tgaagagcgc		9600
cgagcgagag	caccaaccag	agggtcctat	ggtggtccat	tgctcagact	gtcatcctca	9660
				ctttgaggcc		9720
				ttatttggta		9780
				aaaagaataa (9840
				cctggttctt		9900
gacattagtc	caatctttca	aaatcttgtc	ttagggcttg Page	tgaggaatca (43	gaactaaccc	9960

aggactcagt	cctgcttctt	ttgcctcga	g tgattttcc	t ctgtttttc	a ctaaataagc	10020
aaatgaaaac	tctctccatt	accttctgc	t ttctctttg1	t ccacttacg	c agtaggtgac	10080
tggcatgtgc	: cacagagcag	gccctgcct	actgtctgc1	ggtcagttc	t gggttcactt	10140
aatggctttg	tgaatgtaaa	taaggggcag	gtcttggcc	tagaggatt	g agatgtttt	10200
ctaaatctta	gaactattt	tggataaati	tatatatttt	cttcctagta	a gaagtgttac	10260
tgcctgtaac	tagctcaaaa	taccaatgca	gtttctgcat	tctgggttt	gtttttcctt	10320
ttttttttt	ttttttttt	ttgagttttg	ctcttgtcgc	ccaggctgga	gtgcaatggc	10380
gtgatctcag	ctcactggca	acatctgcct	cccgggttca	aatgattcto	ctgcctcagt	10440
ctcctgagta	gctgggatta	caggtgcccg	ccaccacgct	: cagctaatt	ttgtatttt	10500
agtagagatg	gggttttacc	atgttggcca	ggctggtctt	agactcctga	cctcagttga	10560
tccacctgcc	tcagcctctg	cattcagttt	attcacatat	ttttggtaad	tcccatggca	10620
gctcctagga	tttcagcggt	ctgtgggcca	gaaagcaggc	accagggctg	acctcaaggc	10680
cgtatcagag	ggccaagcag	agttcttttg	gatacctgct	tttcatccca	cagggcctta	10740
gagtcagagg	taaggtagca	acagagctag	aatggggcaa	tgcactctta	ccctccttct	10800
caacttttat	ttaagctgtg	ctaaatgtt	tcttcaaggg	aaccagattt	agttctttac	10860
agaattttcc	agtgaaataa	aacatgttgt	aatagctgtg	tttgagatga	aataagaggt	10920
tgtgggtaga	ggggaggcac	ctaaaggaaa	agaggaaagg	tgcctgggct	acctatgcag	10980
ataacctgga	gtggacttca	ctgtggactc	gtggtactaa	ggcttggcct	ggacaggcag	11040
tctagggggt	atgggaatac	acggtgtggt	tgttcaacta	tttgcaaagg	tcaaccaaat	11100
agaccacatg	ttcgcaaagt	atcatctgag	gaaattaagt	accttcttag	ccctctcagt	11160
cataaatttg	aacaaatttt	aatacacttc	cctcatgccc	ttctatataa	aacttaatac	11220
cattagttcc	ccattcttga	cattttattt	cagtttttat	tatatattta	tttgaaatat	11280
			ttcttctcct			11340
			tttatgtatt			11400
			caggctggag			11460
			cagttctgcc			11520
			atttttgtat			11580
			gtcgcccagg			11640
			ttcaagagat			11700
			tgcccagcta			11760
gacagggttt	caccatgttg	accaggctgg	tcttgaattc	ctgaccgcag	gtgacccgtc	11820

		•	,			
tcgcctccca	a aagtgctggg	g attacaggt	g tgagctggc	c gggcacagg	t gatggggtct	11880
tgctctgtc	c ccaaggctg	g agtgcagtg	g tgccatcaca	a gctcaaagc	a accttgagct	11940
cccaggttca	a agtgatccto	ctaccttac	ctcccaagta	a gctggtacta	a caggtatact	12000
ccactgtgc	c tggctattt	tactcttaaa	a aatacatgtg	ggctgggca	ggtggctcac	12060
gcctgtaato	c ctagcacttt	gggaagccaa	a ggtgggtgga	tccctatage	ccaggagttc	12120
gagaccagco	tgggcaacat	ggcgaaatc	tgtctctgca	aaaaatacaa	a aaaatttagc	12180
tggtggcaca	tgcctatagt	cccagctact	tgagaggctg	aggtggaaag	atcacttgag	12240
cccgggaggt	caaggctgcg	gtgagccatg	atcgtgccac	tgcactccag	g tctgggcaac	12300
agtgatccca	tctgaaaaa	aaaaacaaa	aaaaaaatgo	aatttagggo	caggtggggt	12360
ggctcacgcc	tataatccca	gcactttggg	aggccaaggc	agggggatcg	cctgaggtca	12420
gcagtttgag	accaggctgg	ccaacatggt	gaaaacccct	ctctactaaa	agtataaaaa	12480
ttagccaggc	atggtagtgt	gtgcctgtaa	tcccagctat	tcaggaagct	aaggcaggag	12540
aatcgcttga	acccgggagg	aggttgcagt	gagcagaaat	cgagccactg	cactccagcc	12600
tggggggcag	agggagactc	tgtctcagaa	aaaaaaaaa	aaatgcaatt	tagttctcta	12660
ggcttttcca	tttaatagtt	ttatatcctc	ctgtttctaa	atctggatga	cagtgtaaca	12720
ctccagtaag	gtgaattgtg	aattgctgaa	attcttcaga	tgtttaaaag	agttttcagt	12780
attcctcatg	ttagaattaa	tgcagagaaa	aattttatcc	tttgaactag	ttacatgttg	12840
tggacttctg	gcctgaggct	cttggggatt	atgtgacata	ttgggaaggg	acacatttct	12900
gctctgtggc	tgttactaga	aatctagcca	gcaaatcaga	ctacgtttgt	gagaagacag	12960
gaaggcacag	attagggttg	agccagcctt	caacaggttt	ggctggcagt	agacacagtg	13020
gagcacatct	taactatttt	ggtaggtcct	gggtttctct	tggtagtttt	tgatagaaag	13080
gggaatggtg	tgaggaaaaa	gtgggcatac	atttcacctt	tccactgata	aggcaggtgg	13140
aattgggata	gtcagtggat	gggccaatag	ctggtggctg	tgagaagaat	aaggatttcc	13200
atactggtgt	gtcatattta	cagataggtt	gtgacctaaa	aagttttta	aaaaacagca	13260
gttagggcct	gggcgcggtg	gctcacgcct	gtaatcccag	cactttggga	ggccgaggcg	13320
ggcggatcac	aaggtcagga	gatcgagacc	atcctggcta	acaacggtga	aaccctgtct	13380
ctactaaaaa	tacaaaaaat	tagccgggcg	tggtggcagg	tgcctgtagt	cccagctact	13440
	aggcaagaga			-		13500
	tgcactccag					13560
	cagtagttag					13620
	ttttgaaatt				-	13680
ttctccctcc	ttaccacaaa	aaaagaaaaa	aaagttctgg Page 4	ggttgagggg	acactccatt	13740
			. ~gc -			

cttaacatcc tctattatcc cagcccaatt ccccagctct cactgggact agttgtacct atcttcatca tttggtccca gcatgactac ctgttggtgc atgagctgat ctctcctaac 13860 ctaacagcca gatgctagtc tctggtactc agatgctggg ctgcatcaga taggatgcac 13920 aggatcatcc tggaagcttg ttgacataga ttcctgtgca acactcagat atagtcttaa 13980 tgtagatttg tgttgggtgg tatggtaggt agaataatgg cctaccactc tgaaacatat 14040 gaatatgtta cctaacatga cagaagagaa ttaagttgct aatcagatga ctgtaaaata 14100 aattatcctg gatcatctgg atgggcctaa tgtaatcaca aaggttgttt ccttgccttt 14160 tccagcttgg ctctggctcc cttcctccag caagggtggg ttgagctctc acatggcacc 14220 actttgacct cttctgcttc cctcttctac actgaaagac ttatgggcca ggagcagtgg 14280 ctcgcacctg caatcccagc actttgggag gccgaggaag gcagatcgct tggccccagg 14340 agttcaaaac cgtcctgggc aacgtggcga aaccccatct agaaagaaaa gaagagaagg 14400 ggagggggga ggggaggagg agttacatat atacacatac acacacaca acacgtacgt 14460 acatacatac atacacgcta actggacgtg gtggtgcgtg cctgtagtct tagctttcca 14520 ggagactgag gtgggaggac cacttgagcc tgagatcgcg ccagcctggg tgacagtcag 14580 accatgtctc aaaaaaaaaa aaagatttgt gattaggatt cttagtcctc acctgtatta 14640 ttttcctatt gctactgtaa caaattacca caaatttact ggcttaaaac gacgcaagtc 14700 tgtaggtcag aagtctgaca cgggtcttaa ctggtgaccc gagtcagatt tgggacacaa 14760 agaacagaaa ccaagctgtg caggtttctg acaggcagtc cggttaggga gccctacagc 14820 aacccgccgg tcctctctct caggcagttg ctgccatggc tcattattcc aaccggttct 14880 cctcagccca gtctatctca gtggctccat tcatagggtg atgtgcccgg cgggacacta 14940 accctaacca agcagagaa cggtcatgcc cgtcacgacc tcggccctcg ccccggccga 15000 ggcttctcct gcaggtcgcg agaatcaggt gcgtcagcgg cgtccgggaa cgccggaaga 15060 gccagtggag cggctctgta gtccaaagta ccccgtcgac cccagcacgg ccgctccacc 15120 gcctcctact agacccagtc ctagggactg cgcagtcgca gagctccgtc cgagtaccgg 15180 aagcctaggc cgccagcact tccgggaagt gacttcgtct ccgaagccga ttggttgttg 15240 ctttgctccc gctcgcgtcg gtggcgtttt tcctgcagcg cgtgcgtgct gcgctactga 15300 gcagcgccat ggaggactct gaagcactgg gcttcgaaca catgggcctc gatccccggc 15360 tccttcaggt acacgcgagg gctggggagc cggcttacgg gctctgcggg gcgcgccatc 15420 gctcttcacg ccgcttaaac cgcactcctg gtctcctagg ctgtcaccga tctgggctgg 15480 tcgcgaccta cgctgatcca ggagaaggcc atcccactgg ccctagaagg gaaggacctc 15540 ctggctcggg cccgcacggg ctccgggaag acggccgctt atgctattcc gatgctgcag 15600

ctgttgctcc ataggaaggc ggtgggtaac gagagagctg aggggaggaa ggaggcaagc 1	5660
tccaaaagcc tgggaagggc ggttcccgtt tgtctgaggt tttctcttgg ccctgtaccc 1	5720
gtgcaggccg gcctgagaac ctggtgctgt tgtggcaaac actctgggct ggagttcagg 1	5780
ttacctggat ccttgtccgg ccctgctacc accaaccttt gcgtaatctt cgacaaagca 1	5840
ctttctttc tttcttacat aaaaagggag cacatctatc ttttctactt acagaattat 1	5900
tgtgagaatt tagcttcata actagtatat ttaaagtagc ttcataaaca tcagagtacg 15	960
ttattctttt tgagggtcag tgcctgggga aagaactctc cactctgcat tctgaggcgg 16	5020
gcagagtgat agatgatcaa agtactgcta agtagtgttg cagcagatgg gtcaggtagg 16	080
ctggaagggg tagagacacg tggacacagt gatgtgcact gctggctaaa gtctttaatt 16	140
catattctta cagacaggtc cggtggtaga acaggcagtg agaggccttg ttcttgttcc 16	200
taccaaggag ctggcacggc aagcacagtc catgattcag cagctggcta cctactgtgc 16	260
tcgggatgtc cgagtggcca atgtctcagc tgctgaagac tcagtctctc agaggtgggt 16	320
aaaagcagca aagctgtacc tgaatgaagc tacacagtgt tgtggggttg ggtttgtgtg 16	380
tggcaaaaaa gagagcaaat ccagggtgag atcccagctg ctacattctg cctgatactg 16	440
atgtcttgtc cacctccaga gctgtgctga tggagaagcc agatgtggta gtagggaccc 16	500
catctcgcat attaagccac ttgcagcaag acagcctgaa acttcgtgac tccctggagc 16	560
ttttggtggt ggacgaagct gaccttcttt tttcctttgg ctttgaagaa gagctcaaga 16	620
gtctcctctg gtaaggcaga ggtgggtgtg attcctagtg gaaacatctg tgagtaggag 16	680
ttgggacgag agcggggtgg ctggaagcca gttactacaa ttagcggccc ttggagctgg 162	740
aatctgattg gattctttca tttcagtcac ttgccccgga tttaccaggc ttttctcatg 168	300
tcagctactt ttaacgagga cgtacaagca ctcaaggagc tgatattaca taacccggta 168	360
agaggcacca tggaagtgtc tggagctgca gacatggggg cactcaaaga tcttgatgct 169	920
ccttcttagg ggattctttg gtgttttggg tgggacagtt gtcacttagt gtctcatccc 169	980
tggtcctgag gcactaaaag ccagtggtct aaaatcacta tatatttcca agtgtccaca 170	40
agggatgtct cccatttcag gccatgcttt gcctaaaatc ctgagcaagg acctccccta 171	.00
aggggcagct ttgagcagca gagccaaaat tctaaggcca aggttctcat cttaagtaaa 171	.60
ctttaccttt cagaaggcct gttgctgtag gccttccctt ctcaatgtag tcctttattg 172	20
atgtgtttct ctttgttctg tgcttggaag tattttatat atggtttata tggtatactc 172	80
tatataccac aacaataagg gcattttggg gttttaggtt acaaaactgg aggaggtta 173	40
gggtgccagg aatccttaaa tgcatctctg ccctgcacta aaatgttgat gctttggttg 174	00
gtgagtaagt ggccatacat ctctgtgttc ttttcctttc tgaccacagg cctgtttct 174	60
cccccaggtt acccttaagt tacaggagtc ccagctgcct gggccagacc agttacagca 175	20
Page 47	

gtttcaggtg gtctgtgaga ctgaggaaga caaattcctc ctgctgtatg ccctgctcaa gctgtcattg attcggggca agtctctgct ctttgtcaac actctagaac ggagttaccg 17640 gctacgcctg ttcttggaac agttcagcat ccccacctgt gtgctcaatg gagagcttcc 17700 actgcgctcc aggtctgcca cagccaacat cttggttgaa ataagttgaa gatagagatg 17760 gaaaggggac ccagttaatg ttctgtttct taagcactta gtaggggcca ggttctagat 17820 gtgactgata ctgacttctc ccaactccaa aatacctatc atggccgggc accatggctt 17880 atgcctgctg taatctcagc actttgggag gccgaggtgg gcggatcgcc tgaggtcggg 17940 agttcaagac cagcctggcc agcatggtga aaccccgtct ctactaaaaa tacaaaaatt 18000 agctggacat ggtggcaggc acctgtaatc ccagctactc aggaagctga gataggagaa 18060 ttgcttgagc ccgggaggtg gaggttgcag tgagccaaga tcgtgccatt gcactccagc 18120 ctgggcaaca ggagtgaaac tctgtctcaa aaaaacaaaa ccctataatt atttccagct 18180 gaggaaactg aggcacaatg attaagtagg gaaagagatt aagaagagga aaaaggaaag 18240 ggtgatggtt actgtgatac tagggatggc agaggggcct tgagcttgct ctgctgagct 18300 gattetetgt cegetettgg etgeaggtge caeateatet caeagtteaa ecaaggette 18360 tacgactgtg tcatagcaac tgatgctgaa gtcctggggg ccccagtcaa gggcaagcgt 18420 cggggccgag ggcccaaagg ggacaagtga gtccatgcct ctttttccat ccctcccag 18480 aaatgcctgt gtttttagct ttttggaaga ctaaaaccag agtgcacaga gcagggagcc 18540 aaaccttcca ggcctggctg gtagtgtagc ccagagagcc ccacaggttc ttgctcagct 18600 gcctggatat agagaaggga gtggatggtg cacactgcac atgcaccacg aagggcaaaa 18660 ctgccggggt tgttggcatg cagagccctg caggggagat ggcccatcct gcattggtgg 18720 tatggctgtg acttgcaggg agcatatttc tgaagggaaa aggaaccccc caactctcca 18780 gtctctgtcc agctgaaggc ttgactagct cagagttggt tttcagatca ccatgtaggg 18840 caatgagttc tgctgttgtc ccagaacaga ggtcaggccg agatttgggt acatgtcaaa 18900 gctccaggct gccccaggaa accctgactc ctggaacggt tccattgttg gagagtcctc 18960 tgtatgtcag ggtcttatga tctacaggca tttagaggaa gttttgctga ttcagcgtgt 19020 gaatacgtgc ccagaggaga ggaagggtcc ggctgacatt gagttatctc tgcagggcct 19080 ctgatccgga agcaggtgtg gcccggggca tagacttcca ccatgtgtct gctgtgctca 19140 · actitigatet teccecaace ectgaggeet acatecateg agetggeagg tagtagtgtg 19200 acggcccagg catctgcatg gtaggcacac tgagggactt ggggtgtgct ggacagagcc 19260 tgcgggttgg agatgcaagc tgcactgtct tcccttgcag gacagcacgc gctaacaacc 19320 caggcatagt cttaaccttt gtgcttccca cggagcagtt ccacttaggc aagattgagg 19380

agcttctcag tggaggtaag agcctggctc ttgtggtcct gggccagggt caggcttctt	19440
ccacaatgct ttaaaactcc atgataatga tgacagaggt cacaacatag tgtgacaggc	19500
cacttccacc atccatcctt gttctgccct gagtggcagg cactgtcccc cttgagagat	19560
aaacaaattg aggtaatttg tccaaagttg tgtttactgt ctgcctcatg agcgttgagt	19620
gacctgacag gctgctgtga cagctcagga cagcacctga ccccagggtg ctgggtggtc	19680
ctggactgct ctctgtggcc gtcgtcatgg gggtaccttg actcccaagg aataccatgg	19740
ggtactcctt gggagaggag aagagagtgg gtgacgggtt cttgggcttg gggccacaca	19800
ggccacccc atccacaca ggggacagat gggtcatcac tgtaagaggc ccaggtgcag	19860
ctaacctgca tgttcggcat cccaggaagg cggtgggtcc cctgctgctt tcccccaagg	19920
gggaggtgca ggaggcctcc aatgaagacc ctatcctaag gcctcagcct gtgggaccct	19980
cgctgctttc ttctccacag agaacagggg ccccattctg ctcccctacc agttccggat	20040
ggaggagatc gagggcttcc gctatcgctg cagggtgagc tgctgtggtg gggaggggaa	20100
tgagagggga ggggctgtgg cccagggatt gcaccgtctt gctgagcatc caggtgtgaa	20160
gggaggattt ggggcagcct cactgtcttg accttcagtg tccacccca ggatgccatg	20220
cgctcagtga ctaagcaggc cattcgggag gcaagattga aggagatcaa ggaagagctt	20280
ctgcattctg agaagcttaa ggtgagtgga tgggaggtga gaaggggata gatcttagac	20340
ggctgccctt tttggagact ggctgagctc cgagtggtga gaagcagaga actgggcagt	20400
tttctggcct ttggcacgga aggggaggaa atggacccag aatcatggaa ggaagccagt	20460
ctgttctgct tggtggtaaa ttggcacaac cttatggtgg acactgtcca gcagaattac	20520
gageteatgt gteettteat ecgaaattee acttetggaa ettaateetg gteaegettg	20580
tgaatgtgca cagtcaagca tgtgcctgca ttcatccatc catggcatta tcatggaacc	20640
aaaagatgga aacagcctgg ggccaccata gggggcttgc taggtaaact caggtgcatt	20700
cagagccgaa ggttacatgg gaaggaatga ggttggttgc gtgtccatat ggaacagtct	20760
gtaagatgat gcccagcaaa aaggggtaca gggtactgcc atgtgtgtca tggagaaggg	20820
aaaatggaaa catccactcc cgggaggttc tgagaaatgc acagaagcag ctgcctcatg	20880
ccttttgaaa cacatgagtg tgttatcctt tgaaaagcta ggtctgtgaa gtcacagaag	20940
aaagatgctc actctgtggc tctccctctt cccccggcag acatactttg aagacaaccc	21000
tagggacctc cagctgctgc ggcatgacct acctttgcac cccgcagtgg tgaagcccca	21060
cctgggccat gttcctgact acctgggtga gtgtggcctg acagggcagg aggcagcagg	21120
ctggggaagt ggcattaatt tctccactgc tgggtcagcc cctgtgcttg gtgctgggga	21180
tgctcaggca gaatagaacc tggagaccct ggcagcacgc gggcatgtaa acaggcacac	21240
CCCTGTGTTT CTAAACTTGT TTGCTTGGTC CCACGGGGTTA GCTGTTGCTG TCTCCATTTT Page 49	21300
i age 47	

agagatgagg aaattgaggt agtgcagggt gggtggcaga cccagcattt caggccaggt 21360 cgtctccaga gctgggccaa atggccatcc atgggtcgaa gggagtgaac aggtttggga 21420 gagagtcacg ggcaggaggc agagagagcc acctgtgctg caaaagactc aagattagca 21480 gctgctgaag aggcatctgt ggagtctctg ggtaagaaca gtcagcaggg agacagactc 21540 tgtaaggcct aaaccgacaa ggtagcaaga gaagagccag tggtggtgcg agggatgcag 21600 gggttggcag gcatgaggtc aggaccctgg gattggtttc tgtagtgcag cccaggctag 21660 agctttatgt ggccattaat actgggcacc tctcctcatc tttggcaggc tctgggtaat 21720 gacttctttc agtgtctcat aggaggtgtt tttggtaatg agtatgtgtg acttttatgc 21780 ctaaaatgga ttgaaggagg agagtggtgg agaggaggct gtgggcagca agtgcaggac 21840 ccttcccaat gccacagggt ctgctcagcc tggacctgca gccacccagc gggtgtggtg 21900 ttgctgctat ggaggtgaca aagggtggag atggaatgtt ccagggcagg aaaagcctgg 21960 gcactgggaa aggaaggatc cagaagagat gggaacatga aaatgccaga gagagcggtg 22020 9999ccgggt tcccatggga cagtgagctg gaggagaccc cagtccaggt cctggcctga 22080 22140 gcctcaggaa cccagtctgc tcgtatagcg gagtcatttg ccaaggtgtg gccaggaggt 22200 ttagaagggc caggagaagg tggaaaggtg tcaggatgtg ggatgtttga catttgaagg 22260 ggagggccca ggtgtggttg gcctggggga gtccatgggg tgggcgaggt gaagatagag 22320 ccaagatcag gtgcagctgg gatgcggggc cccctgtatc ggtagtaatg ggccacaggt 22380 gaagaaacta cctgttgact tttatttcag ctgcattttc tttctttaag gatgtctgtc 22440 tttttctttc ttgttacatg tttgttgtaa caaatctaaa caatatagga gagtgattta 22500 aatagtggaa gtctaaggtg ctcacattct cctggccctg tgcagatgtg gtagtgaata 22560 gatgtatgtc ataggctgcc agttgggtca gaattggaga atttgctgca gaatcagcgg 22620 gagggcaggg atgggagcag tagcggtgag cccactgctc aggcaagcat ctcttccagt 22680 tcctcctgct ctccgtggcc tggtgcgccc tcacaagaag cggaagaagc tgtcttcctc 22740 ttgtaggaag gccaaggtac ggctcctggg gactgcggac agccccagga ctcctcccaa 22800 cctgctcttt tgtcatcacc agaatgtgga ggcgccttgc cctagggagg ggaagagagg . 22860 gtgccctagg gaggggaaga ggggggaccc tagaaccggg ccccaaaaat ctggtgtggg 22920 ataggggtac ttttgcagcc gcctgcaggc cctgcttttc tttccccagc tgcctttccc 22980 catttcctta tctgcagcac cttctggtcg tgttggccag ttgccggcac ggctcccttt 23040 gtgtctttct cagttgggtg ggtgggtggg tggattgtct gtcggcctga ttcccccaac 23100 taacctgtga ctttgcctcc ttagagagca aagtcccaga acccactgcg cagcttcaag 23160

cacaaaggaa agaaattcag acccacagcc aagccctcct gaggttgttg ggcctctctg 23220 gagctgagca cattgtggag cacaggctta cacccttcgt ggacaggcga ggctctggtg 23280 cttactgcac agcctgaaca gacagttctg gggccggcag tgctgggccc tttagctcct 23340 tggcacttcc aagctggcat cttgcccctt gacaacagaa taaaaatttt agctgcccca gtttgtgcct ccagcatatg aaaaggacta tttgaatccc caaaacatca ggagtcggga 23460 aacttcggaa gacagctgtg cctggctctg tggctgcatg cagtgcttca cttggccagc 23520 agaggtcagc tgtgccgagc tgccccagcc atgagaagag aagcctgccc ttgctggcag 23580 gtggctatgg ccggcccaga gccttcctgc ccagctcctg cagccctgct gcctgggatc aggetgggag atgggeette etgacegeea geetteetet eeeegageae aegeaeatgt 23700 agattcgggg ggaagctgcc tgctcttcct tagaggagcc ggggcagcta tctgctggtc 23760 cctttctgaa caactgttga tgtgtgagct gtgtctgtgt gttatgtgca taagcggtgg 23820 tgtgacatac acacatgtgt actgtccctt atgccctggc ctgagctctc cagctgcctt 23880 ctcagcctga aggctgggct tctctgctgg cttggggtcc tagattgcat gtcacctgct 23940 taccaggcgt cacaaggcca tgctgggggc atgaggaggt tggggcagca ggagagtggg 24000 gagaaactag gagagtgcct gagtatttta gaaagaacca agtttttct cggcaaaagc 24060 ttatacagag acgaaggagt ctgtgtcttt ggtcatggta ggactgaagc tagcaggacc 24120 cgagatttgg ggcctccatg atccctgctc ctcttctgtt aacacccaag gatttccacg 24180 aagccagtgt gtatgatggg ggcaggacag tggtactttc tgggcaggtg tgaactagag 24240 ctgctaagga gctgcagacg atattcttgc agtttggtgg ttagcagtat tcagaaggac 24300 aaagagttaa tggaactgga gataaagagc aaccatttga gcatctgctg ggagacatct 24360 gtcaactgca cagaccctat cagtgggcat cgctgccacc tcttggaaga caagacaggg 24420 cagagagtgc ctgcagtgct gaggcctggt ccttgcccta ggttggcctt cccacctggc 24480 ttcatggagt gctgaggctg gtcctgggga cagtgagtgc tctggatgtt ttagccaagc 24540 tgtgttctaa agtgatgcac agtctgtctc cactatgttt atctctctga ccctgtcact 24600 tccaagcaca ccctaccaag agcttgtatc ccagagccac cctgatggag aggagattgg 24660 tttccccagt gatttccttc tttggggggt ggggtagagg aacatggagc cagccttatg 24720 ctgtattcgt gcctggggat agcagggtct gggcccggag cagaggagct tgggtaaaga 24780 tatggaggct gtttgttcaa agtgtacatt ccttcctcct aacggcatcc ctgggggaag 24840 ctatttctat gttttaggtg gggaagatga ggcttagaag ttgcctggtg aatgaggttc 24900 tttgcaagat ttgggttctg gcctgtccac cctggtggag tagctggtac cacgggggct 24960 tttgctgtgg ggttaggcac catgtgggcg ctctggggcc agggcattgg aaagaatggg 25020 aggattgctt gagcccagaa gttcgaggct gtatgatcac gcaactgcac tccatcctgg 25080 Page 51

gcaacatact gagacactct ctctctttt ttttgagaca gagtctcact ttgttgccca	25140
ggctggagtg tggtggtgca atctcagctc actgcaacct ctgcctcctg ggttcaagca	25200
attcttcccg cctcaacctc ctgagtagct gggattacag gtggccgcca ccacgcctgg	25260
Ctaagttttt tatattttta gtagagacag agtttcacca tgttggtcag gctggtcttg	25320
aacttctgac ctcaggtgat ccacccacct cggcctccca aagtgctggg attacaggcg	25380
tgagccacca tgcctggccg tgagactcta tctttaaaaa ataaagaaca ggaaggtcca	25440
****	25500
ctgggaggca ggtaccatgt gcccatttac gtgtgaacaa acaggcactc agggttggcc	25560
tcttggactt agtctggcca aagcctgtgc cctttgcaca aatgtgcaaa tcaggactgg	25620
ggcaggcctt ggatgagggt atgtgtgcta tgggcaaatg aacctagggc tgtccagggc	25680
caaacagcac agagggcatg tgggcctgga agggaggaag gaggtgtggc acatgctgcg	25740
tggaagccta aggcttcact aaacagcaga gaagcttgga tggttttcag gctggtgacg	25800
ccctgggctg aagcaggaag gtcaggagaa tgcagtggcc tctccactct gggctggcac	25860
agttttgccc acatgtatac ctgaatgggt gcctggctgt gtggactgtg ctatggtctg	25920
gaatcagatg gacaaggcac agtctatgag gcaaggagca gagatggtca gccaatgcag	25980
actgctcaat agtcatgttg ggagttcagg gtactggagg gctataaggg gccctcaccc	26040
agttggagag aatgctgcct tccttgagaa agtgaggttt atgctgagat gggaagggtg	26100
ggagggaaca gcaatcctag caggggagac agcatgtgca aattccctgg ggtgggaggg	26160
atccctgcac atttgagggt gaaaagacca gagggttgtt accaaaatat gcaatggggg 2	26220
ctgaaaattt gatttttaa aaaaatgtaa tagtcacata ttaaaaattc aaaggataca	26280
gaagatggag ggtttttgaa aacaagggca ttctttttt ttttctttct ttttttttt 2	26340
tttttttttg agatggagtc ttgttctgtc acccaggcta gagtgcagtg gcgccatctc 2	26400
ggcccagtac aacctccgcc tcctgggttc aagcgattct cccgcctcag cctcctgagt 2	26460
agctgggatt acaggcaccc accatcatgc ctggctaatt tttgtatctt tgtggagatg 2	26520
ggatttcacc atgttggcca ggatgaactc ctgacctcgg gtaatccacc cgcctcggcc 2	26580
tcccaaagtt ctgggattac aggcgtgagc caccacacc ggccaacagc attctgatga 2	26640
tatagctggt gatagcagat gggaggacag tggtgtgccc agaaacctct ggacctggag 2	6700
cacaaaaggc tcagggtgca ttcccagccc agcggattct ctgcctgcat ctgctaagga 2	6760
tgaatgactc agctttgggg gaattagttg tgagactttg gacttcaggg gcggggcccc 2	6820
aagaggċaat ggtgataaag ttgaatttga gcagggaagg tgccccgtca gctgtcatcc 2	6880
ttttccccag gaacatcatt atgtaagact cctgccttgt ggaacaggct gtgagttgct 2	6940

المراجع المراجع

gctcttccat tcctcacagc catgtttaca agggtaagga agggaaggag tggttcatca 2700	00
ttgcagagag gaaggtgcct tggccaagca gacctgctct gtgccaggca tgacactggg 2700	60
caaatgcaca gtatttagtt tatttatcct gaaatgcttt cagaactcaa tgcatccagt 2712	20
gtcttgttat ccctccagcc tatccgcaaa cctgctgaga tgcagtaggt ttggcgtaga 2718	30
atgcactgag ggtatctgtg gcaacagtgg gctaaagaac aaggcacatc aagggggtct 2724	10
tccgacgaac accccaaggg ttgcctccac cacgcagcat cctgctgtgg ctcgcctcaa 2730	00
tgtcccaggt gctctgtggg cacagtggcc aggtcagacc atgatggcca ctttctgact 2736	50
gtatggtctc atacagggaa ggcatgtcac ttttcttggc cttctctagg ttctcacctg 2742	20
taagtggggg taaaatgtcc cctccaaggg ttcctgtagg ggccgaagtg gctcaggcac 2748	0
ctggcacgcc tgttgcagcc cagctctgtg ctagcacctc ccaatgcctg ttgaatccac 2754	0
cattgccttc tgggacgtgt ctccatactt ccacgagaat acgtctaggg cacagcctgg 2760	0
ggttctgcat ttgagttctc acctccgtcc caggtgagcc caaaggtgct ggtctctagt 2766	0
ccacatttga gaggcaaggc tttaatatcc accacacac tttattttgc agattggcaa 2772	0
aagcttagat taactagcca gcccaatgtc acttggctaa gtggtagagg ggaggtgctg 2778	0
tgtctgtcag actctagtct ggaattggag gtgggatacc taggttcaag tcctggatat 2784	0
gaaacttccc tgtcacatcc cttctctgag cccaacactt aatccgaaag tcatggtgac 2790	0
gtgggaggcc aggtaaagta ggagatgtct agctagattg gaatttcaaa taatgaggaa 2796	0
ttttacagca taaccgtgtc ctgtccaata tttgggacat atgctaaaac agatattcac 28020	0
tgtttctctg aaattccagt atagctgggc atcctgcttt ttatttgcta aatgtgcaac 28080	0
cctaggttgt gagacctctc tgacccacgc gtggcctcct ccaggaagtc ttcctgagcg 28140	0
ccagcctggg ctgggcatcc tcctctgtgt gtctgatgct gctctgacct catgaagctc 28200)
taattgctgg ggcctgtccc caccttgatg tgggagctct tcggaggcaa ggaccatgcc 28260)
aagttgcata tctgtgtgtt cctgagtcca gtggttcatt aaaagctttt ccctgagagt 28320)
atccttaatg ccccggaggt aattctcttt tcacaacctt tctactgcct gaggctcttg 28380)
aggactaatt ccagttaaaa gcagagggaa ggatgtggta ggaatagcac cgcatggagc 28440)
tggactctgt gccccccgtg cagcaggcag gaccctccct ctgtgtcacc tccatgactc 28500)
agggctcaga caggaagccc tcatcctcgt cctccacggg tctcatgttt gtcaaggcca 28560)
9999tatcag gcgtagtagg caggggccca tgcctgctcc catctgggag accctgcttc 28620)
aggcccctct catggcccct tttgttcccc acagctcact gtacaacttg ttggttcaag 28680)
gttagaaaat gcagttttgt gttgaggggg accatcacag aagacaaagg gtccaggatg 28740)
aaggctaccc atcagcttgc agggctggga cgaatgtgag aagcaactga tgcttgtaca 28800)
gtagagagta agcatgtagg gccagtcccc agaccttgcc tcccctcagc cttgacatgt 28860 Page 53	ı

gatctccatt tctggtggct acccctgcta gtggtctggc ttcaccatct tagccctgcc 28920 caggctaaga ccctcttcca tcagaacctg cagctgggat gctgggagca acagtcaggg 28980 cagagctgcc catcctcca ttcagggagc cctcaggaag tacttgggac cccccgaccc 29040 tttatagatt cagcctgcct catcccctcc atggaccaac acgcccttct cctcagcagt 29100 gggctggggg accaggctcc tgaactgctt gtggctgttc cagcagtggg gagatggagg 29160 gtcacacagt cctgagtcta tggctttgac agcaacgggt cctgactgca gctgtattcg 29220 tgaagcgaag tacctaatac aatcaccgaa atgtacaaat tggaccccta taggttcaag 29280 gattcttggt gtaggaggta tggcccccgc cccgggaacc aggacctcag cttttagaag 29340 caaaatgcat gaatgcagtg atggttaggc caagtgccaa gggagacagc caacccctgc 29400 tatcatggcc agaggaggga gagaccactc aggcctgggt ggtggtagaa atcctcactg 29460 ccaaggagat tgtatgcgca ggcgttggga aggcccggag aagcctgaga gacaggcttg 29520 gcttggttat agcagagctg ggtggaggga gcagattagt tggcttagca caggcttcct 29580 gcagggtggt ggttcttggc cagatttgcc ccagtggggc ttttgggaaa gtatagaaat 29640 attgttgttt ttttttttt gagacagagt cttgctccgt tgcccaggct ggagtgcagt 29700 ggtgtgttct tggctcacta caacctccat ccacctcccg ggttcaagtg attctcctgc 29760 ctcagcctgc caagtagttg ggactacagg catgtgccac cacacccagc taatctttgt 29820 atttttagga gatggggttt caccatgttg gccaggctgg tcatgaactc ctaacctcaa 29880 gtgatctgcc cgcctcagcc tcccaaagtg ctgggattac aggtgtgagc cactgtgcca 29940 gccaagaaac attttaggtt atcatatctg ggcaatggat gctactggct ttaggtggga 30000 agaggccggg gatactgtta aaatcatgca atgtacaagg cagcccccac aagagagttc 30060 tgtggttgaa aatgtccgta gtgttgaggt tgaggactct gctgtggggc aacagtagga 30120 gaaggggtgc taatagtcag gtggtggaca gcagggaatt acaggtacat cagttaggag 30180 tgtatacagc tgcaagtaag agaccaccag atggcaggaa cagtgggaac agaatggttt 30240 atctttttca tgtgtcaaga taagtggtgc taaagtcagg catggtggcc ctcacttata 30300 atcccagcaa ttcaggaggc tgaagagtga ggatcacttg aggccaggag ttcaagacca 30360 gcctgggcaa cacagtgaaa tgccatctct aaaaataaaa attaaaaaaa ttagccaggg 30420 gctgggtgca gtggctcacg cctgtaatcc cagcactttg ggaggctaag gcgggtggat 30480 cacctgaggt caggagttcg agaccagcct ggccaacatg gtgaaaccct gtctctacta 30540 aaaatataaa attagctggg catggtggca cacctgtaat tctacttact cgggaggctg 30600 aggcaaggga atcacttaga actggggagg cgtaagttgc agtgagctga gtcacgccat 30660 30720

30780 catggtgatg agcacctgta gtccctccta gctactccga aggctacggt gggagaactg 30840 cttgagcctg ggaggtcaag gctgcagtta gtgatgatcg tgtcactgca ctccagcctg 30900 ggtgaaaaag tgagaccctg tctcaaaaag aaaaaagaca gataggaaga aagaaagaag 30960 aaaagaaaga aaaagagaga gagagagaga gggagggagg gagggaaagg aaaggaagga 31020 aggaaatgca tctgattttt gtgtattgat tttgtatcct ataattttgc caagttcatt 31080 tattagttct agtaattttt tttattaaaa aaaattttca agatagggtc tcaccctgtt 31140 gtctaggctg gagtgcagtg gcacggttat agctcactgc agtctccatt gccaggactc 31200 aaacagtcct cctgcctcag cctcctgaat agctgggact acaggcatgc cagcatgcct 31260 ggctaattat tttattttt gtagagatgg ggtctcacgt tgttgcccag gctggtctta 31320 aactcctggg ctcaagtgat tgtcctgcct cagtctccca aagtgctggg attataggca 31380 tgctccacca cactcagaca agttataata cattttcagt ggcgtattta ctgttttaga 31440 atataaaatc tatctgcaaa tagagataag tttaatttt ttctaatttg gacactcttt 31500 tccttcctcc ctccccttcc cctttccctt ccccttccct tttccctccc tccctctctc 31560 cctctctttc tctctctct tttctctttt ttctcttttc ttttcatttc atttttgcca 31620 aattgctctg gttagaactt ttaacactat gttgaataga agtggtgaca gtatctcatt 31680 cctagacact tttcgaaaga agacatacat gcaaccaaca aacatttgaa aaaaaactca 31740 atatcactga tcattaaaga aacagaaatc aaaaccacaa tgagatacca tctcacatca 31800 gccagaatgg ctattattaa aaagtaaaaa aaagaaaaaa taacatgctg gcaaggtcat 31860 agagaaaagg gaacacttgt acagtgttgg tgggagtgta aattaggtca accattgtgg 31920 aaagcagcgt ggcaattcct cagagaccta aaggcagaac taccattcga cccagcaatc 31980 ccattactgg gtatataccc aaaggaatgt aagttgttct gccataagga cacatgcaca 32040 cgtctgttca ttgcagcact attcacaata gtaaagacat ggaatcaacc taaatgccca 32100 tcaatgacag attggataaa gaaaatgtac atatatgtca tggaatacta ttcagacata 32160 aaaaaagaca tgtgattatg tcctttgcag gaacatggat ggagctggag gccattatcc 32220 ttagcaaact aacgcaggaa cagaaaacaa aataccacat attctcactt atattctctc 32280 actaaatgat gagaactcat aggcactaag aggggaacga cagatgctgg aacccagtgg 32340 agggtgggag gagggagagg agcaggaaaa ataactattg ggtactagac ttagtacctg 32400 ggcgagaaaa taatctgtac aacaaacccc cgtgacacaa gtttacctat ataacaaacc 32460 tgcatatgta caacttaatg taaaataaaa gttaaaaaac aaggccaggc atggtagctc atgcctgtaa tcccagcctt ttgggaggcc gaggtgggcg gatcacttga ggtcaggagt 32580 ttgagaccag cctgcccaac ttggtgaaac cctgtctcta ccaaaaaagg aaaaaaaaa 32640 Page 55

	32700
agaattgctt gaacttggga ggcagagttt gcagtaggct gagatcgctc cactgcactc	32760
cagtttgggt gacaaagcga gactctgtct caaaaaaaaa aaaaaaaaag ttaaaaaaaa 3	32820
aaacatcgga caccacacac cacatggcag gatccaggat ccaatcagat caagctctgg	32880
catcacccca cggcaggatc cagtcagata ttaccttcca gcatcacctc attgtgagat 3	32940
ccaattagat catgcctcat tattaccctg tgcttataaa acccaaccca	3000
caggaaaaga gattgagcat tccctccttc cttgccagtt gactttaaat aaagcttttc 3	3060
ttatctcaaa atataaaaa gaaagtatct cccctgggca tggtgggctc gtgccggtaa 3	3120
tcccagcact ctgagaggca gaagtgggca gatcaactga ggtcaggagt tcaagaccag 3	3180
cctggccaac atagcaaaac cctgtctcta ctaaaaatac aaaaattagc caggtgtggt 3	3240
gcctggctaa tttccacgcc cggctaattt ttgcattttt agtagagacg gggttttgcc 3	3300
atgttggtta ggctggcctt gaacttctga ccttgtgatc cacccacctc agcttcccaa 3	3360
agtgctagca ttacaggcat gagccaccac ccccagccct cttctgcctg atcttagagg 3	3420
aaaaaaccttc agtctttcat cattaaaaaa aaaaattatt tttcgagaca gagtcttcct 3	3480
ctgttttcca ggctggagtg cagtgatgta atcgtggttc acagcagcct caaactcctg 3	3540
ggctcaagtg atcctcctgt ctgagcctcc tgagtaacta ggactacagg catgcaccac 33	3600
tacaccaaga ttttttttgg tagggtcttg ctttgacctt cctttgacct tgctttgacc 33	3660
	3720
tgggctccag tgattctacc acattggcct cccaaagcag tgggattatg agcatgaatc 33	3780
attgagcctg ccagccttct gtcactgagg atgatataaa ctgtggggtt ttttggttgt 33	3840
	3900
	960
3 3 3	1020
	080
	140
	200
	260
	320
	380
	440
atgatetea geteattgea acetetgeet eccaggteea agtgattett etgeeteage 34	500

ctcctaagta gctgggacta caggcatgta ccaccacagc cggctagttt ttgtatttt	34560
agtagagacg aggtttcacc atgttggcca ggctggtctc gaactcctga cctcaagtga	34620
tctgcctgcc tcggcctccc aaagtactgg gattacaggc ttgagccact gcgcctggcc	34680
aatgtgtata atctttttaa tacgatgttc agcttggttc gctagtactt ttactcagta	34740
ttcatgtata ttttattcaa tatttatgag atctgtagtt ttcttgtagt gcctttggtt	34800
ttgatatcag tataccatag gatcaggata ctatgaacat gccctcatag aataagttag	34860
gaagtgttct ttcctcttca atttagggaa gaatttgagg aggattgata ttatttcttt	34920
ttctttttct ttttctttttt tgagatggag ttttgctctt gttgcccagg	34980
ctggagtgca atagcgtgat cttggctcac agcaacctct gccaactggg ttcaagcgat	35040
tctcctgccc cagcttcctg agtagctggg attacagaca tgtgccacca tgcccagcta	35100
attitgtatt titagtagag acggggttic tccatgtigg tcaggctggt cicaaattcc	35160
gacctcaggt gatccgcctg cctcagcctc ctaaagtgct gggattacag gcgttgagcc	35220
accatgccca gctgatatta attctgcttt aaatgtttgc tagaattcgc cagtgaagcc	35280
atctgatcct gggcttttct tttgggggag tttaaaaatt actgattcaa tttccttact	35340
agttatatgt ctatttagat tttctgcttc ttcatgaatc agttttggta tgcaatgtct	35400
agcaatttgt ccatttcttc tagattatcg tttgttatac agtcatttat agtattatat	35460
tgtatttttt atttctgtaa aattgtaaag ttcccacttt catttgtgat tttggtaata	35520
tgagtcttct ctttttctta gtcaccttac ctaaaggttt gtcaattttg ttgattttt	35580
tcttttaaaa tttattttc tgtattattt tatttgtatt atagattgct ccttcagaat	35640
attttttca agaaatcaac tttttgtttc atagctgttc tctatagttt tctattccct	35700
atttcactta tctcagttgt agtctttatt atttttaaaa attctagctt tgagtttagt	35760
ttttcttttt ctagctcctt aaggtgtgca gttagaaaat ttcaaatctt tcttcttctc	35820
ttctcctccc cctcctcctt cttcctcctc gcccttcctc ctcctccccc tcctcctgtt	35880
ggggtgatca gacccaacac caggtcgtgg gggtgacaaa gtccggtgga gtcaaaggat	35940
tgagacaaag acagtttgag agataaaggt gggacaccaa ggggccatcg tgatcatgga	36000
ggctgcgaaa gccctgcgct ctgggagtcc acagtattta.ttggtaatcc aacaaagaaa	36060
caggtggtga ggcatgttct cactcatagg tgggaattga acaatgagaa cacttggaca	36120
Caggaagggg aacatcacac accggggccc gttgtggcgt gagggggaggg atagcattag	36180
gagatatact taatgtaaat gacgacttaa tgggtgcagc acaccaacat ggcacatgta	36240
tacatatgta acaaacctgc acgttgtgca catgtaccct agaacttaaa gtattaaaaa	36300
aaaaaaaaaag aaacaggtgg tgagaatgtg gaggtcaaaa gggcaggcgc atgatctaca	36360
gctgtgacag tttagcattt atatggaaca tgttctgcta cttgagataa tgggaatagg Page 57	36420

agcctagga	ig ggctagaag	c aaggagcca	g caagtctag	a cacattcca	g aggacattat	36480
gcaagtcct	g cctcagttt	c cctcccaac	a ctcagcttt	t tcccaacat	c ctcctcctcc	36540
ttcttcttt	t tttctttct	c ttcctcttc	c tttctttcc	t ccttctctc	t tttttgtaga	36600
gatggggtt	t tgctatgtt	a atccaggtt	g gtcttgaac	t cctggccta	a tatgattctc	36660
ctgccatgg	a ctcccaaag	t gttgagatt	a caggcatga	g ccaccacac	c tggccctttc	36720
tttaaaaaa	a tttttttt	t ttaatttt	a aaaatttt	t tgagacaag	g tcttgctctg	36780
ctgcccaag	c tggagtaca	g tgctgtaat	c tcagctcac	c gtagcctcg	a cctcttgggc	36840
tcaagtgat	t ctcatccct	c agccttcca	a gttactggg	a ctacaggca	gtgccaccat	36900
gcctggcga	a tttttccta	t ctttcttgt:	a gagacaggg1	t ttagccatg	tgcccgagct	36960
ggtctccct	c aatcctgcc	c ccttggcct	c ccaaagcact	gggactacag	gcatgatcca	37020
ccgcgccag	g gtgctttct	t cttttttga1	t tgtgtttatg	gctaaaaati	ttcctcttag	37080
cacagcttt	g ctgcatccc	a taagttttgg	tatgttgtgt	tttcatttt	atttgtctca	37140
aggtatttt	t atatttcct	t tgtgatttt	gctttgatco	attggttgft	aagcatgtgt	37200
tgtttaatt	t ccaaatatca	a tgaattttca	gggtttttt	cctgtaattt	atttactttt	37260
ttttttttt	g agccaggato	gagtgcagtg	gtgtgatcat	ggctcactga	agcactgatc	37320
tcctgggtte	aagtagttct	ctcgcctcag	ccttctgagt	agctggtacc	ataggtgtgt	37380
gccaccatgo	ctggctaatt	tttgttttga	aacagggtct	cactctgtgg	cccaggctgg	37440
agtgcagtgg	tgcgatcatg	gctcactgca	gccttgatct	cctaggttca	ggtgatcctc	37500
			caggtgcaca			37560
			atgttgccca			37620
ctcaagcagt	tcatttccct	cagcctccca	aagtattggg	attacaggtg	tgagccacca	37680
cacccaactt	atttttattt	ttagagatgg	ggtttctcta	tgtttcccag	gctgatcttg	37740
aacccctggg	cccaagagat	cctcccaact	tctcctccca	aagtgctgtg	attacaggtg	37800
			cgagttctag			37860
			aaaatataac			37920
			atgcacttga			37980
			tgtccaagtg			38040
			gttccatcaa			38100
			tatttctcct			38160
			gcatatatat			38220
ttgacccttt	tagtaatgta	taatgtcatt	tttgtctttt	gtaacaattc	tttatttaaa	38280

ttctattttg tggtcaggtg caatggctca tgcctgtaat cccagcactt tgggaagctg 38340 aggtgggcag atcacttgag gtcaggagtt caagaccagt ctgtccaaca tggcaaaacc 38400 ccgtctctac taaaaataca aaaaattagc tgggtgtggt gggacacgcc tgtaatccca 38460 gctgcttggg aggctgaggc acaagaatag cttgaacccg ggagacagag gttgcagtga 38520 gccaagattg tggcactgca ctccagcctg gacaacagtg agaccctgtc tccaaaaata 38580 aataaaataa aaattctatt ttgtcagata ttagtgtagc aactccagct ctcttttggt 38640 gactatttgc gtggaatatc tttttctatt cttttatttt caaactattt gtgtcctcag 38700 atctaaagtg agtgtcttag acatcatata gttggatcct atctctaaaa caatgtattc 38760 tgcattctcc aactttgact acagagttga atccatttaa atttgaagta attactgata 38820 aggatttatg ccattttacc ttttcttttc tgtatgtctc atagattttt gtctttcatt 38880 ticticatia tigacticig tatitatita titatitgci titigittia tittatiaat 38940 tttttgtaga gacagaatct cactatgttg cccaggctgg tcttgaactc ctggcctcaa 39000 atgatectee tgeetcagee teccaaagtg etgggattat agacatgagt cacettgett 39060 ggctgggttt taaaaattgt ttttgtagtg acacattttg attctcttt catttccttt 39120 tgcatatatt ctatgtatta ttcttcgttg ttaccctggg gattacaaat aaaatcctag 39180 agttataaaa atctaatttg aattgatacc aacttaacag catacaaaac tctactccta 39240 tacagctttg tccctgcttt aggttattgg tgtcaaaaat tccatcttta cacattgttt 39300 gctcaaaaat atagaattat gttttttgg ctgggtgtgg tggttcacac atgcaatctc 39360 agtgctttgg aaggttgagg tgggaggatt gctcgaggcc aggagtttga gaccagcctg 39420 ggcaacataa caagatccca gctttacaaa aaagggaaaa agaaagagtg acttggcagg 39480 catggtggct tagacctgta atgccagtac tttgaaagtc tgaggtggga gaattgcttg 39540 cctccaggag tttgggacca gcctgggcaa cacagtgaga ccccacctct acaaaaaata 39600 caagattttg ccaagcgtgg tggcatgtgc ctgtaatggg attccagcta tttgggaggc 39660 tgaaatggga ggatcagttg agcccagagg tcgaggctgc agtgagctgt gattgcacta 39720 atgcactcca gtctgtctca aaacaaacaa aaaacacccc aaaaaaaccc caaagttaaa 397,80 ataattctgg cttttatatt tacctatgta aataccttta ttgaggattt ttatttcttc 39840 aaacatcttt gagttactgt ctagcatcct ttaatttcaa cctgaaagag tccccttagc 39900 atttcttata aggcgggtct agtggtaatg aactctctca gctattatgt atctgaaaat 39960 gtcttaattt ctcacttatt tttgaaggat agttttgctg aaataggatt tttggttgat 40020 aattttgttt cagcgcttta aatatatcat gctcactgcc ttttgacctc caatgtttct 40080 tatgagtaat cagctataat cagctgataa tcttattgag gacaccttgt atgtgatgag 40140 tcacttttct cttgttttca atattctctc ttagtatttg cctttcaact gtttgattat Page 59 40200

🚤 🛥 🛥 يو دوه يو دو

aatatggctc aatataagtc tctttgtatt tatattcctt ggcgtttatt ggacttttca	40260
gatatttaat attcatgtct ttcatcaaat ttggaaagtt ttaggccatt atttcttcaa	40320
ataatctgtc tcattctccc tttcttctcc ttattgaact cccataacac ccacgttatt	40380
ttgtttcatg gtgtaccata agtagcagtc tctgttcact tttcctcact ctttttcatg	40440
tctgttcctc agacctgatg atttcaattg tcctaccttc aggttcacag attctttctt	40500
ctgctttctc aaatctgctc ttgagcccct ctagtgaagt tttttatttc agttattatc	40560
cttttcaggt ccagaatttc tgtgtggttc ttttttataa tttctcttta ttgatatcct	40620
cattttgttc atgcatagtt ttcctaattt actttagtcc tcatccattt ttgctcttag	40680
ctctttaaga tagctatttt aaagtttttt gtctaataag tgtaatgttg ggctgccttg	40740
gacacagttt ttgtcaactt tttttttttt ttcctttgaa taggccatct tttcccattt	40800
gtctgacttg tgattttgct gttgctgttg aaaactggac atttgactat tataatgtga	40860
taagtctgga aatcagattc tctctcttcc tcagcatttt tttttaattt ctgaagactg	40920
tagtaatgtt tgtttttata ctttcccaag ctatttttgc aaagactatt cattgtttt	40980
ttgtggtcac caaagtgtct gtttcttcag cttgtgttta gccagtgttt tgacagagat	41040
ttccttgaat gccaggagct aaaaaacaac accaacacac acacacacac	41100
100 0 100	41160
	41220
gcttttctga acatgtgttt tgccttgtac atgcatgcgg cattctcaat ttcctgtata	41280
catagccgtt ttatttttgt ttgagttgga tctcactctg tcgtctaggc tggtgtgcag	41340
	41400
	41460
	1520
	11580
	11640
	1700
	1760
	1820
	1880
	1940
	2000
cctgtgtctc ttccaagtag ctgggacagc aggtgcctaa cctccgtcta attatttatt 4	2060

tttttctgct catcctctgt gggttggacc cactgccgaa ccagtcccaa tgagatgaac 423	120
tgggtacctc agttggaaat gcagaaatca cccaccttct gcactggtct cactggaagc 421	180
tgcagatggg aactgttcct attcggccat cttggcccct tccaattatt tatttttttg 422	40
tagagacagg gtctcatcat gtttcccagg ctggtttcaa actcctggga tcagggcagg 423	00
atcttcccac ctcaacctcc caaattgctg agattacagg tgtgagccac catgcccagc 423	60
ctgcttttct attttgttgt agagacaggc tctcactacc ttggccaggc ttgtctcaaa 424	20
ctcctggcct caagcagtcc tcttgccttg gtcttccaaa ctgctgtgat tacaggcatg 424	80
agccactgca cctggcggct tcttcttctt cttttttttt ttcttttgag tcaatgtcca 425	40
gcctggagtg caatggtgcg gtatggctta ctgcagcctc aaacccctaa actcagatga 426	00
tecteccace teageeteee aaatagetgg gaetacaggt acatgecace atgecageta 426	60
actititita cattitatti titgtagaga tgggggtctt gcaattattg cccaggctgg 427.	20
tctcaaactc ctggcctcaa gtgatcctcc caccttggcc tccaaaagca ttgggattac 427	80
aggcatgagc cactgtgctt ggctcaaagc tgctttaaaa atttatgtac atatatatat 428	40
tttaagacag agacttgctc tactgcactg gctgtagtgc agtggcacaa tcatggctca 4290	00
ctgcagtctc aaacttctgg gctaaagcaa tcctcccgct tcagcctccc aagtagctgg 4296	50
gactacagtt gcatgccacc acccccagct aatttttaaa ttttttgtag agacagggtc 4302	20
ttgctatgtt gtccagactg gtctcaaact cctgggctca agcaatctgc ctgcttcagc 4308	80
atccgcaagt gttggggtta cagatgtaag ccactgcgcc cacgagttgc tgctgaatat 4314	0
ccaaattgtc taagcttctc ctctgggttt aaaatggtct atggcatgtc tctacctata 4320	0
acctcttgcc ccaggcatct tttctgagca atgtcctgat tttaggtaag agatacagca 4326	0
tcttgcatca gttcttccag gatcccccag acaagaacag atgcacgtaa tagtttgcaa 4332	0
ataaggcctg ctctctttgg aggagggagc tgagaactgt actactgttg tctcaattcc 4338	0
aaaactgttg actgagtgca gtggctcacg cctgtaatcc caacactttg ggaggccaag 4344	0
gcaggaggat cacttgaggc caggagtttg agaccagccc agacaacata gtgagaccct 4350	0
atctctacaa acaatttaaa acactagctg ggtgtggtgg cacatacatg taattctagc 4356	0
ttctcaggag acggaggttg gaggattgct tgagcccagg agtttgaggc tgcagtaagc 43620	0
catgattgta ccaatacatt ccagcctggg ctacagaatg agaccctgct tcaaaaagaa 43680	0
aaaaaaaaaa aaaagaccaa gactgctgcc atgctgggga aggggtgggg caagactaag 4374()
taaaaacacc acaaaacttt gctactgttt tgaagatggc cttttttaaa ttgagtgttt 43800)
gcctggttgc tgtaggcctt tgttttctag agtgacaaca aagttggttc tgacagtttg 43860)
gcttgtttat tcagtgtttc agtttggaaa tgagagcttg gagcttccta ggccaccatt 43920)
ttgctgatgt catttccaat ggcatttttt gcatctcgac tttttcctcg cgttcaatgc 43980)
Page 61	

ttcaggacca caagatggtt gctacagctc tagaccttcc atctgtctag tgtggcgaaa 44040 agtggggaag gctagaatat catgccagct gcatacctcc cctttcatga gggaagaaaa 44100 agccttccca cggggatcac agggcccctg ctagctgcaa aggggtctgg gagaacaggg 44160 agagcctctc tcacctgagc agtggacaca atccttcacc aaagagtgca ggttctgatg 44220 gcaagaaaga caaaggggcc accggcaggc tcgttacccc aaagagcgag aagtagggga 44280 tgtgattact tacatctgta ccagttagag tgttgtacac atatccagcc aaggtacctg 44340 tggcccaggt caggtgactg gcttagcaat ttcacctacc ttcctctcag cccagatccc 44400 caaattcttt gaatgctgtt gggatgcaga acagcaagtc agcgagtgat tttttttaat 44460 ttaattttta tgagtacaca gtagattata tatttatggg gtacatcaga tattttgata 44520 cagatataca atgtgtcata atcacatcag gttgtaaatg gagtgaccgt cacctcaagc 44580 attigicact teteigitae aaacattita attacaeeet titagitatt tiaaaatgta 44640 ctgctgattg taattaccct gttatgctat caaataccag ctcttattca ttctatctaa 44700 ttatattttt gtacccacca accatctccg cttcccccta cctccccact actcttccca 44760 gcctctggta accatcgttc tacctactgt ctattgccat gcgtttgttt tcatttttag 44820 ctcctataaa tgagtgaaaa cacatgaagt ttgtctttct gtgcctggct tatttcagtg 44880 agtgatcctc atgtctccag ggcttgtctg tacatgactc acctggggca gcctctgcca 44940 ggtgtcaccc cggagccagc aacaaagggc tgctctgctg atggctgcct cacccccggc 45000 tgctccctca gtgaactggc acagctctgg gcccctctcg ggaccttctc agagtagcca 45060 Catttcagac ctgtcttatg attctaacat caaacttata atatcaatct tactaatacc 45120 aatagaaagt ggaaaatgag gtattatctg gcagtcatta aattagtaag ttctaatgac aaacataata cacgatgaag gtgagactgt gggaagatgg tgcctttgcg agttgcccat 45240 gtcagtggta agagtcacgg ccctcgggaa atcaccgagt cttcattacc caagactggc 45300 atcaaccett caccaaatte caataactga gaatetgata attacccaat aaatectaga 45360 ttagcctgag gaaagaaatg agctgtccac gtaagagtcg taaacattgg gccggggctg 45420 gtggctcatg cctgtaatcc cagcactttg ggaggccgag gcaggcggat cacgagatca 45480 99agatcgag accatcctgg ctaacatggt caaaccctgt ctctactaaa aatacaaaaa 45540 tgaaccaggc atggtggcac atgcctgtag tcccagctac tcgggaggct gaggcaggag 45600 aatcatttga acccaagagg cagaagttgc agtgagccga gattgcgcca ctgcactcca 45660 45720 cattgtactc tgactcacaa atctcatcta ggggaacttg ttttaaggaa ataaattcaa 45780 agaaggagga aacattgtta ggtgcaaaga agtcaaccag aaacttattt atcaaaaatg

aactattggg aaccggctcg acagtcagca ccagaagagg agaagatcca cgcgttctgt	45900
ggaccataac ctagtcacgg acgtgctgat cagagattga aggcaacagg gaggatttat	45960
gtgaaaagtc aagagaaaaa gcaggatgca tgtacatatc atatggttac agctcggcac	46020
gtgtgtccag aggcaccggc agctgggttg ggagatcggg tgtgaaattt tcactgtcat	46080
·tccgagccgg attgtgccgc tgttatgctg cgtgtgtttc acaaatgacc ccaggagacc	46140
acatagctgg actctatctc tctgtggtgc tagactgggc acagctgggc tccaggggct	46200
tagcctagac agcccccatg ggaagaaaca tatgaaaggc agggtgggcc tttcatatct	46260
ttgttctgac acagctctgt gcatgccgac agtgtcttct tgtcgcaagt gcccacggcc	46320
ctgcctaagg ccctttgaca ctgaaggtgc ccgccacgtg ctggggcgaa atcttccagg	46380
aatgtcctct accagtgaca gatgaatgtg gtggaaagct gtctgtgtcc ttattccttg	46440
gaggggacct tcttgggcac gtccccacca gttcccggag gtccctgggg gcaggagcaa	46500
gctcttggat gcattctggt cagctttctt ccatcccctg gctcattccc cattcaccga	46560
ctgctgtcat ctggggtcat ctccccaata aactctttgc actgggatcc ttgtttcagg	46620
atctgtttct ggaggaacta gatgacaaca ccgggaacag aggacctaga gaggcagctt 4	46680
catgggtggt ggggtgtccg cctctgccgg ccagggactt gggagcagtg ctgggaaggt 4	46740
gctggatgga gctgtcactc acaggggcag gtccttggct gctgactgtc ttcctctcca 4	46800
ctatggctgt cttgagaact taggggtcag cctgaccctg ccttggcccc cttcctctca 4	4 6860
gcctctgtct tctcctgcat gaggctgggt ggctcccctg tgaatcaggc aggggtccac 4	16920
agaacactag agacaggtcc cttcctgcag ctgtctccag taggtggcca cgcaggagat 4	16980
gttcccaaca agctgccctt atctgcagct cagctttggt aatgggggcc cattaccaaa 4	7040
tgggggtaaa ggtcatggcc catcctggtg atagtgagaa cccaaggtag gccttgaaga 4	7100
ttcctatcag gagggagcag aaagtgtgta ccacacccct gggcccaggt ggagcagggc 4	7160
tgctgctcaa ggctcccagc catgctctgt cccttgctag gggtgaccgg tgggacaggc 4	7220
ctgggcaagg gacaagaggg agaaggtcgg ggggaagagg ggatgaagag caaagtgagc 4	7280
aaaggagagt cttccactat ctggggtctc tgtcaactgt caggccctag agtgagctgt 4	7340
tctttccctt tgcttcctgg aggaggggac ttttgtcact gcgtcactcc accctgcctg 4	7400
cccctccgtt atcaggctgt taatattaat taacaacagt tgctagggat gacagtgcag 4	7460
agggttcctc tgagcccatt gctggccctg gtcccaagag ggggtagggc agagctgggg 4	7520
tctgaggctg agccagggag ggtgcggagg ttcctcggcc atgctgagct cctgaggccg 4	7580
ggtcccagcc agtgcctggt cccatctgtg cctccaggcc ctggcaccaa ctccagcagt 4	7640
gttaggggct aatagcgtgg tctctcccct agctgactca gccctctggc ttcggtcgct 4	7700
ttgggaagtg agtggagacc ctagcacctg cgtgatgagg ctcatctaaa gcgggggcct 47	7760
Page 63	

gtggactggg gccaaacagt gggagtggtg gatcattaac cagcagggct cagcctcatt	47820
ggtccctaac ccagtcaggc cagggttgtc atcgaagggg aggaggctgc cttaatgtgt	47880
gttcagccct tggctgttcc tgaggcctgg cctggctccc cgctgacccc ttcccagacc	47940
tgggatggcg gaggccggcc tgaggggctg gctgctgtgg gccctgctcc tgcgcttggt	48000
gagtcccagg gcttggctcc acctcccctg cggcctccag ttagggaccc tggggccagc	48060
cgtgtaccag gcgagcgtta ctgggtgaca gcaagggagc ctcagggcct gcgggctggg	48120
caagtctctg gacacatgag ggatgccagg ccccacagag gaggggtgca ggtggagggt	48180
ttccaggtta caggcttgaa tgcacacagg ggtgaaagag gctgctggac tggggtgctc	48240
caagtccctc ctgtcactgg ccctactgtg gggtccaggc ctgcagttga gggaggtctg	48.300
aggcaaggag gtgctgggat ggggttacct ggtgagcatc acctagggag gactgagcac	48360
tctggaggct gggagaagat ccagcgctgg cacctcttaa gttcctcgct tactttgtgt	48420
Ctgggaggtg ggtgacagct tttggcctca agcaggtggt ggtagtggtg gtgggagtcg	48480
99999cctcc tgaacagact ctccatgaga gaccctggcc tctggatgtg gtgtacagtg	48540
tggggactca ggctgacttt gacgtgggca gagcccggga ccttggagtc agctttgcct	48600
ccttacccat ctctggcctc tccagcatga ctttcctaag ctgcaggtct atcaggccac	48660
ccccaggaag aaaggccagt gttgtcactc caacactggc tggctggcac atgcctccag	48720
gaggetteet actececaca eteceegett ecetgeecet getecatgte ettettacee	48780
tcacaccctc cctggctgcc tgctgcctgg atggcaccca gctgtgtcag ggcccacgcg	48840
tgatgttgct gtgctctgca ggcccagagt gagccttaca caaccatcca ccagcctggc	48900
tactgcgcct tctatgacga atgtgggaag aacccagagc tgtctggaag cctcatgaca	48960
ctctccaacg tgtcctgcct gtccaacacg ccggcccgca agatcacagg tgatcacctg	49020
atcctattac agaagatctg cccccgcctc tacaccggcc ccaacaccca agcctgctgc	49080
tccgccaagc agctggtatc actggaagcg agtctgtcga tcaccaaggc cctcctcacc	49140
cgctgcccag cctgctctga caattttgtg aacctgcact gccacaacac gtgcagcccc	49200
aatcagagcc tcttcatcaa tgtgacccgc gtggcccagc taggggctgg acaactccca	49260
gctgtggtgg cctatgaggc cttctaccag catagctttg ccgagcagag ctatgactcc	49320
tgcagccgtg tgcgcgtccc tgcagctgcc acgctggctg tgggcaccat gtgtggcgtg	49380
tatggctctg ccctttgcaa tgcccagcgc tggctcaact tccagggaga cacaggcaat	49440
ggtctggccc cactggacat caccttccac ctcttggagc ctggccaggc cgtggggagt	49500
gggattcagc ctctgaatga gggggttgca cgttgcaatg agtcccaagg tgacgacgtg	49560
gcgacctgct cctgccaaga ctgtgctgca tcctgtcctg	49620

CTCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	
ctcgactcca ccttctacct gggccagatg ccgggcagtc tggtcctcat catcatcctc	
tgctctgtct tcgctgtggt caccatcctg cttgtgggat tccgtgtggc ccccgccagg	
gacaaaagca agatggtgga ccccaagaag ggcaccagcc tctctgacaa gctcagcttc	49800
tccacccaca ccctccttgg ccagttcttc cagggctggg gcacgtgggt ggcttcgtgg	49860
cctctgacca tcttggtgct atctgtcatc ccggtggtgg ccttggcagc gggcctggtc	49920
tttacagaac tcactacgga ccccgtggag ctgtggtcgg cccccaacag ccaagcccgg	49980
agtgagaaag ctttccatga ccagcatttc ggccccttct tccgaaccaa ccaggtgatc	50040
ctgacggctc ctaaccggtc cagctacagg tatgactctc tgctgctggg gcccaagaac	50100
ttcagcggaa tcctggacct ggacttgctg ctggagctgc tagagctgca ggagaggctg	50160
cggcacctcc aggtatggtc gcccgaagca cagcgcaaca tctccctgca ggacatctgc	50220
tacgcccccc tcaatccgga caataccagt ctctacgact gctgcatcaa cagcctcctg	50280
cagtatttcc agaacaaccg cacgctcctg ctgctcacag ccaaccagac actgatgggg	50340
cagacctccc aagtcgactg gaaggaccat tttctgtact gtgccaagtg agtccatggt	50400
ggggcccaag cgaggagtgg gctggggctg gggctgggct	50460
tggccgggca tacagctggt cctgaaggac cagaggtagc tattcctacg gctctggcct	50520
9999ccgccc agatgattat ctctgcccct cgtccggccg ccatttcctt tggtcagagt	50580
tcctgctcat ggctgcaggt ttgtgcgtgg ccatcgctgg cccttcaacc ccgagtccac	50640
tctgtctttc tgcagatttc ttgacatgtg ggagctccct gccacactct tgctttaagt	50700
ctgacagagg agcccgattg gcagagtaca tatttatatt tgctatgttt tgcttcttgt	50760
ttctgtgcca ggggccgtag ggccatcagt aacccatgag gtaccatggt atgcattgga	50820
aaaggtgccc tcaggccaga ggtcgtggct ggtctcaggc acctgggccg ggtgtcctgg	50880
ggtaggccac agccacacac acttctattg attggggttc ggtctttggt tctgtccact	50940
ctggtgtgct gccaacaaga tgccaacaac gctgctgggc caagggggcc aagagccaag	51000
ggcagcagca gggccttggc agtggaggct ccttgaggtt ggagtagagc agaggtcctc	51060
aagatgaacg tttagtactc catactccag agcaaatgag agttaaaagg ggcaaatagc	51120
atcttagtgt tattatgaaa acagttctga ccttacagac cctggaaagg gtctccagga	51180
Cgcctaaggg ccccaggcca cactttgaga accactggat tggaagagag tgccgacact	51240
ttctgtcccc tgctacctgg ctctgcatcc ctcagctggg ccccaagttt gggctgcttc	51300
ccagagtgtc tgtgccagga acccaagggc tctctcttgg aaatagcagg aacgagagga	51360
Office the same of	51420
fftatagtee attacks	51480
QQQtqqtcca anna .	51540

agctgctcaa ggtcacacag caaccagcac tcgcttgctg agatctgaga gaggggggta	51600
gagagctttg ctcaggtgtc ccactgcatc ttcgcaatga cgggctttgc agaaagggct	51660
aagctgaagg acctacagac ttgcctgagg gcaccagtct agtaaactgt gaaaacattg	51720
gctgctgggc tccagggttc caaatctaac ctcaatacct aaagggtttc gggggcccta	51780
ggcaggagaa ggaggctgag agggcaacgt ttgagacagc ccatgccaga ccccatggct	51840
caaatcccag ctcttccacc ctcacgggac ttcaggtgtg acgctcaatc cagagtcaga	51900
taatgtcaga gccaggaagg tcaggccagt gtgtggagac atgagaggct cagagggaca	51960
ggtcccggag cagcccctgc ctgccacaga gaaggcactc agggcagctc caactcactc	52020
cgtgggtggg ggcctgcagg agatcttgct ggatgggagc catttaggac ccactcggct	52080
gggtcctaaa tagctaaatg gcctaaatgc agatagctgg gctatctgca gccagtgtcc	52140
cccaccccac cagctcaccc tccatagtgc tgtgggtctg gggtgggagg ggaagggagg	52200
ggccataggg actgggcagg gccaggaaag gccctttccc tttgcggtca tctccctcta	52260
gtgccccgct caccttcaag gatggcacag ccctggccct gagctgcatg gctgactacg	52320
gggcccctgt cttccccttc cttgccattg gggggtacaa aggtaagcta agtgggccct	52380
gagaggaagc caaggaagat gcagtattgg ggcaggaacc atagacggga gggtgggagt S	52440
ggtgctgggg attctcgcgg cctgggggta gcctggcttc tggaagctgt aggccaaccc 5	52500
tgtcctgttt cctctctctg ccatctcctt tatcttctag tagtgttact caggcactgt 5	52560
ggtttttctg cctgggccca aaggtctcgc ctttggctga gagaagtggg gtgtaggagg 5	52620
taaggccatg tatcagatga ggaaggagtg ggggagaagg agcaaggggt gatgggaggg 5	52680
gtgcagctag atagggggag ggaatatagg ggtgcagctg gagggggagg gaggcacggg 5	52740
tgcagcagga agggtctgag tatttcttat cccaggaaag gactattctg aggcagaggc 5	52800
cctgatcatg acgttctccc tcaacaatta ccctgccggg gacccccgtc tggcccaggc 5	52860
caagctgtgg gaggaggcct tcttagagga aatgcgagcc ttccagcgtc ggatggctgg 5	2920
catgttccag gtcacgttca tggctgaggt aggggctgca gggtccctgg ctctgggggt 5	2980
gcaacccagg tggtcttggg tcagttcctg tgtccccatc ctggccctgg cccttcctaa 5	3040
gtgaccctgg gcagtggctg cctgctcaga acggggtgat tgtgatggct gttcttatag 5	3100
cctcacctgc gattataggg ggccatcagg ccctatgaca caacacaca ttagtgccca 5	3160
gtgaccgagc tattgagagc tggcctggct gaagcaggca cggtcagtgg gggctggtcg 5	3220
ggtgtgtgtc cacagcgctc tctggaagac gagatcaatc gcaccacagc tgaagacctg 5	3280
cccatctttg ccaccagcta cattgtcata ttcctgtaca tctctctggc cctgggcagc 5	3340
tattccagct ggagccgagt gatggtgaga agcgggaggg acacagctaa gtgggctagc 53	3400

ccaggacccc aggcatcttc agtaggcctt ctacaacttt cctaaccaca gcacctcaga	53460	
acagcaaagt ggacacaccc aagtggctgc cccaaagggt aatacctctt gcaagtgttc	53520	
tgtgctgaaa ggtcaagagc aattttcttt tcttttcctt tcttttctt ctctttctt	53580	
tgcttttctt ttctcttctc ttttccctcc taccctctct ttctcttctc tttctttc	53640	
tctctgtttc tcttttctc tctttctttc ttttgagaca gggtcttgct ctgttgccca	53700	
ggctggagtg cagtggcatg atcttagctc actgcaacct caaaactcct gggcacaagt	53760	
gatcctcctg cttcagcctc ccaagtagtt gggactatag gcacttgcca ttgtgcccag	53820	
ctatttttt ttttttttg agacagagct ttgctcttgt tgcccaggct gcagtgtaac	53880	
ggcgcgatct cggctcactg caacctccgc ctcctgggtt caacaattgt cctgcctcag	53940	
cctcccgagt agctggcatt acaggcatgt gtcaccacgc ctggctaatt ttgtgttttt	54000	
agtagagatg gggtttctcc atgttggtca gactggtctt gaactcctgg cctcaggtga	54060	
tccgcccacc caaagtgctg ggattacatg cgtgagctac cacgtccggc cattttttt	54120	
gttttgtagt ttttgtagag atggggtctc gctttttgcc taggctggtc tcaaactcct	54180	
gggctcaagt gattcttcct catcagcctc ccaaaatgtt gagattacag gtgtgagcca	54240	
gcacacctgg cctaagagca gttttctgtc tgttacatgc cataccctca cttgcccaaa	54300	
tgcaaagcta agacttaaaa tctcttgcaa tgcatgctca aggaagatgg agtaggctca	54360	
cccatgcctt tgggtttcct ggacctcccc ttgggaggat ggctctgcag aggggcttta	54420	
atgtgagatg tgagctcctc accactgggg gcagtatcgg gcacctgcag gcactgaggg	54480	
tgcctgccgg ctactttgtc tggcctagct gaggctggtg ggcatactgg gtaggtgcta	54540	
agtggctagg gggctgagcc tgtttgcatt gcaggtggac tccaaggcca cgctgggcct	54600	
CggCggggtg gcCgtggtcc tgggagcagt catggctgcc atgggcttct tctcctactt	54660	
gggtatccgc tcctccctgg tcatcctgca agtggttcct ttcctggtgc tgtccgtggg	54720	
ggctgataac atcttcatct ttgttctcga gtaccaggta agaagggagg agctctccac	54780	
acccccaact gcccactctt ctcccaacct cacctcctgg cctgatggga ctctggcgtg	5484Ó	
aatttgctgg gtctccctgc agactctttc tgttcatcga cacgcatgtt tacaatatct	54900	
gtagaaacta gagtgtgttg acataaatga cttcatcctg cctctaccat ctggaattag	54960	
ctttctgtta accccttgca atgtctagta aaacctctcc atgttagtac attacagcct	55020	
cctcctgtct ttatgctgct aggtagcatt ccatggtaag gataaatcag agtcgatttc	55080	
acctctccct gttggtgaac aattagggtt ccaacagtgc ttggaacagg gatgctatag	55140	
acatctcaaa tgcaccaacc atttctccca gccagaccct ggaagaagaa tattggccat	55200	
ggagagtatg agagtetetg atgatteagg aaggteagag eageteetea ggeetggetg	55260	
cagctctggg cacttgccaa ctccctgctg gcctttgagg ggcggtgccc ttggagggcc Page 67	55320	
· age o/		

ctggctctta tccctgctgt tcccacacag aggctgcccc ggaggcctgg ggagccacga gaggtccaca ttgggcgagc cctaggcagg gtggctccca gcatgctgtt gtgcagcctc 55440 tctgaggcca tctgcttctt cctaggtgag cctgggtgag acctccccac tcggcattag 55500 gcttgctggg ttagtgccgg ggcctaggag ttcccagagg gcagtgggta tagtgcagat 55560 tecettecce etgeaceetg teaatgtegg etaceactet gecettgaag ecagggtgee 55620 ctgacagccc tctgctccct cacaggggcc ctgaccccca tgccagctgt gcggaccttt 55680 gccctgacct ctggccttgc agtgatcctt gacttcctcc tgcagatgtc agcctttgtg 55740 gccctgctct ccctggacag caagaggcag gaggtagggg cagctgggcc agtactgagg 55800 gacctgcccc tgggttccca ccatggcagg gagatggggt ggctttacca ccacagagat 55860 ggcccagaga atggggtggg ggacaggggc attgtgccag gagagtaata tttaggccat 55920 gtattctcca atttcctaca gaaaaataaa tttgttttga caattttta aatataatca 55980 aacctcctaa agtgcatgat gttgagaaat aaaatacagt tgacccttga acaatgtgga 56040 gattagggca ccgactgtct aagcagttga aaatctgcat gtaacttttt ttttttttga 56100 gacggagttt cactctgtca cccaggctgg agtgcaatgg cgtgatatca gctcaccaca 56160 acctctgcct cccgggttca agcgattctc ctgcctcagc ctcccaatta ctgggattac 56220 aggccccctc ctcctgcacg cctggctaat ttttgtgttt ttaatagaga tggggtttca 56280 ccatgttggt caggttggtc tcgaactcct gacctcaggt gatctgccca ccttggcctc 56340 ccaaagtgct ggcgtgagcc accatgcctg gtctgcatgt aacatttgac ccttctaaac 56400 ttaattccta ctagcctact attgactgga agccttaatg ataacataaa tagtcgataa 56460 cacatctttt gaatgttata tgtattataa actgtattct tacaataaag gaagcaagaa 56520 aaaagaaaat gttagtaaga aaatcataag gaagagaaaa tctatttact attcacgaag 56580 tgaaagtgga tcatcatgag ggtcttcatc ctcgtcgtct tcaggttgag taggctgagg 56640 aagaggagga agaggagggc ttgatcttgc tgtttcaggg gcggcagagg tggaagagaa 56700 tccagggata agtgagccca ggcagttcaa actcgtgttg ttcaagggtc agctgtataa 56760 atgagaggtc gacaggagtt gatctgttgg ttcccatgat ggtgtaaaat ttaaagatat 56820 tttatcaaga ttaaaataaa agcaaagaaa acagcacact ggtatgtctc catgagggca 56880 ctggcacggg ccacccacag aaggtgacac tccctggggg caagaaggtg gtccctgggg 56940 ccttgtctgc tctgggacta ccttgagggg gtgcctccca ctccaggcct cccggttgga 57000 cgtctgctgc tgtgtcaagc cccaggagct gcccccgcct ggccagggag aggggctcct 57060 gcttggcttc ttccaaaagg cttatgcccc cttcctgctg cactggatca ctcgaggtgt 57120 tgtggtgagt gggcctcgaa ccacacgaga gcaggggcac taggtgggga cctcgcctca 57180

gggagagcag ggttggaggt ggggaggttg cctaggccca aatgctgata cttggggctg 57240 gcacgcaagt ctgctcaact ccagaatgtt gcccatgaca ccctgactga cttaaatttg tggggagatg ggggacggct gttgggcagg gtggtctcat gcagcaggtc ccttctcagc 57360 tgctgctgtt tctcgccctg ttcggagtga gcctctactc catgtgccac atcagcgtgg 57420 gactggacca ggagctggcc ctgcccaagg tgagcccagg cccttctcaa cccttaggcc 57480 cctgggattt ggggaggggc agtagcaacc agcagggatg ggttgggggg tcctccggcc 57540 aggggcttgg ccagaggtgc agaattgttc attactctgg aggcacctcc agcagtcctg 57600 gggagtgaag ccacattcgt gtatgaacag cacaacagcc aggtgccagc cccaggccac 57660 agtaagagag atggcccagg catcggaggg ctgtccatgt gagatggcag gccacaaaga 57720 atgactgcca ctttgctgag tgcctgccca gtgtccagcc ctgcgaattc tctgggcctg 57780 aagcccgggg agggcagggg ttcaggggaa ggaaagcccc gtggttggag gggacctcca 57840 aggtcacata ggatttgcag aggaaagtga tgacagactc gccagtggga ggctagggtg 57900 agcccaggtg tgtttcctgg gcgtggcagc gactgtgggg gtgggatgag ctggaggcca 57960 agggcatggt cggggagagt gctgattgcc cagcctggac cagtaagtgt gcgggccaac 58020 aggcacaatg catcagccaa ggctggggac ccggctcctc tggatatgca tcagcggtgg 58080 ccatgggctg gtggccaaga ggaagcagcc acagacaaca aagtctgaga cacatggtca 58140 gactgcatga gcaagctcta gggagaggga aggcatcgag gggactcgat gtctaggtcc 58200 catctgggga actgtgatgg aggtttgggc aagggtctgg gtactggcag gagccccagt 58260 ggaagcagcc aggcctgagc ccacaacagg gctgagtggg gtgcggctgg ggtaggtgtg 58320 ttaggcagta ctggcctggg gtcctggaag ccaggtgagg gaggacaaga gcagatggct 58380 caggactgta ctttgggtga ctttatggag ggagagcagg tgaggagtca cagaatgaac 58440 ctgccacctg cagaagccct gggggctatg tcacagggct gaggtgaaga gggtctctag 58500 tgccccaaga gcaagaagga aggatgtgat gggctgccag accctgctga ggttttatgt 58560 tgatgtcttt tgtttatttt tctgttgggg acatttgttt cttactgctt ttaaaaattt 58620 tatcattttt tttccgtttt ttattgtggt aaaatacaca taatagaaaa ttaccattat 58680 aaccattttt aagtgtacag ttcagtgata ttaagtacac tcatactatt caactatcac 58740 caccatccat ctccaaaact ctttcctttt tgcaaaattg aaactttacc caacaaacag 58800 tgactcccca ttctcccctc ccctcagccc ctgacacaac caccttttat ttatttattt 58860 attttgaaac agagtttcac tcttgttgcc caggctggag tgcaatggtg tgatctcggc 58920 tcaccgcaat ctccgcctcc cgggttcaag tgattctcct gcctcagcct cccaagtaac 58980 tgggattaca ggtggccgcc accacgccca gctaatttt gtattttag tagagacagg 59040 gtttcaccat gttggcctgg ctggtcttga acttctgacc tcaggtgatc caccagccct 59100 Page 69

ggcctcccaa agtgctggga ttacaggtgt gagccaccgc acctggcctc tacttttct	59160
ttttttttt gagatggagt cttgctctgt cacccaggct ggagtgcaat ggtgcagact	59220
cggcttactg cagcctccac ctcccaggtt caagcgattc tcctgactca acctcctgag	59280
tagctgggac tacagccgtg tgccaccact cccagctaat ttttgtactt ttagtagaga	59340
cagggtttcg ccatgttggc caggctggtc tcgaactctg gaccttgtga tctgcctgct	59400
ttgccctccc aaagtgctgg gattacaggc atgaaccact gtgcccggcc catttacttt	59460
ctgttctatg agtttgacca ctctaggcac ctcaggtaag tgaactcata caatatttat	59520
ttttttggct gggagtggtg gctcactcct gtaatcccag cactttggga ggctgaggca	59580
ggcagatcac ctgaggtcag gagtttgaga ccagcttgac caacatggag aaaccccatc	59640
tctactaaaa atacaaagtt aactgggcat ggtggcacat gcctgtaatc ccagctactc	59700
aggaggctga ggcaggagaa tcacttgaac ctgggaggca gaggttgtgg taaactgaga	59760
tcacgccatt gcactccagc ctgggtaaca gagtgaggat tcgtctcaaa aaaaaaaaaa	59820
aagtatattt tgtctgatct tagtatagct acccctattc tcttttggtt actatttaca	59880
tggaatatct tittictgit citccactit çaatctatit gigittiigg acctaaggig	59940
agtctcttgg agacagcata tagttagatc acgttttgct gttttttagc agatgggggc (60000
tgcctagggc acagtatgct gactctcaca atctcgatcg tgtgtgtgtg tgtgtgtgt (60060
tgtgtgtgtg tgtgtgtgt tgtgtgtgtg tgtttaattc attctaccac tcttttttt (60120
ctttttttt tttgagatgg agcctcagtc tgtcacccag gctggagtgc agtggagcga (60180
tctcagctca ctgcaactta cacctcccgg gttcaagcaa ttctcctgcc tcagcctcct ϵ	60240
gagtagctgg gattataggt gcatgccacc atgcctggct aatttttttg tattttttgt 6	60300
agagacaggg tttcaccatg ttggccaggc tggcctcaaa ctcctgactt tgagtaatcc 6	50360
acccacctcg gcttcccaaa gtgctgggat tacaggcgtg agccaccatg cctggtccta 6	50420
5	50480
· · · · · · · · · · · · · · · · · · ·	0540
	0600
• •	0660
•	0720
	0780
	0840
	0900
gtgagatccc atctctagaa aaaatttaaa atttagctgg gcaagatggc acgtgcctgt 60	0960

agtcccagct atgtgggagg cttgcttgag tccaggaatt caagtatgca gtcagctatg	61020
atcatgccac tgtactccag cctgagcaac agagagacac cttgtctcaa aaaattttat	61080
ttttcagctg ggtgtagtgg ctcatggctg caatcccagc actttgtgag gtggttggat	61140
cacttgaggc caggaggtca agattagcct ggccaacatg acaaaacccc atctctacta	61200
aaaatacaaa aattagccag gcatggtggc acacaactgt aaacctagct acttgggagg	61260
ctgagacatg agaattgctt gaatctagga ggtagaggtt gcagtgagct gggatcgtac	61320
cactgtactc cagcttgggc gacagagcga gactatgtct caaaaacttt tgtattttta	61380
tgcattatgt atccaaaatc ataggctaat gattttttt gcatgagtct cttaaatcat	61440
gtacaaaaag gtggagttat aaatcataac atttataact gcccatttat ttacctttgc	61500
cagggattta tttatttatt taaagaggca gagtcttgct ctgttgccca ggctgagatg	61560
cagtggtgtg atcatagete actataacet caaacteetg geetcaaaag atceteteae	61620
ctcagccacc tgaagtactg ggattacagg tgtaagccac tatgcctagc caagggattt	61680
ttatttcttc atacatcttt gagttactgc tgatgtcttt tttttttttt	61740
ttgagaagtt gttttgctct tgttgcccac ccaggctgga gtgcagtggc atgatctcag	61800
ctcaccgcaa cctctgcctc ccgagttcaa gcgattctcc tgcctcagcc ccccgagtac	61860
tgggattaca ggcatgtgcc accacgccag gctaattttg tatttttagt agagatgggg	61920
tttctccatg ttggtcaggc tggtcttgaa ctcccaacct caggtgatct gcccgccttg	61980
gcctcccaaa gtgctgggat tacaggcatg agccaccatg cctggcctgt ctaatgtctt	62040
tttatttcaa cctacaggat tccttttagc atttctttca gggaaggtct agtgataacg	62100
aattccttca gcttttgttt atctgagaat gtcttaattt caccctcatt ttaattttt	62160
aaaatttttt atttattttg agatggagtt tcactcttgt cgcccaggct ggagtacaat	62220
99tgtgatct cagctcactg caacctctgc ctcctgggtt caagtgattc tcctgcctca	62280
gcctcctgag tagctgagat tacaggtgca tgccaccatg ccaggctaat ttttgtattt	62340
ttaatagaga cggggtttta ccatgttggc caggctggtc atgaactcct gacctcaggt	62400
gatccaccca ccttggcctc ccaaagtgct aggattacag gtgtgagcca ctgtgcccgg	62460
cccattttta tttttaatt aaaacaattt ttttgagatg ggggtctcac tgtgttactc	62520
aggctggtct cgaacttttg ggctcaggtg atcctcgtgt ctcagcctcc caaagtattg	62580
ggattatagg acgaatcacc tcatctggca tctccctcat ttttatttt aatttttagt	62640
tttttttttt tttttttgag atggagtctc actgtcaccc agattggagt gcggtggtgt	62700
gatctcggct cactgcaacc tccacctccc aggttcaaga gattctacta cctcagcctc	62760
caaagtagct gggattacag gtgcatgcct ccacgcctgg ctaatttttg tatttttagc	62820
agagatgggg tctcaccatg ttagtcaagc tggtctcaaa ctcctggcct caaataatct Page 71	62880
· ~gc / 1	

gtctgcctcg gcctcccaaa gtgctgggat tacaggcatg agccaccatg cctggccttc 6	2940
tccctcattt ttaagtgaca gttttgctgg aattaggatt cttcattgac aattgtttt 6	3000
tcttcagcac ttgtttttg ttgttgttgt ttgtttttga gacagagtct cactctgtca 6	3060
tccaggctgg agtgcagtgg catgatctca gctcactgca acctctgctt ctcaggttca 6	3120
agtgattctc ctgcttcatc ctcctgagta gctgggatta caggtttgtg ccaccatgcc 6	3180
tggctaattt ttgtattttc agtagagatg gggttttgcc atgttggcca ggctggtctc 6	3240
222545646	3300
320300040 34055	3360
OCTOR DE LA CALLANTA DEL CALLANTA DE LA CALLANTA DEL CALLANTA DE LA CALLANTA DE L	3420
caagtcactt ctttttttc aatattttct attttttaaa aaacttattt tattttactt 6	3480
****	3540
Toggetene and the second	3600
755748644 774444444	8660
tggcttatgc ctgtaatccc agcactttgg gaggccaagg tgggtggatc acaaggtcaa 63	720
gagatcaaga ccatcctggc caacatggtg aaaccccatc tctactaaaa atacaaaaat 63	780
tagctgggca tggttgtgcg cacttgtagt ccaagatact tgggaggctg aggcaggaga 63	840
atcacttgaa cccaggaggc agaggttgca gtgagccgag attgtgccac tgcactccag 63	900
cctggcaaca gagcaagact ccatctcaaa aaaaaaaaat tataatatcc gttggtgtgg 63	960
gtttctttag tttatcctat tggagtttat tgagtttctt gaatgtttat attcatgtct 64	020
ttcatcaaat ttggggagtt ctggccataa ttttttcaaa taatctcact tcccctttct 64	080
cttttcttct ggaattctta caattcatat tttggtctat ttgatgatga tgatgtctga 64	140
caggtccctt aggctctgct ctgttcactt tcgttatttt ttttcctttc tcttcttcag 64	200
actcagtaat ttcaatggtc ttatcttcag tttgctaatt ctttcttctg actgcttttg 64	260
aatccctcta gtgaattttt catttaagtt actgtacttt ttagctccag agtttttttg 64	320
ctctttttta tgtttcctcc tcattgatat ttccattttg ttcataaatt tttccttgac 64	380
tttgttttct tttagctctt tgagcaactt taaggcaatt gttttattca tttatttat 64	440
	500
	560
20Ctonnot	620
agggtttcac catattagcc aggctggtct cgaactcctg gcctcatgtg atctgcctgc 640	680
cttggccttc tgatgttgtg ggattacagg catcagccac tgtgcctggc tgagacaatt 642	740

gttttgaagt ctttgtctag taagtctgct gtctggtctt acccaggaac agtttctgtt	64800
ggttaatatt ttccctttga atgggccatg tttttctttt tcttggtgtg tttttggttg	64860
aaaaatggac atttgattct tataatgtgg tagctctgga gatcagattc tccttctttc	64920
ccagggcttg ctttatttta tttattgctg ttggtgtttc tgtgctgggg atcagccaaa	64980
ggcacagagt taatgtcttc tcaggtattt ttgagactgc attttctct gagcatttat	65040
gcagtgtggt gactgtctaa atatccctat atttatggtt gcttttgaat gtccttgtcc	65100
ttatatgtat ggttcccaaa aggagaaaaa gggaaaaatg aaggtgtcgg ggataggtgc	65160
ttactcttta aatctcctgg aagtcacttt agtaagatgt ggaggtggtt gcaacaacgg	65220
tggtgggagt tgcattagtg gctgcctgcc tgtgtatctg taccaccaat atcagaagta	65280
atgatcaatt atcagaactc agatccttga tatttgaact tatttattta tttattagag	65340
acagggtctg gctctcttgc tgaggctgaa gtgcagtggt gcaatcatag gtcactgcag	65400
Cagcaaactt ccaggctcaa atgattctcc tatttcagcc tcctgagtag ctaggactac	65460
aggcatgtgc caccacaccc agctaacttt tgtatttttt tttgtagaga cagggtgtcg	65520
ctatgtgccc agatcggtct cccactcttg ggctcaagtg accctcctgc ttgccctccc	65580
aaagttctga aattacaagt gtaagccatc atgcccagct gatatttggt ggatggtgtc	65640
cttgcctacc tggctcctgc aagctgtgta caagctgctt ctggaaagca tacacagctg	65700
catgccttga ggctgggagt ggcaaatggg tagctgctac tgtactaaag ctgagattgc	65760
ctgaaattaa ccacaattta ctgtccaagc cttatcctgg aagcttccag ccctcaatag	65820
actccagagt tccaaaatcg ttacactagg gccggtgtgg tggctcatgc ctgtaatccc	65880
agccatttgg gaggccgaga cgggtggatc acttgaggtc aggagtttga gacaagcctg	65940
gccaacatgg tgaaacccca tctcttttaa aaatacaaaa atcagctggg agcggtggca	66000
catgcctgta atcctagcta ctcaggaggc tgaggcacaa gaatcgcttg aacccaggag	66060
gcggaggttg cagtgagcag agatcgcgcc actgcactcc agcccagaag actccatcca	66120
tctcaaaaca aaacaaaaca aaacaaaaac aaaatagtta taccagacaa attgttgtct	66180
agctggggag agggattcct gacacttcct actgtgccat tttccctaat gtcactctga	66240
gcctttatgt tatagaaggg agcagaccat gaggatgcct ggtgcatggc tttgagggtg	66300
tgcacactga catttatatg tgcacacaaa tatgggccgt tgtcacaggc cagcttgtta	66360
gacggtggct gtgccatatt gggggtgata ggaaggggta caattatgtg tctgtgcatg	66420
tttgtgtgtg tcagtgtgtg ttcatgtgag gtgataggtg ttgctctgtg tttgtacctg	66480
cataagtgta cttctgtttg cacctgtgat tatacctatt ctgtgaacct tggagtatgt	66540
tcatctgggg gtacacctaa aactgtgttc cggtgtaact gtacagtgca catacatctt	66600
gagggtaccc ctgagtgtgt gtgtctgtgc atgtccttct ctatatgtac cttgtgtgtg Page 73	66660

acctctgagc atgtacatct ctgtgtatat tttgtgtact tgtgtgcatg tacctctgtg tacctctaag catgtatcta cgtgtatatc tctgagtgtc ccactgagca catccctttg 66780 agtgtgtaac tgcatgtgtg tctctgaaca tgttcctctg tgtgttcctc tgatcatgga 66840 cctctgaaca tgtgcctttt agcatgtacc tctgtgtgta ccttcgagag tgtgagctgg 66900 attgagccct ttaggggtgt gcatagcgaa ccaaagctca ctgaccctcc tccactccta 66960 ggactcgtac ctgcttgact atttcctctt tctgaaccgc tacttcgagg tgggggcccc 67020 ggtgtacttt gttaccacct tgggctacaa cttctccagc gaggctggga tgaatgccat 67080 ctgctccagt gcaggctgca acaacttctc cttcacccag aagatccagt atgccacaga 67140 gttccctgag cagtgagttc ctggcccgcc ccaaacccca gcctactccc tgtttgagtc 67200 cctccagtcc tctccagtcc cctcttcctg atgttctatc cctgtcctgc tgccctgctg 67260 ccttgctgcc gtatgcctgg ggagggctgc gtgggggttg ggccacgaga aggacccacc 67320 accetgeeca getggeettt teaccettee teccacetge ecettaggte ttacetggee 67380 atccctgcct cctcctgggt ggatgacttc attgactggc tgaccccgtc ctcctgctgc 67440 cgcctttata tatctggccc caataaggac aagttctgcc cctcgaccgt cagtgagtgt 67500 ggggccatgg ggactcactg tccaccacag ctcgggcaaa ctgaggcaac agaaaggaga 67560 ggactggaga ggctccctca acctctccca cgcatcctgc agggtctgtc gggggcatgg 67620 gtgcagatgt ggcctgaggg acaggcactc tgtgagaagc acctgtgtgg gtgaccgtgc 67680 tggcccgtgg gcatcacaca tgtatactgc tgtgtactgt gcccccattt tcagagcaca 67740 tggtgctccc gggtggcagg gcagtgggga gtcaggaggg gagagctgct gaggttagca 67800 catggccctg ccgcccaaag cagtggcatt tgtaggtgga gaggcctttg tggggcctgt 67860 ttttctgccc caaacttcct ttccccttct gcctgtaggt gcccacagtt tctatagcca 67920 agaggagaac ttctcccaca aatgacaaat gcaaatcccc ctagaagcga ctggttgagg 67980 ctggagtgcc caggaccttt gatgggattg ttgggggaagg agggggcacaa agcaggagct 68040 gctggccctg gggtgtcact gcccagaccc ctgctttctc tgcagactct ctgaactgcc 68100 taaagaactg catgagcatc acgatgggct ctgtgaggcc ctcggtggag cagttccata 68160 agtatettee etggtteetg aacgaeegge ecaacateaa atgteecaaa gggtaagett 68220 gggagggcct tctgctgggg aggacagaca tgtgggacac aggatggggt tgaatataga 68280 gaggcaggag gaggctatca ggggcctctc tggggtggct gtgggctggg cagatgaaag 68340 aagcttcgtc cctggctaag cctttgccct gaccttcttg cagcggcctg gcagcataca 68400 gcacctctgt gaacttgact tcagatggcc aggttttagg taagcatggc cttgcctgga 68460 ggggaggaca taaatcggtt gctctggagg gcccccgaaa accccaggga acagcctgtc 68520

acatgttgtc tccctccttt gtcaggaggt tctcactgcg ctggccctgt cagcagggg	t 68580
cttgtttccc agctccacat ctcagacttc accccttctc tcactcccaa gtccatggt	c 68640
agtgctaagt ttgtggaatt gattcagcag ttgataccat acttgggagt tctccacac	c 68700
ctggctaagc acctttctta ccagcacaaa ttacacccaa agggcagctg gttaaatga	a 68760
ttaggatgct tggcacagca caatcctagc agtcatttaa agtaacaaga ggctgggcg	c 68820
ctgtaatctt agcactctag gaggccaagg cgagaggatc tcttgaatcc aggagtttg	
gaccagccca ggcaacagta gggagaccct ctttttttt tttcgagacg gagtctcgc	
ttgttgccca ggctggagtg cagtggtgca atctcggctc actgcaacct ccactttcc	g 69000
ggttcaagcg attctcctgc ctcagcctcc tgagtagctg ggactatagg agcatacca	t 69060
catgtctggg taatttttgt attttcagca gagatggaat tgcaccacgt tggccaagc	t 69120
ggtctcaaac tcctgacctc aggtgatatg cctgccttgg cctcccaaag tgctagtat	69180
acaggcatga gccactgtgc ccggcctcct ctacaaagta aaatttaaaa aattgcccg	69240
gtgtggtggc gtgtgcctgt agttccagct attcagaagg ctgggcggga agaatgcctg	69300
agtctgggag gttgaggctg tagtgaactg tgatcgcaac actgcactcc agcctgggca	a 69360
acaaagtgag accctctctc aaaaaaaaaa agaaagaaaa aagtaacaag agagatgcag	69420
ttggactgac aggaaaagga cccacaacat gctgtcagct tatacagcag atggcagaad	69480
aagacagcca tctgtgtaaa ggagctggcc atagctccgt gcagacatgc tcggtgtagg	69540
ggccctaagg gagctcgtgc tggagatgga catggggggtc gtcggtgggt gggggagttt	69600
ttgaaggatg atctcacttt gtactgaaat aattcatagt ttgaactgct ggctgaaagc	69660
tgcctcaagt tcgctcaccc cacccttcca gctatgaagt tcccatgttt ccagaagggc	69720
aatgcaccct gcccagccct ggtagctgag cacaacaggc tctgtgaggc cagtgtggtg	69780
gggctggtgt ggacagatgg gagtggatgt gtcagtcagg gaatgaggag cagggcctgg	69840
aaggagcaca cagtagagcc aagcccccat aaccgggggc aagtctgcac catctctgac	69900
ctttgtcttc ttgtgtgtgc actaggttag tctagagcag cacttcccaa aatgaggtcc	69960
cccagccagc agcatcagca taacctggaa attgttcaaa atgaagttcc agctaggtgc	
tgcagctcac gcctataatc ccagtacgtt gggaggccaa ggtgggagga tcacttgagc	
ccaggagtct agtctgtctg agaccagcct gggcaaaaaa gccagatatt gaaagaaaag	
aagagagaag aaaaggaaag aaaagaaaga aagggagaaa gagagagaga	70200
gaaagagaga gaaagagaaa gaaagaaaga aggaaggaag gaaggaagaa	
agaaagaaaa agaagaaacg caagttctca gccctcaccc aagactttgc agaccccgaa	
ttgctgggct gggctgggca tttgtgtgtg aactaccctc caggtggtca gaggcctggt	
gggaagttct ccaggcacct cccctgctct gagattgtat gtatccaaga acatttctct Page 75	70440
. 494	

tctttttct ccacacctat gtagcactat tgtttctttt tcagatacac atgctcactg	70500
tacacaataa agaaataact ttttttttt ttttgagaca cagttgccat tctgtcaccc	70560
aggctggagt acagtggcac aatctcggct cactgcaacc tctacctcct ggattcaagt	70620
aattctcctg cctcagcctc cctagtagct gggattacag gcacatgcca ctatgctcag	70680
ctaatttttg tattattaat agaggcagag tgtcgccaag aaacaacctt tttgggccag	70740
gtgcggtggc tcacacctgt aatcccagca gtttgggaga ccgaggccgg cgaatcactt	70800
gaggtcagga gtttgagacc agcctggcca acatggtgaa accctgtctc tactaaaaat	70860
acaaaaatta gccaggcatg gtggcatgca cctgtaatcc cagctacttg ggaggctgag	70920
gcaggacaat cacttgaacc cgggaagcag aagttgcagt gagccaagat cgcaccactg	70980
cactccagct gcggtgacag tgagactctg tctcgaaaac aaaaacaaga acaaaaaacc	71040
Ctttattgta taaaggtctt aataacctta atttcttctt tttttttttt	71100
cttgctctgt tgcccagctg gagtgcagta gcatgatctc agctcactgc agcctctgcc	71160
tcctgagttc aagaattctc ctgcctcagc cccccaagta gctgggatta caggggtgtg	71220
ccaccacgcc tggctaattt ttgcattttt agtagagaca gggtttcacc atgttgggca	71280
ggctggtctt gaactcctga cctcaggtga tcgacctgcc ttagccttcc aaagtgctgg	71340
gattacaggc atgagccacc acacccggcc aataacctta atttcttaaa agtcattaag	71400
aaataacctt tatctggcag gagccctaag ccacagctct aataatccaa ccgttctcat	71460
ttttctgtct tcctttctag tcctttccta taggaatatg caaattaaaa accaattaag	71520
ttaattttaa aaatccaatg catatcttga aaccatacag agaagaatct cggttcacta	71580
gggagatete tgtaggette acteateaaa ggteaggeet gggteteeca cageagtggg	71640
gccagctatg gagtttgcag ggctggtgca aaacaaaaat atgggcctct tgcacaaaat	71700
ttactaagaa tttcaaatgg tggtggcaga gccctgaacc ccgcttgatc acatgcctgt	71760
gccactgcgt ctgcggtgtt ctgaagttgt cctggaaagg gctctgacct ttgcccttcc	71820
atcttctgtg tgccatggct gtccagcctc caggttcatg gcctatcaca agcccctgaa	71880
aaactcacag gattacacag aagctctgcg ggcagctcga gagctggcag ccaacatcac	71940
tgctgacctg cggaaagtgc ctggaacaga cccggctttt gaggtcttcc cctacacgtg	72000
aggacctgag tggctgggct ggagggaggt ggggtatggt tgctggagac tggaggttag	72060
ggtggagggć ttgcaaggag ttgcatgaga tgaggaccag ttttaggtca ggaggctctg	72120
gctgcagcct tgggcctatt tcttaggctg gtttgtaccc caatataagc ctgcctgacc	72180
ctcagcattc tccttctgaa gtggggtgtc ccacccacca tgagggcccc agaggcctga	72240
gcctgtgacc atgctctgtg ctctggcagg atcaccaatg tgttttatga gcagtacctg	72300

accatcctcc ctgaggggct cttcatgctc agcctctgcc ttgtgcccac cttcgctgtc 7	2360
tectgeetee tgetgggeet ggaeetgege teeggeetee teaacetget etecattgte 7	2420
atgatcctcg tggacactgt cggcttcatg gccctgtggg gcatcagtta caatgctgtg 7	2480
teceteatea pechanica and	2540
datastana artecraser entires	2600
OUCAUGUTET TOCTOTAL CONTRACTOR	2660
ACCTCA23CC CTTGGGCTCA CACCACTCACTCACTCACTCACTCACTCACTCACT	2720
63995369ta - 600000000000000000000000000000000000	2780
Ctttattace constants assessed	2840
CC2220tatt aggestates	2900
ctagaatcta gatgcctgcc ccacgctggt cctggtggag gcctcatctc cctagttcct 77	2960
tccccacctc tgcctttctt ggcttatgcc ccctctctgc ccataggcgg tgggcatgtc 73	3020
tgtggagttt gtgtcccaca ttacccgctc ctttgccatc agcaccaagc ccacctggct 73	8080
ggagagggcc aaagaggcca ccatctctat gggaagtgcg gtgagtggag aggagtgggc 73	3140
caccctgtgc cccactcgac accctgtgcc ctgcctgatg ccctgtgccc tgcctgatgc 73	200
cctgtgccct gcctgacacc tggctctgaa ccccccaggt gtttgcaggt gtggccatga 73	260
ccaacctgcc tggcatcctt gtcctgggcc tcgccaaggc ccagctcatt cagatcttct 73	320
tcttccgcct caacctcctg atcactctgc tgggcctgct gcatggcttg gtcttcctgc 73	380
ccgtcatcct cagctacgtg ggtgagtgcc caggcctgtt cctaccagac tgtcatgatt 73	440
atgctgacga caacagtaac agtgcatgct caccacaaaa gctcaggaag tgcaaacgag 73	500
ccatgggcag atgtcagaag ccaggactat gaccatgtgg caattctgtc ttggaagcta 73	560
ctattattca tttaatgtgc tgtgaacatc tttttttgtc agctatgtat gtctcaaaca 73	620
acgtttctgt ggccctgtac actgtggatc ttcactgcac tgctgttgga cttttaagca 73	680
tgcccttcag caagaaatat attttacaca gagaggtgac atgcacgggc acacatagac 73	740
atgcctgcct aaaacaaatg cttcactaaa taatattaat acttccttta tacatgtgaa 73	800
gcattctgat attgctggtt ccattctatt attattatta atattttttg gagacagggt 73	860
cttgctctga cacccaggct ggagtgcagt agcatgatca cagctcactg ccaccttgac 73	920
	980
caccaccatg cccagctaat tttttatttt ttgtagagat ggggtctccc tatgttgccc 740	040
aggctggtct caaactcctg agctcaagtg atccaccatg gccttccaca gtgctaggat 74	100
•	160
tttactttac attattitat ttttattttt tgagatggag tctcgctctg ttgcccaggc 742 Page 77	220

tggagtgcag tggtatgatc tcagctccct gcaacctctg cctcccaagt tcaagccatt 74280 ctcctgcttt agcctcccaa gtagctggga ttacaggtgc gcaccaccac gcctggccaa 74340 tttatttatt tatttttat ttttagtaga gacggggttt caccatgttg ggcaggctgg 74400 tctcgaactc ctgacctcag gtgatccaac cgccaaggcc tcccaaagtg ctgggattac 74460 aggcgtgagc cactgtgccc agccctatca ttaatttgtt tttaattatt ttaattattt 74520 ttatttttat tatttttaga cagagtetet etetgttgee caggetggag tgeagtggeg 74580 caatctcagc tcactgcaac ctctgcctcc tgggttcaag cgattctcct gtctcagcct 74640 ctcgagtagc tgggatatcg gtgtatgcca ccatacctgg ctaatttttg tattttatt 74700 ggagacaggt ttcaccatgt tggtcaggct ggtctcgaac tcctgtggcc tcaggtgatc 74760 catctgcctt ggcctcccaa agtgcaggga ttacaggcgt gggccaccgc acccggtctc 74820 attaatattt tgaaatgctg gccaggagtg gtggctcatg tttgtaatcc tagcactttg ggaggctgag gcacatggaa gctcaaattg agcctcccag gatgaaggtg tttctggctc tcagggtggg caagctggga ggagttcaat tttacctccc accagatggt aataatatta 75000 ttagaggaca tttatagagg ggtgtgtttg tgcatcaaca tatgtgtctg taattctctt 75060 actacccccg aggcaggtat tattatcctt cccattttac agatgaggga actgagacac 75120 ctgccccagg ttacagactt ggtcaaaggt agtaggggtt ggagcccaca cagctctgtg 75180 gttcctaacc atgtctcttg tggggactcc ctgaccctct tggaaggagt agagtgtgtg 75240 cgctgggggt ggtggatgag acataagaga ggggcaagga ggagcagtcg tggggtgtgc 75300 ttggacaaag gatatccagg gccttggagc tgcaggtggt ggctattcct tggaggttcc 75360 caaaatgctt gggggatgga gggaccagga catccctgaa gcttgggctg tgaacatagt 75420 gaccctggaa ggcacatggc acagatcccc cctgggaccc ttcctgccct gggtttgttg 75480 tacagaacca ggaatagctt ctcacctgtg tcccctgccc acctctctga ctgtggttct 75540 ctgtctctcc gcagggcctg acgttaaccc ggctctggca ctggagcaga agcgggctga 75600 ggaggcggtg gcagcagtca tggtggcctc ttgcccaaat cacccctccc gagtctccac 75660 agctgacaac atctatgtca accacagctt tgaaggttct atcaaaggtg ctggtgccat cagcaacttc ttgcccaaca atgggcggca gttctgatac agccagaggc cctgtctagg 75780 ctctatggcc ctgaaccaaa gggttatggg gatcttcctt gtgactgccc cttgacacac 75840 gccctcctca aatcctaggg gaggccattc ccatgagact gcctgtcact ggaggatggc 75900 ctgctcttga ggtatccagg cagcaccact gatggctcct ctgctcccat agtgggtccc 75960 cagtttccaa gtcacctagg ccttgggcag tgcctcctcc tgggcctggg tctggaagtt ggcaggaaca gacacactcc atgtttgtcc cacactcact cactttccta ggagcccact 76080

tctcatccaa cttttccctt ctcagttcct ctctcgaaag tcttaattct gtgtcagtaa gtctttaaca cgtagcagtg tccctgagaa cacagacaat gaccactacc ctgggtgtga 76200 tatcacagga ggccagagag aggcaaaggc tcaggccaag agccaacgct gtgggaggcc 76260 ggtcggcagc cactccctcc agggcgcacc tgcaggtctg ccatccacgg cctttctgg 76320 caagagaagg gcccaggaag gatgctctca taaggcccag gaaggatgct ctcataagca 76380 ccttggtcat ggattagccc ctcctggaaa atggtgttgg gtttggtctc cagctccaat 76440 acttattaag gctgttgctg ccagtcaagg ccacccagga gtctgaaggc tgggagctct '76500 tggggctggg ctggtcctcc catcttcacc tcgggcctgg atcccaggcc tcaaaccagc ccaacccgag cttttggaca gctctccaga agcatgaact gcagtggaga tgaagatcct 76620 ggctctgtgc tgtgcacata ggtgtttaat aaacatttgt tggcagaaat ggtgtttat 76680 gtcacatgtc ctaccctggc ttcctcctct cggtttaaga taatttttgt gaatgacaca 76740 aataatacat gtgtgggaga gtgatttgtg gagatactag tctgtgtttt gttctatttc 76800 tcctccctct tttcaagaaa gtagccaggc cattgtgtgc tcatgcctta caagggcctt 76860 tgaggagtgg gagtaatttc tcttcaaact gggagggcac agagcctgag agtcagtcag 76920 gagtaggatg tgcagcccct ccttttctgg aagagactgt gaagtaggca acacctggag 76980 gagctacagg agaaccacgg tgcattcaag gagggaagaa cccaccgtac aaacaaccag 77040 ctcccaggag ggccccaggc cagggcagtg ggtggaaatg tcaaggaaca ttccagatcc 77100 cctcgagtct ttctgcccca tgctgggtcc agcccttgtt tggctgaggg gctgctgttg 77160 ctttgaggct cagagggact gtcagcatgt aaagggaaga caagcaaaaa ggggtggaaa 77220 ggagctggcg tttctggagc ctactatcta cttttgggtc ctcataagag ccccatgtgc 77280 cagcatcatt agcccacctt tgggagggtt gctggctgac catgatggac aggaggtttg 77340 gtgaagggac agctacgagg gaatagaggc tgaggagaaa tcgcacaatt caccctgtta aaaactccac aggtgcagaa taaacagata gatttgagga acaaaatagc ttttgacagc 77460 agacattica aatcagagga aagggtagat ccttcagtaa acggtgtgag agtagtgagc 77520 aaattatttg gatcaaaata aagttatatc tatacttcac acaatacaca aaataaaagt 77580 acagacagat taaagcacta aacacaaaaa tgaaactata caactatcgg aaggaaacac 77640 agaagagtat gttataatct tggaggggga aaagtttcct aagcacaaag tccagaagcc 77700 ataaaggtaa acactaaggt atgaccatat aataatggaa aacatctgaa aacacacaaa 77760 aaattaaaga aagttgaaag acacatatga gctcagaaaa atagttgcaa catatttaac 77820 agcaaataaa atcaagaaaa cacaaagagt gccaatagtg ctcctgcaaa catggtgaac 77880 actectaaaa eccaetggae tttetgtaag aagtgtggga ageaecagee ecaeagagtg 77940 acacaggaca catttccctg tatgcctagg gaaagccatg ttatgacagg aagcagaggg 78000 Page 79

gctatggtgg ggagactaag ccaattttcc agaaaaaggc taaaactaca aagaagattg	78060
tgctaagttt tgagtgcatg aagcccaact gcagatctaa gagaatgctg gctattaaga	78120
gatacaagca ttttgaactg ggaggaggta agaagagcaa gggccaagtg atccagttct	78180
aagtgtcatc ttttgtttta ttatgaagac aataaaatat tgagtttatg tttaaaaaaa	78240
aaaagaatat acaaagagag tccaggtacg gtggctcatg cctgtaatcc cagcactttg	78300
ggaggctgag gcaggagaat tgcttgaggc caggagttca agaccagcct aggcaacata	78360
gcgagatact gtctctacaa aaagtttaaa agttagccag gctagctatt tggaaggctg	78420
aggtgggagg attgtttcag ctcgagtttg aggctgcagt gagctatgat ggcaccactg	78480
tactccagcc tgagtgaaag agtgagcttc tgtctcaaca aaaaaaaaaa	78540
tatacaaaga gaggaaggag tgcagggggg aggtctgggt tatgtggcta accttcccat	78600
tagaaacaag acattctagc taaaataaat cttagccgtg tgtgtgtgtg tatgtgtctg	78660
tgtgtgtgta tgatgcatac aagtttaggg tgttttaacc ttcttgataa attgagactt	78720
ttatagtttg aaatgactat aaaaatatcc ctttttatct ctagtattta tttttgtctg	78780
tttaagagat ggggttctca ctttgttgcc caggctggtc ttgaatactt ggcctcaagg	78840
gatcctccta cctcagcctc ccaagtacct ggaattacag gtatgagcca ccatgccagt	78900
cctatctgta gtatttgttc aactgtataa tgttattata cacacacaca cacacacaca	78960
cacacacaca cagacacaca cacacatata aaataacata cggttgaaca aattttatac	79020
ttaatagtca aacattgaaa ccctttcccc tgagattggg aatgagacaa agttgcccac	79080
ttttacccaa cattgcactg gaggtcttag ccattgtaat aaggcaagaa aaagaaacta	79140
agtttataag gattagaaat aaataaaatt gacatcattc acagataaca taaatatgta	79200
taaaaaagat tcagtctggg tgcagtggct catgcctgta accccagcaa tttctgaggc	79260
caaggcagga ggatcacttg aggccaggag ttcaagacat agcaagaccc cacctctaca	79320
aaaaaaaatt ttttttaaag atccaaaaga atctatatat aaactattgg aattactcta	79380
acaaaaggtg gtcaagaaaa ctatgaaaaa taataacttt gtattttaat ttgtataata	79440
ttgagagaaa ttaactgtca aaagaaatgg aggaatatac catgaattga gggctctata	79500
ctacagagat gtcaattctc ttcaaattaa ttactagttt cactgtaatt tcaataataa	79560
ccccagaaaa ttttttgtgg aaactgataa gctgattcaa aaattcatat agaaccacaa	79620
aagatgaaaa ttcacgaaag caatcttgaa gaaaaacaaa gtcagagaac ttacactact	79680
agaaatcaag ataatataaa tatatagaaa taaagatagt gagattttgg cacaaggaag	79740
aacaaataga aaaatggaaa gaatagaaag tccagaaaca gatgataccc acaaggacac	79800
atgatttatg atggaggagg catgcagagc attgggtaaa ggaggttttt caatgtagga	79860

	tgctgaccta	gttgggtat	cacacagaa	a gaaatgaato	atgaccctct	ccccaagat	79920
	acacaaaaa	cagttcctg	a tagattgtca	a atctaaatgt	gaaagataaa	atgatagagt	79980
	tctaaaaggt	aacataaaa	agtatcccca	a agactgaaat	aggaaaaact	tttcttagga	80040
					aactgtattg		80100
	aaacttctgt	tcttcaaaag	acatccttag	gaaagataaa	attcaaacca	tagagaggaa	80160
	aagatatttg	cacatatct	aaatacacac	atatctgaga	aagggcctgt	gcttagaatg	80220
	cataaaaaat	ctcctacaac	tcagcaagaa	aaagacagac	aaccaaaaga	aaagctaggc	80280
	tggctactca	aataagcaaa	tggccaatao	aagttcctca	attttgtcag	tcaccagagc	80340
	aaggctgagt	aaaagcacag	tgagagttct	tcctcttctc	ttccctcaca	atttggccta	80400
	caggccatgg	ggtaaggtgg	ggccaggcag	cacatgtggg	gtgtcagaat	ccaggtggtg	80460
	tggggagcgt	ttccacattg	gatctgaggg	aggagaggag	ggcattccac	acagaatagg	80520
	aactacatag	gcccagtatg	gggctaagat	gtcagaactg	agctctgatg	tgcctttctc	80580
	catgagcaga	gggactggat	gctggagatg	gagggtggag	gaaaggttca	gagccatcta	80640
•	gagatggcaa	ttcagaggaa	atgggagggc	agatagtctc	actcttcaca	gtgaggcaga	80700
	gtttccaagc	tggttttgtc	actcctttgc	tgggcctctt	tgggtaacat	atttgactta	80760
	tctgggcttt	agtttcttt	ttgcttttt	ttttttttga	gacagagtct	cactctgttg	80820
	gccaggctgg	agtgcactgg	tgtgatctta	gctcactgca	acctctgcct	cccgggtttg	80880
	agtgattctc	ctgcctcagc	ctcccgagta	gctgcaacta	caggcgcctg	ccaccatgcc	80940
	tggctaattt	ttgtatacag	atagggtttt	gccatgttga	ccaggctggt	cttgaactcc	81000
	tgacccgagg	tgatatgcct	gcctcagcct	cccaaattgc	taggattaca	ggtgtgagcc	81060
	accacacctg	gcatgggttt	ggtttcttta	cctgtaaaaa	ctgggatagt	ttagctgggc	81120
	acagtgatgc	taattgttgt	cccagctact	tgagaggctg	agatgggagg	atcacttgag	81180
	cctaagaatc	gcaggtcagc	ctgggcaaca	tagcaatacc	ccatctgtga	aaaaaaaat	81240
	tagtggctga	gcacagtggc	tcactccagc	aatcccagaa	ctttgggagg	ccaaggtggg	81300
	aagattactt	gagcccagga	gtttgaaact	ggtctgggaa	acacacagag	accacaatct	81360
	ctgcattaaa	aaaaaaatta	gctgggttgg	tggcactcac	ctgtggtccc	agctacttgg	81420
•	gagggtgagg	tgggaggata	atttgatccc	aggaagtgga	ggctgcagag	agctgtgatc	81480
ł	atgccactgc	actccagcct	gggtcacaga	gtgagaccct	gtctcaaaaa	aaaaaaaaa	81540
i	aattaggaaa	atttgccctg	actccccacg	tttttttaa	aggatgaaat	gagatattat	81600
á	atgtgaaagc	atctagtact	tgtgacatag	taggtgctta	aaaagtgttt	ccacttcact	81660
1	tctgcctaaa	acccagttca	gttcctgagt	tccagatatc	taactgtgat	gagaagagac	81720
9	gcagccagag	gtacctcaaa	gatagcaaca	ccccctccg Page 1	ccccgatacc 81	tgatgtactg	81780
				3 - '	_		

aagtcagaaa tttaaaaaaaa aaccttgttc ttccttcagt tttaagttca gtatactgat	81840
gaactatcgg tcacatttga cgatttactt taaaaataaa caggcttcca aattaaccta	81900
cttatatggt ttgtctgtgt cgccacccaa atctcatctt gaattcccac ccgttgtggg	81960
agggacctgg tgggaggtaa ttaaatcatg ggggcaagtc tttcctgtgc tgttctcgtg	82020
atagtgaata agtctcaaga gatctgatgg ttttaaaaaag aggagttccc ttgcacaagc	82080
tctctctctt tgcctgctgc catccatgta ggatgtgact tgctcttcct tgccttccac	82140
catgattgtg aggcttcccc agccacatgg aactgtaact ccaattaaac ctctttctct	. 82200
tgtaaattgc ccagtctagg ctatgtcttt atcagcagtg tgaaaacaga ctaatatact	82260
taccttggaa aggccttgtg atccatggtg acatcttgtc cctaaggaaa gcatcttacc	82320
atgagttcct caaattgttg atgtactgat taatgtgtaa ccctctgaca ctgggaagaa	82380
Cactgattta tttctgaatc ataaagtttt attgattgtc ttgcatgtag acattttagc	82440
ttgtatgttg caatctgtat ccaacaattg taacctctgt attgtaccct caaatgaaag	82500
aggaaaaaac tcttgtatga ggagtcccct cccttctcct aaactttcct ataaaagcct	82560
tctaccttgt aacagactgg aacattccta acattgttgg tgtgtttcct aagcggattc	82620
tcacatttgg cttcaaataa accttgatca aattagtgct gcctcaacag ccttaatttc	82680
aatcaatagt acaagcctct gtttttctat ttaatcacta ctttaaaggt aacctttgga	82740
aaatatttag gctctttaca aatttaatta attgaacata ttttaactgc atttataaag	82800
gtaatagtct ccattttctt cctaaatact ctgcataaga aacaaaatct tcccatatac	82860
ttaactcttt taaacctaat aaattaaatt tatggaatat cattaatata aagtttttat	82920
agatgttgta acactgcaca tagatttagc aacatttcaa tttacaatct taagcttata	82980
tgaaatacca ttttaaattg gaattataca attcttacac taatagacca aatactttaa	83040
atgttacaag catataaaat acgaaatata caaaaatttc cccccatcac acaaatattc	83100
ttactaaggt tttgcttctt tgaaaccttt ctatacacat tgtattagtc tgttttcatg	83160
ctgctaataa agacataccc cagactgggt aatttataaa ggaaagagtt ttaattgact	83220
tatagttcag catggctggg gaggcctcag gaaacttaca atcatggcag agggggaagc	83280
aaacatgccc ttcttcatat ggcaccagtg gagagaagaa tcagtgccca gtgaaagggg	83340
aagcccctta taaaaccagc agatctcgtg agaactaaat cactaccaca agaacaggat	83400
99999aaacc gctctcatga ttcaacgatc tccacctggt ccctcccaca acacatgggg	83460
attatgcaaa ctgcaagtca agatgagatt tgggtgggga cacagtcaaa acctatcaac	83520
ctaacatcct tttcctctcc ccttccttcc ttcctccctt ccttccttcc ttccttcctt	83580
ccttccttct ttccttccct ccctccctcc ctcccctct ctctctttt ttcttttct	83640

gatctcggct cactgcaacc tctgcctccc agggttaagc tatcctccca cctcagcctc 83820 ttagtggaga tggggtttca gtatgttgtc caggctgtcc atacccattt ttaagtgagt 83880 tataaatggg gttcaaaggt catactcccc ttgaggaaga caatcatcat ctcagataac 83940 caaggttgcc tatgcagtaa ggaagaagta agtcatcatt ccgggtaact aaatttacct 84000 aagaccaaag acatcagctg agagtgagac ctggagtctc aggcatcggg agtagttatc 84060 tcactgctaa ctaagtttac atggtgagtc aaaagaccca gaatacccaa cacaatattg 84120 aaggaaaaca aagtcagagg actaacacta tctgacttct agacttacta taaagttata 84180 gtaatgaaga cagtgaaaga actggtaaag aacagataaa taaatcactg taacagaata 84240 tagagtctag aaatagaccc aaataaatat agtgaagcaa aggtagactt ttttttttt 84300 tttttttttt tgagacagag tctctctctg tcacccaggc tggagtgcac tggtatgatc 84360 ttggttcaat gggacctata cctttaccat gagaatcact gggttcaagt gattctcatg 84420 cctcagtgtc ctgcatagct gggactaaag gcctgcaaac atgcctggct aatttttgca 84480 tttttagtag agatggggtt tcaccatgtt ggctaggctg gtctcaaagt cctgacctca 84540 ggtgatccac ccgccttggc ttcccaaagt gctgggatta caggtgtgag ccaccatacc 84600 cagccaaagg gcagtctttc caacaaatga tacagataca actggacatc tatgtgcaaa 84660 aacataaatt tagacacaga ctttgcaccc ttcacaaaaa ctaactgaaa atggatcata 84720 gacctcaatg taaaattcaa aactataaaaa ctcctaaaag acaacatagg gtaaaaccta 84780 gatgaccttg ggtgtagcga ccttttgata caacaccaaa gacataatcc atgaaataaa 84840 taactgataa actgtaatta ataaattttt tttagcagta atagaatgat gagtgttatt 84900 tcattaaaat ttaaaacttc tgctctgcaa aagacaatgt caagaagaag aagacaatgg 84960 ccaagtgcgg tggcttatgc ctttaatcct agcactttgg aaggccaagg cgggtggatc 85020 acttgaggcc aggagtttga gaccagcctg gctaacatgg tgaaaacctg tctctactaa 85080 aaatagaaaa attagctggg cgcagtggtg cacacctgta atcccagcta cttgacaggc 85140 tgatgcacaa gaatcgcttg aacccaggag gcagaggttg cagtgagctg aaattgtgcc 85200 actgtactcc agcttgggca acagagcgag actctgtctc aaaaaatata taaataaata 85260 aaatttaaaa aggatgagaa gacaagccac tgcctgggag aagatattag cgaaagacac 85320 atctgtgctg gcttcagcag cacacatact aaaattacaa tggtacagag aagattacca 85380 tggcctgtgc acaaggatga catgcacatt tgtgaagtgc ttcagaatat aaaaaagaaa 85440 aagatctatc cgataaagaa cttttattta aaatctaaat ggactctcca atacaataat 85500 aagaaaacaa ataactcaat taaaaactta gccttaccaa agaagatgta cagatggcaa 85560 Page 83

acaagcatat gaaaagatgc tacatgtcat atatcatcag ggaaatgata attaaaacaa caatgtgata ctgctacaca tctattagaa tgtccaaaat ctggaacact gacaacatca 85680 aatgctggta gggatgtgga gaagcagcaa ctctccttca ttactgatag gaatgcaaaa 85740 tggtacagcc actttggaag acagttcttc agtttcttct aaaactaaat atatcttacc 85800 atatgatcca gcaatcacat ttcttggtat gtacccaatg gagttgaaaa cttatgtcta 85860 Cacaaaaacc aacacatggg tgttcatggc agccttattc ataattgtca aaacttggaa 85920 gtaaccaaga tgtccttcag taggtgaatg ggttaatccc cacaatggaa tattattcag 85980 86040 cattaaaaac aaatgagcta tcaagctaag ctatgaaaag acatggaggg gccgggcacg gtggctcaag tctgaaatcc cagcactttg ggaggccgag gtgggcagat cacaaggtca 86100 ggagtttgag accagcccgg ccaatatggt gaaaccctgt ctctactaaa aatacaaaaa 86160 86220 ttcgccgggt gtggtggcag gcgcctatag tcccagctac tcagatggct gaggtaggag 86280 aggagattca cttgaatctg ggaggcagag gttgcagtga gccgagatca caccattgca 86340 86400 aagaaaaaga aagaaaagaa aagaagtgga ggaacttcaa atgtatacta ctaagtggaa aaagcaaatc taaaaagtct acatctgtct gattccaact atatgacatt ctgtaaaagg 86460 caaagctata aacacaataa aatgatcggt agtttctagg gtttggggtt aggggagttg 86520 aatgggcaga gcacaaaaga tttttaggcc agggaaacca ctctatatga tattataatc 86580 atggatgcat gtcattatac atttgtccaa atccatagaa tgtacaacac cagagtgagc 86640 cctaatgtaa actaaggatt ctgggtgata ttgtaacaaa tgcaccatta attgtaacaa 86700 atgtatcatt ttgtaccttc tgatggggaa tgttgagaat gagagaggct atgcatgtgt 86760 ggaggcagga gtgggtatat gggatatctc tgtatcttcc tctcaatttt gctgtgaacc 86820 tataactacc taaaaaagtc ttttagaaag cccagtagtt ttttgcttct ctttatgggt 86880 tggtttcctt ctctcaagtg aaaaatgggc ttcctccatg tagcagatga tatggcttct 86940 87000 ctcatcccag agaagagagt tctttcttgt caattacagc cagaaaaatc tccaagaagg atttagatgg tcctagtttg ctcctccca tccctcttc tttggatctc agatcagaag 87060 tgacttctac tgggatgctg ccctgttacc ccagtcttgg tcgggtccct gttatgtgct 87120 cccactatac catatccttc tccttcctag tcttcatcac agtttgaaga tgaaaattca 87180 ttggtggggt tacatggctc ccccatgtct gattcctcct ctaaactgta agctataggg 87240 ggcaatgact ttattttttt gcttaccatt gtgtttctag cacctagcat ctggcacata 87300 ggcacacaat aaatatccat taaataaatg actgaaataa acagagggct cttttgctct 87360 gattactctg aagagcaatt attacatagc agtgacagct tagtgtattc tcagaaaata 87420

ttcttttgtt ttaaaaccac ttattttct ggccaggcat ggtggctcac gcctgttatc	87480	
tcagcacttt gggaggccga ggtaggcgga tcacaaggtc aggagatcga gaccatcctg	87540	
gataacatgg tgaaaccctg tctctactaa aaatacaaaa aaatgagccg ggcttggtgg	87.600	
cgggcgcctg tagtcccagc tactagggag gctgaggcag gagaatggcg tgaacccagg	87660	
aggtggaggt tgccatgagc caagatcgca ccgctgaact tcagcttggg cgacagagcg	87720	
agattccatc tcaaaaaaaa aaaattttt tttctgataa taaacacaac agactgggca	87780	
cagtggcgca tacctgtaat cctggtacat tgggaggcca aggtgggagg atcacttgag	87840	
tccaggagtt caagaccagc ctgggcaaca ttgtgagaca tcatctctat ttaaaaacaa	87900	
acaaacaaac aaacaaacaa acaaacaaac actccttaaa tccccacaca cttatgacag	87960	
aataattgta agacaaagaa aagtacagtt aagaaaacaa aaaacaaaaa ttacttatat	88020	
ctgtaaccc	88029	
<210> 21 <211> 5092 <212> DNA <213> Homo sapiens		
cttggctgtt cctgaggcct ggcctggctc cccgctgacc ccttcccaga cctgggatgg	60	
cggaggccgg cctgaggggc tggctgctgt gggccctgct cctgcgcttg gcccagagtg	120	
agccttacac aaccatccac cagcctggct actgcgcctt ctatgacgaa tgtgggaaga	180	
acccagagct gtctggaagc ctcatgacac tctccaacgt gtcctgcctg tccaacacgc	240	
cggcccgcaa gatcacaggt gatcacctga tcctattaca gaagatctgc ccccgcctct	300	
acaccggccc caacacccaa gcctgctgct ccgccaagca gctggtatca ctggaagcga	360	
gtctgtcgat caccaaggcc ctcctcaccc gctgcccagc ctgctctgac aattttgtga	420	
acctgcactg ccacaacacg tgcagcccca atcagagcct cttcatcaat gtgacccgcg	480	
tggcccagct aggggctgga caactcccag ctgtggtggc ctatgaggcc ttctaccagc	540	
atagctttgc cgagcagagc tatgactcct gcagccgtgt gcgcgtccct gcagctgcca	600	
cgctggctgt gggcaccatg tgtggcgtgt atggctctgc cctttgcaat gcccagcgct	660	
ggctcaactt ccagggagac acaggcaatg gtctggcccc actggacatc accttccacc	720	
tcttggagcc tggccaggcc gtggggagtg ggattcagcc tctgaatgag ggggttgcac	780	
gttgcaatga gtcccaaggt gacgacgtgg cgacctgctc ctgccaagac tgtgctgcat	840	
cctgtcctgc catagcccgc ccccaggccc tcgactccac cttctacctg ggccagatgc	900	
cgggcagtct ggtcctcatc atcatcctct gctctgtctt cgctgtggtc accatcctgc	960	
ttgtgggatt ccgtgtggcc cccgccaggg acaaaagcaa gatggtggac cccaagaagg	1020	

gcaccagcct ctctgacaag ctcagcttct ccacccacac cctccttggc cagttcttcc	1080
agggctgggg cacgtgggtg gcttcgtggc ctctgaccat cttggtgcta tctgtcatcc	1140
cggtggtggc cttggcagcg ggcctggtct ttacagaact cactacggac cccgtggagc	1200
tgtggtcggc ccccaacagc caagcccgga gtgagaaagc tttccatgac cagcatttcg	1260
gccccttctt ccgaaccaac caggtgatcc tgacggctcc taaccggtcc agctacaggt	1320
atgactctct gctgctgggg cccaagaact tcagcggaat cctggacctg gacttgctgc	1380
tggagctgct agagctgcag gagaggctgc ggcacctcca ggtatggtcg cccgaagcac	1440
agcgcaacat ctccctgcag gacatctgct acgccccct caatccggac aataccagtc	. 1500
tctacgactg ctgcatcaac agcctcctgc agtatttcca gaacaaccgc acgctcctgc	15,60
tgctcacagc caaccagaca ctgatggggc agacctccca agtcgactgg aaggaccatt	1620
ttctgtactg tgccaatgcc ccgctcacct tcaaggatgg cacagccctg gccctgagct	1680
gcatggctga ctacggggcc cctgtcttcc ccttccttgc cattgggggg tacaaaggaa	1740
aggactattc tgaggcagag gccctgatca tgacgttctc cctcaacaat taccctgccg	1800
gggacccccg tctggcccag gccaagctgt gggaggaggc cttcttagag gaaatgcgag	1860
ccttccagcg tcggatggct ggcatgttcc aggtcacgtt catggctgag cgctctctgg	1920
aagacgagat caatcgcacc acagctgaag acctgcccat ctttgccacc agctacattg	1980
tcatattcct gtacatctct ctggccctgg gcagctattc cagctggagc cgagtgatgg	2040
tggactccaa ggccacgctg ggcctcggcg gggtggccgt ggtcctggga gcagtcatgg	2100
ctgccatggg cttcttctcc tacttgggta tccgctcctc cctggtcatc ctgcaagtgg	2160
ttcctttcct ggtgctgtcc gtgggggctg ataacatctt catctttgtt ctcgagtacc	2220
agaggetgee eeggaggeet ggggageeae gagaggteea cattgggega geeetaggea	2280
999tggctcc cagcatgctg ttgtgcagcc tctctgaggc catctgcttc ttcctagggg	2340
ccctgacccc catgccagct gtgcggacct ttgccctgac ctctggcctt gcagtgatcc	2400
ttgacttcct cctgcagatg tcagcctttg tggccctgct ctccctggac agcaagaggc	2460
aggaggcctc ccggttggac gtctgctgct gtgtcaagcc ccaggagctg cccccgcctg	2520
gccagggaga ggggctcctg cttggcttct tccaaaaggc ttatgccccc ttcctgctgc	2580
actggatcac tcgaggtgtt gtgctgctgc tgtttctcgc cctgttcgga gtgagcctct	2640
actccatgtg ccacatcagc gtgggactgg accaggagct ggccctgccc aaggactcgt	2700
acctgcttga ctatttcctc tttctgaacc gctacttcga ggtgggggcc ccggtgtact	2760
ttgttaccac cttgggctac aacttctcca gcgaggctgg gatgaatgcc atctgctcca	2820
gtgcaggctg caacaacttc tccttcaccc agaagatcca gtatgccaca gagttccctg	2880
agcagtctta cctggccatc cctgcctcct cctgggtgga tgacttcatt gactggctga Page 86	2940
•	•

ccccgtcctc ctgctgccgc ctttatatat ctggccccaa taaggacaag ttctgccct	3000
cgaccgtcaa ctctctgaac tgcctaaaga actgcatgag catcacgatg ggctctgtga	3060
ggccctcggt ggagcagttc cataagtatc ttccctggtt cctgaacgac cggcccaaca	3120
tcaaatgtcc caaaggcggc ctggcagcat acagcacctc tgtgaacttg acttcagatg	3180
gccaggtttt agacacagtt gccattctgt cacccaggct ggagtacagt ggcacaatct	3240
cggctcactg caacctctac ctcctggatt cagcctccag gttcatggcc tatcacaagc	3300
ccctgaaaaa ctcacaggat tacacagaag ctctgcgggc agctcgagag ctggcagcca	3360
acatcactgc tgacctgcgg aaagtgcctg gaacagaccc ggcttttgag gtcttcccct	3420
acacgatcac caatgtgttt tatgagcagt acctgaccat cctccctgag gggctcttca	3480
tgctcagcct ctgccttgtg cccaccttcg ctgtctcctg cctcctgctg ggcctggacc	3540
tgcgctccgg cctcctcaac ctgctctcca ttgtcatgat cctcgtggac actgtcggct	3600
tcatggccct gtggggcatc agttacaatg ctgtgtccct catcaacctg gtctcggcgg	3660
tgggcatgtc tgtggagttt gtgtcccaca ttacccgctc ctttgccatc agcaccaagc	3720
ccacctggct ggagagggcc aaagaggcca ccatctctat gggaagtgcg gtgtttgcag	3780
gtgtggccat gaccaacctg cctggcatcc ttgtcctggg cctcgccaag gcccagctca	3840
ttcagatctt cttcttccgc ctcaacctcc tgatcactct gctgggcctg ctgcatggct	3900
tggtcttcct gcccgtcatc ctcagctacg tggggcctga cgttaacccg gctctggcac	3960
tggagcagaa gcgggctgag gaggcggtgg cagcagtcat ggtggcctct tgcccaaatc	4020
acccctcccg agtctccaca gctgacaaca tctatgtcaa ccacagcttt gaaggttcta	4080
tcaaaggtgc tggtgccatc agcaacttct tgcccaacaa tgggcggcag ttctgataca	4140
gccagaggcc ctgtctaggc tctatggccc tgaaccaaag ggttatgggg atcttccttg	4200
tgactgcccc ttgacacacg ccctcctcaa atcctagggg aggccattcc catgagactg	4260
cctgtcactg gaggatggcc tgctcttgag gtatccaggc agcaccactg atggctcctc	4320
tgctcccata gtgggtcccc agtttccaag tcacctaggc cttgggcagt gcctcctcct	4380
gggcctgggt ctggaagttg gcaggaacag acacactcca tgtttgtccc acactcactc	4440
actttcctag gagcccactt ctcatccaac ttttcccttc tcagttcctc tctcgaaagt	4500
ttaattctg tgtcagtaag tctttaacac gtagcagtgt ccctgagaac acagacaatg	4560
ccactaccc tgggtgtgat atcacaggag gccagagaga ggcaaaggct caggccaaga	4620
ccaacgctg tgggaggccg gtcggcagcc actccctcca gggcgcacct gcaggtctgc	4680
atccacggc cttttctggc aagagaaggg cccaggaagg atgctctcat aaggcccagg	4740
aggatgctc tcataagcac cttggtcatg gattagcccc tcctggaaaa tggtgttggg	4800

	tttggtctcc	agctccaata	cttattaagg	ctgttgctgc	cagtcaaggc	cacccaggag	4860
	tctgaaggct	gggagctctt	ggggctgggc	tggtcctccc	atcttcacct	cgggcctgga	4920
	tcccaggcct	caaaccagcc	caacccgagc	ttttggacag	ctctccagaa	gcatgaactg	4980
	cagtggagat	gaagatcctg	gctctgtgct	gtgcacatag	gtgtttaata	aacatttgtt	5040
9	ggcagaaaaa	aaaaaaaaa	aaaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aa	5092

22 1359 PRT Homo sapiens

<400>

Met Ala Glu Ala Gly Leu Arg Gly Trp Leu Leu Trp Ala Leu Leu Leu 1 5 15

Arg Leu Ala Gln Ser Glu Pro Tyr Thr Thr Ile His Gln Pro Gly Tyr 20 30

Cys Ala Phe Tyr Asp Glu Cys Gly Lys Asn Pro Glu Leu Ser Gly Ser 35 40 45

Leu Met Thr Leu Ser Asn val Ser Cys Leu Ser Asn Thr Pro Ala Arg 50 60

Lys Ile Thr Gly Asp His Leu Ile Leu Leu Gln Lys Ile Cys Pro Arg 65 70 80

Leu Tyr Thr Gly Pro Asn Thr Gln Ala Cys Cys Ser Ala Lys Gln Leu 85 90

Val Ser Leu Glu Ala Ser Leu Ser Ile Thr Lys Ala Leu Leu Thr Arg 100 105 110

Cys Pro Ala Cys Ser Asp Asn Phe Val Asn Leu His Cys His Asn Thr 115 120 125

Cys Ser Pro Asn Gln Ser Leu Phe Ile Asn Val Thr Arg Val Ala Gln 130 135 140

Leu Gly Ala Gly Gln Leu Pro Ala Val Val Ala Tyr Glu Ala Phe Tyr 150 155 160

Gln His Ser Phe Ala Glu Gln Ser Tyr Asp Ser Cys Ser Arg Val Arg 165 170

Val Pro Ala Ala Ala Thr Leu Ala Val Gly Thr Met Cys Gly Val Tyr

180

185

190

Gly Ser Ala Leu Cys Asn Ala Gln Arg Trp Leu Asn Phe Gln Gly Asp 200 205 Thr Gly Asn Gly Leu Ala Pro Leu Asp Ile Thr Phe His Leu Leu Glu 210 215 220 Pro Gly Gln Ala Val Gly Ser Gly Ile Gln Pro Leu Asn Glu Gly Val 225 230 235 240 Ala Arg Cys Asn Glu Ser Gln Gly Asp Asp Val Ala Thr Cys Ser Cys 250 255 Gln Asp Cys Ala Ala Ser Cys Pro Ala Ile Ala Arg Pro Gln Ala Leu 265 270 Asp Ser Thr Phe Tyr Leu Gly Gln Met Pro Gly Ser Leu Val Leu Ile 275 280 285 Ile Ile Leu Cys Ser Val Phe Ala Val Val Thr Ile Leu Leu Val Gly 290 295 Phe Arg Val Ala Pro Ala Arg Asp Lys Ser Lys Met Val Asp Pro Lys 305 310 315 Lys Gly Thr Ser Leu Ser Asp Lys Leu Ser Phe Ser Thr His Thr Leu 335 Leu Gly Gln Phe Phe Gln Gly Trp Gly Thr Trp Val Ala Ser Trp Pro 340 345 Leu Thr Ile Leu Val Leu Ser Val Ile Pro Val Val Ala Leu Ala Ala 355 360 365 Gly Leu Val Phe Thr Glu Leu Thr Thr Asp Pro Val Glu Leu Trp Ser 370 380 Ala Pro Asn Ser Gln Ala Arg Ser Glu Lys Ala Phe His Asp Gln His 385 400 Phe Gly Pro Phe Phe Arg Thr Asn Gln Val Ile Leu Thr Ala Pro Asn 410 415 Arg Ser Ser Tyr Arg Tyr Asp Ser Leu Leu Gly Pro Lys Asn Phe 420 425 430

Page 89

Ser Gly Ile Leu Asp Leu Asp Leu Leu Leu Glu Leu Glu Leu Gln 445 Glu Arg Leu Arg His Leu Gln Val Trp Ser Pro Glu Ala Gln Arg Asn 450 460 Ile Ser Leu Gln Asp Ile Cys Tyr Ala Pro Leu Asn Pro Asp Asn Thr 480 Ser Leu Tyr Asp Cys Cys Ile Asn Ser Leu Leu Gln Tyr Phe Gln Asn 485 490 495 Asn Arg Thr Leu Leu Leu Leu Thr Ala Asn Gln Thr Leu Met Gly Gln 500 510 Thr Ser Gln Val Asp Trp Lys Asp His Phe Leu Tyr Cys Ala Asn Ala 515 525 Pro Leu Thr Phe Lys Asp Gly Thr Ala Leu Ala Leu Ser Cys Met Ala 530 540 Asp Tyr Gly Ala Pro Val Phe Pro Phe Leu Ala Ile Gly Gly Tyr Lys 555 560 Gly Lys Asp Tyr Ser Glu Ala Glu Ala Leu Ile Met Thr Phe Ser Leu 575 575 Asn Asn Tyr Pro Ala Gly Asp Pro Arg Leu Ala Gln Ala Lys Leu Trp 580 585 Glu Glu Ala Phe Leu Glu Glu Met Arg Ala Phe Gln Arg Arg Met Ala 595 605 Gly Met Phe Gln Val Thr Phe Met Ala Glu Arg Ser Leu Glu Asp Glu 610 620 Ile Asn Arg Thr Thr Ala Glu Asp Leu Pro Ile Phe Ala Thr Ser Tyr 625 630 640 Ile Val Ile Phe Leu Tyr Ile Ser Leu Ala Leu Gly Ser Tyr Ser Ser 655 655 Trp Ser Arg Val Met Val Asp Ser Lys Ala Thr Leu Gly Leu Gly Gly 660 665 Val Ala Val Val Leu Gly Ala Val Met Ala Ala Met Gly Phe Phe Ser 680 685

Page 90

Tyr Leu Gly Ile Arg Ser Ser Leu Val Ile Leu Gln Val Val Pro Phe 690 700 Leu Val Leu Ser Val Gly Ala Asp Asn Ile Phe Ile Phe Val Leu Glu 705 710 720 Tyr Gln Arg Leu Pro Arg Arg Pro Gly Glu Pro Arg Glu Val His Ile 725 730 735 Gly Arg Ala Leu Gly Arg Val Ala Pro Ser Met Leu Leu Cys Ser Leu 740 750 Ser Glu Ala Ile Cys Phe Phe Leu Gly Ala Leu Thr Pro Met Pro Ala 755 760 765 Val Arg Thr Phe Ala Leu Thr Ser Gly Leu Ala Val Ile Leu Asp Phe 770 780 Leu Leu Gîn Met Ser Ala Phe Val Ala Leu Leu Ser Leu Asp Ser Lys 785 790 795 800 Arg Gln Glu Ala Ser Arg Leu Asp Val Cys Cys Cys Val Lys Pro Gln 805 810 815 . Glu Leu Pro Pro Gly Gln Gly Glu Gly Leu Leu Gly Phe Phe 820 825 Gln Lys Ala Tyr Ala Pro Phe Leu Leu His Trp Ile Thr Arg Gly Val 835 840 845 Val Leu Leu Phe Leu Ala Leu Phe Gly Val Ser Leu Tyr Ser Met 850 860 Cys His Ile Ser Val Gly Leu Asp Gln Glu Leu Ala Leu Pro Lys Asp 870 875 880 Ser Tyr Leu Leu Asp Tyr Phe Leu Phe Leu Asn Arg Tyr Phe Glu Val 885 890 895 Gly Ala Pro Val Tyr Phe Val Thr Thr Leu Gly Tyr Asn Phe Ser Ser 900 905 910 Glu Ala Gly Met Asn Ala Ile Cys Ser Ser Ala Gly Cys Asn Asn Phe 915 920 · 925 Ser Phe Thr Gln Lys Ile Gln Tyr Ala Thr Glu Phe Pro Glu Gln Ser 930 940

Tyr Leu Ala Ile Pro Ala Ser Ser Trp Val Asp Asp Phe Ile Asp Trp 945 950 955 960

Leu Thr Pro Ser Ser Cys Cys Arg Leu Tyr Ile Ser Gly Pro Asn Lys 965 970 975

Asp Lys Phe Cys Pro Ser Thr Val Asn Ser Leu Asn Cys Leu Lys Asn 980 985 990

Cys Met Ser Ile Thr Met Gly Ser Val Arg Pro Ser Val Glu Gln Phe 995 1000 1005

His Lys Tyr Leu Pro Trp Phe Leu Asn Asp Arg Pro Asn Ile Lys 1010 1020

Cys Pro Lys Gly Gly Leu Ala Ala Tyr Ser Thr Ser Val Asn Leu 1025 1030 1035

Thr Ser Asp Gly Gln Val Leu Asp Thr Val Ala Ile Leu Ser Pro 1040 1050

Arg Leu Glu Tyr Ser Gly Thr Ile Ser Ala His Cys Asn Leu Tyr 1055 1060 1065

Leu Leu Asp Ser Ala Ser Arg Phe Met Ala Tyr His Lys Pro Leu 1070 1080

Lys Asn Ser Gln Asp Tyr Thr Glu Ala Leu Arg Ala Ala Arg Glu 1085 1090

Leu Ala Ala Asn Ile Thr Ala Asp Leu Arg Lys Val Pro Gly Thr 1100 1110

Asp Pro Ala Phe Glu Val Phe Pro Tyr Thr Ile Thr Asn Val Phe 1115 1120

Tyr Glu Gln Tyr Leu Thr Ile Leu Pro Glu Gly Leu Phe Met Leu 1130 1140

Ser Leu Cys Leu Val Pro Thr Phe Ala Val Ser Cys Leu Leu Leu 1145 1155

Gly Leu Asp Leu Arg Ser Gly Leu Leu Asn Leu Leu Ser Ile Val 1160 1170

Met Ile Leu Val Asp Thr Val Gly Phe Met Ala Leu Trp Gly Ile Page 92

1175

1180

1185

Ser Tyr Asn Ala Val Ser Leu Ile Asn Leu Val Ser Ala Val Gly 1190

Met Ser Val Glu Phe Val Ser His Ile Thr Arg Ser Phe Ala Ile 1205 1210 1215

Ser Thr Lys Pro Thr Trp Leu Glu Arg Ala Lys Glu Ala Thr Ile 1220 1230

Ser Met Gly Ser Ala Val Phe Ala Gly Val Ala Met Thr Asn Leu 1235

Pro Gly Ile Leu Val Leu Gly Leu Ala Lys Ala Gln Leu Ile Gln 1250 1260

Ile Phe Phe Phe Arg Leu Asn Leu Leu Ile Thr Leu Leu Gly Leu 1265 1270 1275

Leu His Gly Leu Val Phe Leu Pro Val Ile Leu Ser Tyr Val Gly 1280 1290

Pro Asp Val Asn Pro Ala Leu Ala Leu Glu Gln Lys Arg Ala Glu 1295 1305

Glu Ala Val Ala Ala Val Met Val Ala Ser Cys Pro Asn His Pro 1310 1320

Ser Arg Val Ser Thr Ala Asp Asn Ile Tyr Val Asn His Ser Phe 1325 1335

Glu Gly Ser Ile Lys Gly Ala Gly Ala Ile Ser Asn Phe Leu Pro 1340 1350

Asn Asn Gly Arg Gln Phe

artificial

<220> <223> synthetic sequence

<400> 23 tggtctttac agaactcact a

21

<210> <211> <212> <213>	24 21 DNA artificial	
<220> <223>	synthetic sequence	
<400> tccgga	24 Caat accagtctct a	21
<210> <211> <212> <213>	25 76 DNA artificial	
<220> <223>	synthetic sequence	
<400>	25	60
	Cgta gtgagttctg taaagaccat tgatatccgt ggtctttaca gaactcacta	60 76
	·	76
<210> <211>	26 76	
<212> <213>	DNA artificial	
<220>	ar cirrerar	
<223>	synthetic sequence	
<400>	26	50
	Ggta gagactggta ttgtccggat tgatatccgt ccggacaata ccagtctcta	60
	caa aayee	76
<210> <211>	27 ⁻ 960	
<212>	DNA	
	Homo sapiens 27	
	gct cagctttggt aatgggggcc cattaccaaa tgggggtaaa ggtcatggcc	60
catcctg	gtg atagtgagaa cccaaggtag gccttgaaga ttcctatcag gagggagcag	120
aaagtgt	gta ccacaccct gggcccaggt ggagcagggc tgctgctcaa ggctcccagc	180
catgctc	tgt cccttgctag gggtgaccgg tgggacaggc ctgggcaagg gacaagaggg	240
agaaggt	cgg ggggaagagg ggatgaagag caaagtgagc aaaggagagt cttccactat	300
ctggggt	ctc tgtcaactgt caggccctag agtgagctgt tctttccctt tgcttcctgg	360
aggaggg	gac ttttgtcact gcgtcactcc accctgcctg cccctccgtt atcaggctgt	420
taatatta	aat taacaacagt tgctagggat gacagtgcag agggttcctc tgagcccatt	480
gctggcc	ctg gtcccaagag ggggtagggc agagctgggg tctgaggctg agccagggag Page 94	540

ggtgcggagg	ttcctcggcd	atgctgagc	t cctgaggccg	ggtcccagco	agtgcctggt	600
cccatctgtg	cctccaggcc	ctggcacca	a ctccagcagt	gttaggggct	aatagcgtgg	660
tctctcccct	agctgactca	gccctctgg	ttcggtcgct	ttgggaagtg	agtggagacc	720
ctagcacctg	cgtgatgagg	ctcatctaaa	a gcgggggcct	gtggactggg	gccaaacagt	780
gggagtggtg	gatcattaac	cagcagggct	cagcctcatt	ggtccctaac	ccagtcaggc	840
cagggttgtc	atcgaagggg	aggaggctgd	cttaatgtgt	gttcagccct	tggctgttcc	900
tgaggcctgg	cctggctccc	cgctgacccc	ttcccagacc	tgggatggcg	gaggccggcc	960
<210> 28 <211> 970 <212> DNA <213> MUS <400> 28	musculus			·		
	cttgggcgga	ttcccctctg	agcccacccg	agcccctggg	acactggtgg	60
aactcagtag	gagcccctcc	ctgcagctgt	ċtcaacaggt	agctgcatga	gtggccttga	120
agcaattatc	agcaattcag	ccctggcaat	agaggccaag	gtcctggcct	gtcttggtga	180
tagcaagagc	ccaaggaaag	actggaagtt	tcctactgga	aagaagcaga	ggatgaacca	240
tgtacctggg	cccaggttgg	gtgggacttg	ccactcagag	cccctaacca	gggttgttca	300
gaggactagg	ccagggccag	gaccaagaaa	gggatagaac	gggcatgagg	aggaagggtg	360
aagggatcca a	aggaatctct	ggtcctgttc	cctgttagga	catttgtcat	ggaatcactc	420
tcgcttagtg 1	tctctgttat	ctgggtgcta	atagcaacta	ttcagttgct	aggatgttag	480
gtgagtctga a	acctaccctt	gatgttgatc	tgaagaggcg	atgcgttaga	ctgcaggttg	540
gaggccaagt o	caggacagt	gttgatattc	tggatctcca	agaagcctcc	aaggccaaag	600
ccaggccagt g	tctggtctc	gcagaggaac	agctctgcat	ctcttgcccg	gttggctcta	660
actaccacat t	agacttcag	ttgcgtcaaa	aaacgagggg	accccagcgc	cttcactagg	720
aagttgacct c	agaaggagg	agatggaatg	gcaccatctg	atgtaaggga	agagaaaata	780
aattattaac c					•	840
gaggaggaag c						900
tccaaggcct g	gtcctgctt	ttccttgatc	acttcctggc	tctgggatgg	cagctgcctg	960
gcagggatgg						970
<210> 29 <211> 8 <212> PRT <213> artif	icial					

<220>

WO 2006/015365	PCT/US2005/0275

<223> synthetic peptide tag	•
<400> 29	
ASP TYP LYS ASP ASP ASP LYS 1 5	
<210> 30 <211> 23 <212> DNA <213> artificial	
<220> <223> primer	
<400> 30 ctatacgaag ttatgtcaag cgg	23
<210> 31 <211> 25 <212> DNA <213> artificia	
<220> <223> primer	
<400> 31 cttgcacctg acttcctcat ataag	25
<210> 32 <211> 23 <212> DNA <213> artificial	
<220> <223> primer	
<400> 32 aaagaaggaa agcggccgcc agg	23
<210> 33 <211> 25 <212> DNA <213> artificial	
<220> <223> primer	
<400> 33 aggaaccgta ctgagcgcat accaa	25

INTERNATIONAL SEARCH REPORT

ln:			
PCT/US05/27579			

		1	PC1/0503/2/3/9	
A. CL	ASSIFICATION OF SUBJECT MATTER			
IPC(7)	: C07K 14/00; C12N 5/10, 15/11, 15/693; G01	N 33/53		
US CL	: 435/7.2, 69.1, 320.1, 325; 530/350; 536/23.5			
	o International Patent Classification (IPC) or to both r	ational classification and	IPC	
B. FIEI	LDS SEARCHED			
Minimum d	ocumentation searched (classification system followed	by classification symbols	1)	
	35/7.2, 69.1, 320.1, 325; 530/350; 536/23.5	b) ************************************	,	
0.5	133/14, 09.1, 320.1, 323, 330/330, 330/23.3			
Documentat	ion searched other than minimum documentation to th	e extent that such docume	ents are included in the fields searched	
		<u> </u>		
Electronic d	ata base consulted during the international search (nan	e of data base and, where	practicable, search terms used)	1
	Continuation Sheet		•	
. DOC	UMENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where	appropriate, of the relevan	nt passages Relevant to claim N	io.
A	US 6,426,198 B1 (CARSTEA et al.) 30 July 2002 (30.07.2002) see entire doc	cument. 1-46	
		•	j	
	1		}	1
	•		į.	- 1
	!		i	- 1
	i	•	i]
			j	ı
	i ·		i	- 1
			1	
			í	
				- 1
			ł	- 1
)	I
				1
			Į.	- {
			j	- 1
				- 1
				1
			l l	ı
- 1			1	- 1
Further	documents are listed in the continuation of Box C.	See patent far	mily annex.	- 1
				-
Sp	secial categories of cited documents:		mblished after the international filing date or priority conflict with the application but cited to understand th	.
document	defining the general state of the art which is not considered to be of		ry underlying the invention	· 1
particular s		• •		- {
cartier and	lication or patent published on or after the international filing date	"X" document of part	ticular relevance; the claimed invention cannot be I or cannot be considered to involve an inventive step	. 1
can app	resum or basest brothers on or atten me menerous mind men		ent is taken alone	ì
document	which may throw doubts on priority claim(s) or which is cited to			- 1
establish th specified)	to publication date of another citation or other special reason (as	"Y" document of part	ticular relevance; the claimed invention cannot be volve an inventive step when the document is combin	ایم
фосыция		with one or more	other such documents, such combination being	_
document i	eferring to an oral disclosure, use, exhibition or other means	· obvious to a pers	son skilled in the art	ı
document r	sublished prior to the international filing date but later than the	"&" document membe	er of the same patent family	- 1
priority dat				- 1
		Date of mailing of the in	nternational search report	⊣
æ ∪! 11)C 3C1	ual completion of the international search	Date of Institute of the	2 DEC 2005	- 1
December 2	2005 (12.12.2005)			
	ling address of the ISA/US	Authorized officer /		J
			$\alpha = \alpha \wedge M$	\dashv
14PH11	Stop PCT, Attn: ISA/US	\ /	// \	\dashv
Com	Stop PCT, Attn: ISA/US nissioner for Patents	Michael Pak	Verso) BOUT-Ham	60
P.O. 1	nissioner for Patents Box 1450	Michael Pak	leve Bell-Han	- J
P.O. i Alexa	nissioner for Patents	Michael Pak Colored Telephone No. 571-272	lence Bell-Ham	age of

Facsimile No. (571) 273-3201
Form PCT/ISA/210 (second sheet) (April 2005)

INTERNATIONAL SEARCH REPORT International applications by PCT/US05/21949 International applications by PCT/US05/21949
Continuation of B. FIELDS SEARCHED Item 3:
/EST, PIR, UNIPROT, GENESEQ
earch terms: Niemann-Pick C1-like protein, NPC1L1, lipid permease, metabolism, cholesterol
_
· · · · · · · · · · · · · · · · · · ·

Form PCT/ISA/210 (extra sheet) (April 2005)

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER: ___

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.